

## NOTES ON GEOGRAPHIC DISTRIBUTION

### **Plantae, Magnoliophyta, Lamiales, Oleaceae, *Chionanthus micranthus*: Distribution extension and new state record.**

Julio A. Lombardi

Departamento de Botânica, Instituto de Biociências, Unesp - Campus Rio Claro, Avenida 24-A, 1515, Caixa Postal 199, CEP 13506-900, Rio Claro, SP, Brazil. E-mail: cissus@rc.unesp.br.

*Chionanthus* L. is a genus of ca. 100 species chiefly from tropical and subtropical regions of Africa, Asia, America, Australia, and temperate Asia and North America (Green 1994; Stearn 1995). Green (1994) considered that 14 species occur in South America. Since then, only one species has been described for the Neotropics (Lombardi 2006).

While identifying specimens donated for determination, we recognized one specimen of *Chionanthus micranthus* (Mart.) Lozano & Fuertes (Figure 1) collected in 2006 by F. Z. Saiter during a vegetation inventory in the Biological Station Santa Lúcia ( $19^{\circ}57'10''$  S,

$40^{\circ}31'30''$  W), state of Espírito Santo, southeastern Brazil.

*C. micranthus* is classified as an endangered species by the World Conservation Monitoring Centre (1998), in the category "Vulnerable" (VU B1+2c B), and previously was known from two collections from the Brazilian Atlantic rainforests of southern Bahia (Green 1994, specimens from 'Almada, distr. Ilhéus', collected in 1839, and from 'Maraú to Ubaitaba', collected in 1968.) This new occurrence report extends the distributional range of *C. micranthus* 590 km SW (Figure 2) and consequently increases the conservation possibilities of this species, now discovered within a conservation unity with ca. 440 ha of forests in many successional stages (Mendes and Padovan 2000).

The specimens of *C. micranthus* (Saiter 271) examined are deposited as duplicates at the HRCB and MBML herbaria.

### Acknowledgments

The author thanks Felipe Zamborlini Saiter for sending him this specimen and Alain François for checking the language.

### Literature cited


- Green, P. S. 1994. A revision of *Chionanthus* (Oleaceae) in S. America and the description of *Priogymnanthus*, gen.nov. Kew Bulletin 49: 261 – 286.  
Lombardi, J. A. 2006. *Chionanthus greenii* (Oleaceae), a new species from Minas Gerais, Brazil. Kew Bulletin 61: 179–182.  
Mendes, S. L. & M. P. Padovan. 2000. A Estação Biológica de Santa Lúcia, Santa Teresa, Espírito Santo. Boletim do Museu de Biologia Mello Leitão 11/12: 7-34.  
Stearn, W. T. 1995. *Chionanthus sleumeri* (Oleaceae), a Queensland rain-forest species. Kew Bulletin 50: 817 - 818.  
World Conservation Monitoring Centre. 1998. *Chionanthus micranthus*. In: IUCN 2006. 2006 IUCN Red List of Threatened Species. Database accessible at [www.iucnredlist.org](http://www.iucnredlist.org). Captured on 07 December 2006.

Received December 2006

Accepted April 2007

Published online April 2007

NOTES ON GEOGRAPHIC DISTRIBUTION



HRCB Herbarium

Studies on Neotropical Oleaceae

Sp. *Chionanthus micranthus* (Mart.) Lozano &

Fuertes

Det. J.A. Lombardi

2006

Museu de Biologia Mello Leitão  
Santa Teresa - ES - Brasil

026929 MBML

~~OLEACEAE~~ - OLEACEAE

*Chionanthus cf. filiformes*  
Det.: F.Z. Saiter 25/03/2006

Loc.: Brasil, ES, Mun. de Santa Teresa, Estação Biológica de Santa Lúcia.

Col.: F.Z. Saiter 271

Data: 25/03/2006

Obs.: Árvore c/ frutos verdes e flores verde-claro, A1P98N2207.

**Figure 1.** The specimen of *Chionanthus micranthus* collected in the Biological Station Santa Lúcia.

NOTES ON GEOGRAPHIC DISTRIBUTION




Figure 2. The updated distributional range of *Chionanthus micranthus*.