

# Platyhelminthes, Trematoda, Digenea Carus, 1863: Distribution extension in Argentina and new Anura and Ophidia hosts

Lía Inés Lunaschi\* and Fabiana Beatriz Drago

Museo de La Plata, Laboratorio de Helmintología. Paseo del Bosque S/Nº, 1900. La Plata, Buenos Aires, Argentina.

\* Corresponding author. E-mail: [lunaschi@fcnym.unlp.edu.ar](mailto:lunaschi@fcnym.unlp.edu.ar)

**ABSTRACT:** The aim of this paper is to increase the knowledge on the diversity of digenetic parasites in ophidians and anurans from northeastern Argentina. Specimens of the snakes *Eunectes notaeus*, *Hydrodynastes gigas*, *Micrurus corallinus*, *Philodryas* sp. and *Sibynomorphus* sp., and the anurans *Rhinella schneideri*, *Phyllomedusa azurea* and *Leptodactylus latrans* were examined. Twelve digenetic species were identified: *Catadiscus corderoi* Mañé-Garzón, 1958, *Catadiscus dolichocotyle* (Cohn, 1903), *Catadiscus uruguayensis* Freitas & Lent, 1939, *Choledocystus elegans* (Travassos, 1926), *Gorgoderina parvicava* Travassos, 1922, *Haplometroides buccicola* Odhner, 1911, *Heterodiplostomum lanceolatum* Dubois, 1936, *Infidum similis* Travassos, 1916, *Mesocoelium monas* (Rudolphi, 1819), *Plagiorchis luehei* (Travassos, 1927), *Telorchis clava* (Diesing, 1850) and *Travtrema stenocotyle* (Cohn, 1902). New host species and/or new locality records from Argentina are presented.

The available information on the digenetics of Argentinean reptiles and anurans is scarce; 313 reptile species were reported in this country, but only 50 species (16 %) have been studied for digenetics; whereas only 12 (7 %) of the 171 Argentinean amphibian species were reported as host of adult digenetics (Lunaschi and Drago 2007). In this paper, we analyze samples from frogs, toads, and snakes captured in natural ecosystems impacted by deforestation and rural activities in the northeastern of Argentina.

The investigation was based on the study of the digenetics collected between March 1997 and March 2002 in different localities of Misiones, Chaco, Corrientes and Formosa Provinces, Argentina (Figure 1). The ophidians examined were: *Hydrodynastes gigas* (Duméril) (n = 1), *Philodryas* sp. (n = 1), *Sibynomorphus* sp. (n = 1), (Dipsadidae); *Eunectes notaeus* Cope (n = 1) (Boidae), and *Micrurus corallinus* (Merrem) (n = 1) (Elapidae). The anurans studied were: *Rhinella schneideri* (Werner) (n = 2) (Bufonidae), *Phyllomedusa azurea* Cope (n = 17) (Hylidae), and *Leptodactylus latrans* (Steffen) (n = 10) (Leptodactylidae). The digenetic specimens were fixed in hot formalin, preserved in 70 % ethanol, flattened and stained with a 1:6 96° ethanol dilution of hydrochloric carmine, dehydrated and mounted in Canada balsam. The specimens were deposited in the Helminthological Collections of Museo de La Plata (MLP), La Plata, Argentina. The taxonomy of digenetics follows Gibson *et al.* (2002), Jones *et al.* (2005) and Bray *et al.* (2008). The taxonomy of host follows Lavilla *et al.* (2010), Caramaschi (2006), Chaparro *et al.* (2007) and Zaher *et al.* (2009).

## SUBCLASS DIGENEA Carus, 1863

### SUPERFAMILY DIPLOSTOMOIDEA Poirier, 1886

Family Proterodiplostomidae Dubois, 1936

#### Genus *Heterodiplostomum* Dubois, 1936

*Heterodiplostomum lanceolatum* Dubois, 1936.

**Host:** South American water cobra, *Hydrodynastes gigas* (Duméril) (Serpentes, Dipsadidae).

**Locality and date:** El Colorado (26°18' S, 59°22' W), Department Pirané, Formosa Province, September 15, 2001.

**Site of infection:** large intestine.

**Prevalence and intensity of infection:** 1 of 1; 2.

**Material deposited:** 2 specimens MLP 5504.

**Comments:** This species was found in Argentina parasitizing *H. gigas* from Corrientes Province; *Bothrops alternatus* Duméril, Bibron & Duméril (Viperidae) from Santiago del Estero, Corrientes and Santa Fé Provinces; *Helicops leopardinus* (Schlegel) (Dipsadidae) from Chaco and Corrientes Provinces (Caubisens Poumarau 1968); and *Helicops infrataeniatus* Jan (Dipsadidae) from Buenos Aires (Lunaschi and Sutton 1985). This finding represents a new geographical record.

#### SUPERFAMILY GORGODOEROIDEA Looss, 1899.

##### Family Dicrocoeliidae Looss, 1899

#### Genus *Infidum* Travassos, 1916

*Infidum similis* Travassos, 1916.

**Host:** *Philodryas* sp. (Serpentes, Dipsadidae).

**Locality and date:** La Marcela farm (26°17'35" S, 59°06'67" W), Department Pirané, Formosa Province; September 17, 2001.

**Site of infection:** gall bladder.

**Prevalence and intensity of infection:** 1 of 1; 2.

**Material deposited:** 2 specimens MLP 5516.

**Comments:** This species was reported in Argentina by

Caubisens Poumarau (1968) parasitizing the gall bladder of *Philodryas olfersii* Boulenger (Dipsadidae) from Padre Lozano, Salta Province. New geographical record.

### Family Gorgoderidae Looss, 1899

#### Genus *Gorgoderina* Looss, 1902

*Gorgoderina parvicava* Travassos, 1922.

**Host:** creole frog, *Leptodactylus latrans* (Steffen) (Amphibia, Leptodactylidae).

**Locality:** Cuñá Pirú stream, Cainguás, Misiones Province (27°05'14" S, 54°57'11" W), July 23, 1998.

**Site of infection:** intestine.

**Prevalence and intensity of infection:** 10 % (1 of 10); 1.

**Material deposited:** 1 specimen MLP 5461.

**Comments:** Previous records of this species in Argentina include *L. latrans* from Buenos Aires Province (Suriano 1965; 1970). New geographical record.

### Family Mesocoeliidae Dollfus, 1929

#### Genus *Mesocoelium* Odhner, 1910

*Mesocoelium monas* (Rudolphi, 1819) Freitas, 1958.

**Hosts, localities and dates:** rococo toad, *Rhinella schneideri* (Werner) (Amphibia, Bufonidae), Corrientes City (27°29' S, 58°49' W), March 19, 2002, and *Sibynomorphus* sp. (Serpentes, Dipsadidae), El Sombrerito stream, Corrientes Province (27°38' S, 58°44' W), March 20, 2002.

**Site of infection:** intestine.

**Prevalence and intensity of infection:** *R. schneideri* 50 % (1 of 2), 12; *Sibynomorphus* sp. 1 of 1, 13.

**Material deposited:** *R. schneideri*: 12 specimens MLP 5509; *Sibynomorphus* sp.: 13 specimens MLP 5512.

**Comments:** This species was reported in Argentina parasitizing the intestine of three species of snakes: *Sibynomorphus ventrimaculatus* (Boulenger) from Misiones and Chaco Provinces, *Sibynomorphus turgidus* (Cope) from Misiones and Entre Ríos Provinces, and *Tomodon ocellatus* Duméril, Bibron & Duméril (Serpentes, Dipsadidae) from Buenos Aires Province (Cabisens Poumarau 1968). New host and new geographical record.

### SUPERFAMILY PARAMPHISTOMOIDEA Fischoeder, 1901

#### Family Diplodiscidae Cohn, 1904

#### Genus *Catadiscus* Cohn, 1904

*Catadiscus corderoi* Mañé-Garzón, 1958

**Host:** creole frog, *Leptodactylus latrans* (Steffen) (Amphibia, Leptodactylidae).

**Locality and date:** Cuñá Pirú stream, Cainguás, Misiones Province (27°05'14" S, 54°57'11" W), July 23, 1998.

**Site of infection:** intestine.

**Prevalence and intensity of infection:** 10 % (1 of 10); 6.

**Material deposited:** 6 specimens MLP 5460.

**Comments:** At present, this species has only been reported

parasitizing *P. minutus* as *P. meridionalis* Miranda-Ribeiro (Amphibia, Pseudidae) from Uruguay (Mañé-Garzón 1958). New host and new geographical record.

*Catadiscus dolichocotyle* (Cohn, 1903) Cohn, 1904

**Host:** *Philodryas* sp. (Serpentes, Dipsadidae).

**Locality and date:** La Marcela farm (26°17'35" S, 59°06'67" W), Department Pirané, Formosa Province; September 17, 2001.

**Site of infection:** large intestine.

**Prevalence and intensity of infection:** 1 of 1; 4.

**Material deposited:** 4 specimens MLP 5515.

**Comments:** At present, this species has been reported parasitizing *Chironius fuscus* (L.) (Serpentes, Colubridae) from Brazil and *Liophis miliaris* (L.) (Serpentes, Dipsadidae) from Uruguay (Travassos et al. 1969, Mañé-Garzón and Gortari 1965). This finding represents the first record of *C. dolichocotyle* in Argentina in a new host species.

*Catadiscus uruguayensis* Freitas & Lent, 1939

**Host:** orange-legged monkey frog, *Phyllomedusa azurea* (Cope) (Amphibia, Hylidae).

**Locality and date:** Resistencia (27°27'06" S, 58°59'10" W), Chaco Province; March 23, 1997.

**Site of infection:** stomach, large intestine.

Prevalence and mean intensity: 29 % (5 of 17); 7.

**Material deposited:** 36 specimens MLP 3761B, 3761C, 3763 C, 3767C, 3769C, 3770C.

**Comments:** Previous records of this species in amphibians and reptiles of Argentina are restricted to the Province of Buenos Aires; as amphibian parasite, *C. uruguayensis* has been reported by Suriano (1970) in adults of *L. latrans* and by Ostrowski de Núñez (1979) in tadpoles of *Hypsiboas pulchellus* (Duméril & Bibron) (as *Hyla pulchela*) (Amphibia, Hylidae) and adults of *L. latrans* and *Pseudis minimus* Günther (Amphibia, Pseudidae) [as *Lysapsus mantidactylus* (Cope)]. In reptiles, this digenean species has been reported by Lunaschi and Drago (2002) parasitizing *Liophis poecilogyrus* (Wied) (Dipsadidae). New host and new geographical record.

### SUPERFAMILY PLAGIORCHIOIDEA Lühe, 1901

#### Family Plagiorchiidae Lühe, 1901

#### Genus *Choledocystus* Pereira & Cuocolo, 1941

*Choledocystus elegans* (Travassos, 1926) Ruiz 1949

**Host:** Creole frog, *Leptodactylus latrans* (Steffen) (Amphibia, Leptodactylidae).

**Locality:** Cuñá Pirú stream, Cainguás, Misiones Province (27°05'14" S, 54°57'11" W), July 23, 1998.

**Site of infection:** intestine, pancreas.

**Prevalence and intensity of infection:** 10 % (1 of 10); 22

**Material deposited:** 22 specimens MLP 5459.

**Comments:** This species has been reported parasitizing *L. latrans*, *Rhinella marina* (L.) [as *Bufo marinus* (L.)] (Bufonidae) and *Leptodactylus pentadactylus* (Cope) (as *L. pentadactylus labyrinthicus* Spix) (Leptodactylidae) from Brazil (Ruiz 1949; Travassos et al. 1969; Noronha et

al. 2009). This finding represents the first record of this species in Argentina.

### Genus *Haplometrodes* Odhner, 1910

*Haplometrodes buccicola* Odhner, 1911

**Host:** coral snake, *Micrurus corallinus* (Merrem) (Serpentes, Elapidae).

**Locality and date:** Cuñá Pirú stream, Cainguás, Misiones Province (27°05'14" S, 54°57'11" W), March 15, 2000.

**Site of infection:** esophagus.

**Prevalence and intensity of infection:** 1 of 1; 1

**Material deposited:** 1 specimen MLP 5505.

**Comments:** Caubisens Poumarau (1968) reported this digenetic species parasitizing the lung of the southern coral snake, *Micrurus frontalis* (Duméril, Bibron & Duméril) (Elapidae) from Puerto Esperanza, Misiones, Argentina. New host and new geographical record.

### Genus *Plagiorchis* Lühe, 1899

*Plagiorchis luehei* Travassos, 1927

**Host:** South American water cobra, *Hydrodynastes gigas* (Duméril) (Serpentes, Dipsadidae).

**Locality and date:** El Colorado (26°18' S, 59°22' W), Department Pirané, Formosa. Province, September 15, 2001.

**Site of infection:** mouth, esophagus.

**Prevalence and intensity of infection:** 1 of 1; 13.

**Material deposited:** 13 specimens MLP 5501, MLP 5502.

**Comments:** *P. luehei* (cited as *Microderma luehei* Travassos, 1927) was found in Argentina parasitizing *H. gigas* (as *Cyclagras gigas* Cope) from natural ecosystems from Corrientes and Chaco Provinces (Caubisens Poumarau 1968; Martínez et al. 1996). Later, it was reported in the same host from La Plata Zoological Garden, Buenos Aires Province (Lunaschi and Sutton 1985). New geographical record.

### Genus *Travtrema* Pereira, 1929

*Travtrema stenocotyle* (Cohn, 1902)

**Host:** *Philodryas* sp. (Serpentes, Dipsadidae).

**Locality and date:** La Marcela farm (26°17'35" S, 59°06'67" W), Department Pirané, Formosa Province; September 17, 2001.

**Site of infection:** esophagus, cloaca.

**Prevalence and intensity of infection:** 1 of 1; 12.

**Material deposited:** 12 specimens MLP 5499, MLP 5500.

**Comments:** Geographical distribution of this species in Argentina includes Buenos Aires, Corrientes, Chaco, Córdoba, Entre Ríos, La Rioja, Misiones, San Luis, Santa Fé, Santiago del Estero and Tucumán Provinces, parasitizing a large variety of dipsadid snakes: *Clelia rustica* (Cope), *Liophis flavifrenatus* (Cope), *Liophis miliaris semiaureus* (Cope), *Liophis jaegeri* (Günther), *L. poecilogyrus*, *Philodryas patagoniensis* (Girard), *S. ventrimaculatus*, *Thamnodynastes pallidus* L., *Xenodon dorbignyi* Duméril, Bibron & Duméril, *Xenodon merremi* (Wagler), and viperid snakes, *B. alternatus* and *Bothrops neuwedii diporus* Cope (Lunaschi and Drago 2007). New geographical record.

## Family Telorchidae Looss, 1899

### Genus *Telorchis* Lühe, 1899

*Telorchis clava* (Diesing, 1850)

**Host:** yellow anaconda, *Eunectes notaeus* Cope (Serpentes, Boidae).

**Locality and date:** La Marcela farm (26°17'35" S, 59°06'67" W), Department Pirané, Formosa Province; September 17, 2001.

**Site of infection:** small intestine.

**Prevalence and intensity of infection:** 1 of 1; 7.

**Material deposited:** 7 specimens MLP 5511.

**Comments:** Previous records of *T. clava* in Argentinean reptiles include *E. notaeus* from Chaco (Caubisens Poumarau 1968), and to *H. gigas* from Corrientes (Martínez et al. 1996). New geographical record.



**FIGURE 1.** Map of northeastern Argentina showing the localities sampled: 1) El Colorado; 2) La Marcela farm; 3) Resistencia; 4) El Sombrerito stream; 5) Corrientes City; 6) Cuñá Pirú stream.

In this work, we extend the geographical distribution of 12 digenetic species: *C. corderoi*, *C. dolichocotyle*, *C. uruguayensis*, *Ch. elegans*, *G. parvicava*, *H. buccicola*, *H. lanceolatum*, *I. similis*, *M. monas*, *P. luehei*, *T. clava* and *T. stenocotyle*. Three of them are reported for the first time in Argentina: *C. dolichocotyle* previously recorded only in Uruguay and Brazil, *C. corderoi* only reported in Uruguay, and *Ch. elegans* only registered in Brazil.

Three anuran species, *R. schneideri*, *L. latrans* and *P. azurea* are reported as new hosts of *M. monas*, *C. corderoi* and *C. uruguayensis*, respectively. Two ophidian species, *M. corallinus* and *Philodryas* sp. are presented as new hosts of *H. buccicola* and *C. dolichocotyle*, respectively.

Finally, two amphibian species (*R. schneideri* and *P. azurea*), and one snake species (*M. corallinus*) are reported for the first time as digenetic hosts in Argentina. These results highlight the need for further investigation and research on both groups of vertebrates.

**ACKNOWLEDGMENTS:** This study was supported by grants from the Comisión de Investigaciones Científicas de la Provincia de Buenos Aires (CIC) (Res. N° 578/08). The authors, Lía Lunaschi and Fabiana Drago are members of the Comisión de Investigaciones Científicas de la Provincia de Buenos Aires (CIC) and Universidad Nacional de La Plata (UNLP), respectively.

#### LITERATURE CITED

- Bray R., D. Gibson and A. Jones. 2008. *Keys to the Trematoda*. Volume 3. London: CAB International. 824 p.
- Caramaschi, U. 2006. Redefinição do grupo de *Phyllomedusa hypochondrialis*, com redescrição de *P. megacephala* (Miranda-Ribeiro, 1926), revalidação de *P. azurea* Cope, 1862 e descrição de uma nova espécie (Amphibia, Anura, Hylidae). *Arquivos do Museu Nacional, Rio de Janeiro* 64(2): 159-179.
- Caubisens Poumarau, E.M. 1968. Trematodes de ofídios de la Argentina. *Revista del Museo Argentino de Ciencias Naturales Bernardino Rivadavia, Parasitología* 1(1): 1-129.
- Chaparro, J.C., J.B. Pramuk and A.G. Gluesenkamp. 2007. A new species of arboreal *Rhinella* (Anura: Bufonidae) from cloud forest of Southeastern Peru. *Herpetologica* 63(2): 203-212.
- Gibson, D., A. Jones and R. Bray. 2002. *Keys to the Trematoda*. Volume 1. London: CAB International. 521 p.
- Jones, A., R. Bray and D. Gibson. 2005. *Keys to the Trematoda*. Volume 2. London: CAB International. 745 p.
- Lavilla, E.O, J.A. Langone, U. Caramaschi, W. R. Heyer and R.O. De Sá. 2010. The identification of *Rana ocellata* Linnaeus, 1758. Nomenclatural impact on the species currently known as *Leptodactylus ocellatus* (Leptodactylidae) and *Osteopilus brunneus* (Gosse, 1851) (Hylidae). *Zootaxa* 2346: 1-16.
- Lunaschi, L.I. and F. Drago. 2002. Primer registro de *Catadiscus uruguayensis* Freitas y Lent, 1939 (Digenea-Diplodiscidae) como parásito de reptiles. *Neotropica* 48: 65-67.
- Lunaschi, L.I. and F. Drago. 2007. Checklist of digenetic parasites of amphibians and reptiles from Argentina. *Zootaxa* 1476: 51-68.
- Lunaschi, L.I. and C.A. Sutton. 1985. Trematodes de reptiles incorporados a la colección Helmintológica del Museo de La Plata. *Neotropica* 31(85): 69-81.
- Mañé-Garzón, F. 1958. Un nouveau trematode des batraciens de l' Uruguay: *Catadiscus corderoi* n sp. *Comunicaciones Zoológicas del Museo de Historia Natural de Montevideo* 78(4): 1-5.
- Mañe-Garzón, F. and A.M. Gortari. 1965. Sobre algunos trematodos de ofídios del Uruguay. *Comunicaciones Zoológicas del Museo de Historia Natural de Montevideo* 107(8): 1-21.
- Martínez, F.A., J.C. Troiano, J.L. Binda, D.E. Selles, D. Jara and N. Fescina. 1996. Trematodes de algunos ofídios del norte argentino. *Cuadernos de Herpetología* 9(2): 85-94.
- Noronha, D., M.R. Sá, M. Knoff, L.C. Muniz-Pereira and R.M. Pinto. 2009. *Adolpho Lutz e a Coleção Helmintológica do Instituto Oswaldo Cruz, Rio de Janeiro*. Rio de Janeiro: Museu Nacional. 154 p.
- Ostrowski de Núñez, M. 1979. Fauna de agua dulce de la Argentina. IX. Sobre representantes de la Familia Paramphistomatidae (Trematoda). *Physis, Sección B* 38(95): 55-62.
- Ruiz, J.M. 1949. Considerações sobre o gênero *Choledocystus* pereira & Cuocolo, 1941 (Trematoda, Plagiorchiidae). *Revista Brasileira de Biologia* 9(2): 167-174.
- Suriano, D.M. 1965. Redescripción de *Gorgoderina parvicava* Travassos. Trematode de la vejiga urinaria de *Leptodactylus ocellatus* (L.) de la Rca. Argentina. *Neotropica* 11(34): 19-22.
- Suriano, D.M. 1970. Estudio sobre la fauna parasitaria de *Leptodactylus ocellatus* (L.) (Anfibio-Leptodactylidae) de la República Argentina. *Revista del Museo Argentino de Ciencias Naturales Bernardino Rivadavia, Zoología* 10(15): 215-239.
- Travassos, L., J.F.T de Freitas and A. Kohn. 1969. Trematódeos do Brasil. *Memórias do Instituto Oswaldo Cruz* 67: 1-866.
- Zaher, H., F.G. Grazziotin, J.E. Cadle, R.W. Murphy, J.C. de Moura-Leite and S.L. Bonatto. 2009. Molecular phylogeny of advanced snakes (Serpentes, Caenophidia) with an emphasis on South American Xenodontines: a revised classification and descriptions of new taxa. *Papeis Avulsos de Zoologia, São Paulo* 49(11):115-153.

RECEIVED: May 2010

REVISED: June 2010

ACCEPTED: July 2010

PUBLISHED ONLINE: September 2010

EDITORIAL RESPONSIBILITY: Simone Chinicz Cohen