

Reptilia, Squamata, Teiidae, *Dracaena paraguayensis* Amaral, 1950: In Paraguay, *Dracaena sí*, *Crocodilurus* no

Norman J. Scott^{1*} and Pier Cacciali²

¹ Research Associate, Smithsonian Institution. c/o P. O. Box 307. Creston, CA, 93432, USA.

² Museo Nacional de Historia Natural del Paraguay. Sucursal 1, Ruta Mariscal Estigarribia, Km 10.5. San Lorenzo, Paraguay.

* Corresponding author. E-mail: reptile@tcsn.net

ABSTRACT: An old published record for "*Crocodilurus*" in Paraguay was almost certainly based on *Dracaena paraguayensis* Amaral, 1950. Thus, *D. paraguayensis* occurs from the Brazilian Pantanal south along the Paraguay River as far as Fuerte Olimpo, and *Crocodilurus lacertinus* (Daudin, 1802) remains restricted to the Amazon and Orinoco river drainages.

Mesquita *et al.* (2006), in their excellent paper on the ecology of two genera of large, semiaquatic Amazonian teiids, cite Bertoni (1928) as the source of a record of *Crocodilurus lacertinus* (Daudin, 1802) for Paraguay. Talbot (1979), in his list of Paraguayan reptiles, doubted the identification, but did not review any specimens. According to Bertoni (1928), the specimen was an animal from the northern part of Paraguay donated to the zoological garden in Asunción.

We examined the specimens preserved in the collection of the zoological garden and spoke to the zookeeper about this matter. The search produced an old specimen of *Dracaena paraguayensis* Amaral, 1950 without data, but none of *Crocodilurus*. The collection's files shed no further light on the specimen, but the zookeeper remembered that it had lived at least two years in the zoo.

In Paraguay, *Dracaena paraguayensis*, along with other elements of the pantanal fauna such as *Iguana iguana* (Linnaeus, 1758), is found in the overflow swamps of the west bank of the Río Paraguay from the Pantanal of Brazil south as far as Fuerte Olimpo, Alto Paraguay ($20^{\circ}55' S$, $57^{\circ}50' W$; Aquino *et al.* 1996; F. Bauer, pers. comm.). That Bertoni (1928; 1939) misidentified *Dracaena* for the similar *Crocodilurus* is almost certain, and *Crocodilurus lacertinus* remains a species restricted to the Amazon and Orinoco river basins (Avila-Pires 1995).

ACKNOWLEDGMENTS: We thank F. Bauer for information on the current distribution of *D. paraguayensis*.

LITERATURE CITED

- Aquino, A.L., N.J. Scott and M. Motte. 1996. Lista de anfibios y reptiles del Museo Nacional de Historia Natural del Paraguay (marzo, 1980 - setiembre, 1995); p. 331-400 In O. Romero (ed.). *Colecciones de flora y fauna del Museo Nacional de Historia Natural del Paraguay*. Asunción: Ministerio de Agricultura y Ganadería.
Avila-Pires, T.C.S. 1995. Lizards of Brazilian Amazonia (Reptilia: Squamata). *Zoologische Verhandelingen* (299): 1-706.
Bertoni, A.W. 1928. El crocodilurus o yakaré en el Paraguay (Reptiles). *Revista de la Sociedad Científica del Paraguay* 2(4): 187.
Bertoni, A.W. 1939. Catálogos sistemáticos de los vertebrados del Paraguay. Mamíferos, aves, reptiles, batracios, peces comprobados hasta 1937. Reptiles y batracios. *Revista de la Sociedad Científica del Paraguay* 4(4): 3-49.
Mesquita, D.O., G.R. Colli, G.C. Costa, F.R. França, A.A. Garda and A.K. Peres-Jr. 2006. At the water's edge: Ecology of semiaquatic teiids in Brazilian Amazon. *Journal of Herpetology* 40(2): 221-229.
Talbot, J.J. 1979. Una nueva lista sistemática de reptiles del Paraguay. *Informes Científicos, Instituto de Ciencias Básicas, Universidad Nacional de Asunción* 2(1): 76-94.

RECEIVED: January 2011

LAST REVISED: January 2011

ACCEPTED: January 2011

PUBLISHED ONLINE: February 2011

EDITORIAL RESPONSIBILITY: Pedro L. V. Peloso