

Dendropsophus sarayacuensis (Shreve, 1935) (Amphibia: Anura: Hylidae): Filling gap on the geographic distribution

Jossehan Galúcio da Frota^{1*} and Wilian Vaz-Silva²

¹ Museu Paraense Emílio Goeldi, Laboratório de Herpetologia. Avenida Perimetral, n° 1901, Caixa Postal 399. CEP 66.017-970. Terra Firme, Belém, PA, Brazil.

² Pontifícia Universidade Católica de Goiás - PUC Goiás, Departamento de Biologia. Rua 235, n. 40, Bloco L, Setor Universitário. CEP 74605-010. Goiânia, GO, Brazil.

* Corresponding author. E-mail: jgfrota@hotmail.com

ABSTRACT: The current communication reports a record of *Dendropsophus sarayacuensis* (Shreve 1935) for the municipality of Itaituba, state of Pará, Brazil. It is the first record from the middle Tapajós river region, southeast of State of Pará, filling gap on the geographic distribution of this species and extending the distribution from localities currently reported in the literature.

Dendropsophus sarayacuensis (Shreve 1935) is one of eight species belonging to *D. leucophyllatus* group proposed by Faivovich *et al.* (2005). *D. sarayacuensis* is registered from Cerro Neblina in Amazonas, Venezuela; Upper Amazon Basin in Colombia, Ecuador, Peru, Bolivia, and Brazil (states of Acre, Rondônia, Amazonas and Pará) (Vanzolini 1986; Neckel-Oliveira and Gordo 2004; La Marca *et al.* 2004; Souza 2009; França and Venâncio 2010; Frost 2010). Recently, Knispel and Barros (2009) recorded the species to Altamira municipality, state of Amazonas, Brazil representing the most oriental record to the species.

On 15 November 2009 at 20:05 h, a single specimen of *D. sarayacuensis* (snout-vent length = 33.25 mm) was collected on 45 cm height shrub of primary forest (04°27'52" S, 56°16'10" W, 50 m above sea level) in the Amazonian community of Vila Raiol, near the Parque Nacional da Amazônia, municipality of Itaituba, State of Pará. The specimen is housed at the Herpetology Collection

of the Museu Paraense Emílio Goeldi (MPEG), Belém, Pará, Brazil (MPEG 31640 - collection permit n° 20129-1).

The specimen present, in life, a dorsal coloration of brown with yellowish irregular spots. The spots are presents on dorsum, on the head between the eyelids and the snout, on the scapular region and in the limbs forming diagonal bars (Figure 1). This specimen have distinctive herbal odor, characteristic also register by Rodríguez and Duellman (1994).

The record of *D. sarayacuensis* from Itaituba represents the filling out the gap distribution in the Pará State, the first record from the medium river Tapajós region, and shows the lack of sampling bias in the Amazon Rainforest. The record extends the known distribution for ca. 470 km west airline from the nearest record of the Altamira (Knispel and Barros 2009) and ca. 770 km east airline from the nearest record of the Parque Nacional do Jaú, state of Amazonas (Neckel-Oliveira and Gordo 2004) (Figure 2).



FIGURE 1. *Dendropsophus sarayacuensis* (MPEG 61340) (adult female) from the municipality of Itaituba, state of Pará, Brazil. Photo by J. G. Frota.




FIGURE 2. Known geographic distribution of *Dendropsophus sarayacuensis*. Black square are areas the literature data (Vanzolini 1986; Neckel-Oliveira and Gordo 2004; La Marca *et al.* 2004; Knispel and Barros, 2009; Souza 2009; França and Venâncio 2010; Frost 2010). Red circle represent the new record to municipality of Itaituba, State of Pará, Brazil.

ACKNOWLEDGMENTS: JGF thanks Conselho Nacional de desenvolvimento Científico e Tecnológico (CNPq) for grants (Process N° 140011/2009-9). The Instituto Brasileiro do Meio Ambiente e dos Recursos Naturais Renováveis (IBAMA) issued permits to collect the specimen (license 20129-1). We thank Adriano Oliveria Maciel for making the map. Pedro Peloso for previous contributions in the manuscript.

LITERATURE CITED

- França, F.G.R. and N.M. Venâncio, 2010. Reptiles and amphibians of a poorly known region in southwest Amazonia. *Biotemas* 23(3):71-84.
- Frost, D.R. 2010. *Amphibian Species of the World: an Online Reference*. Electronic Data base accessible at: <<http://research.amnh.org/vz/herpetology/amphibia/references.php?id=10309>>. The American Museum of Natural History, New York, USA. Captured on 20 February 2010.
- Knispel, S.R. and F.B. Barros. 2009. Anfíbios anuros da região urbana de Altamira (Amazônia Oriental), Pará, Brasil. *Biotemas*, 22 (2): 191-194.
- La Marca, E., C. Azevedo-Ramos, L.A. Coloma, and S. Ron. 2004. *Dendropsophus sarayacuensis*. In IUCN 2012. *IUCN Red List of Threatened Species. Version 2012.1*. Electronic Database accessible at <<http://www.iucnredlist.org>>. Captured on 20 August 2012.
- Neckel-Oliveira, S. and M. Gordo. 2004. Anfíbios, Lagartos e Serpentes do Parque Nacional do Jaú. p. 161-176. In S.H. Borges, S. Iwanaga, C.C. Durigan and M.R. Pinheiro. 2004. *Janelas para a biodiversidade no Parque Nacional do Jaú: uma estratégia para o estudo da biodiversidade na Amazônia*. Manaus: Fundação Vitória Amazônica. 280 p.
- Rodríguez, L. O. and W. E. Duellman. 1994. Guide to the frogs of the Iquitos Region, Amazonian Peru. *University of Kansas, Natural History Museum, Special Publication* 22: 1-80.
- Souza, M.B. 2009. *Anfíbios – Reserva Extrativista do Alto Juruá e Parque Nacional da Serra do Divisor, Acre*. Série Pesquisa e Monitoramento Participativo em Áreas de Conservação Gerenciadas por Populações Tradicionais. Volume 2. Campinas: Instituto de Filosofia e Ciências Humanas (IFCH) Unicamp. 77 p.
- Vanzolini, P.E. 1986. *Levantamento herpetológico da área do Estado de Rondônia sob a influência da rodovia Br-364*. Brasília: Programa Polonoroeste. CNPq. 1986. 50 p.

RECEIVED: March 2012

ACCEPTED: September 2012

PUBLISHED ONLINE: March 2013

EDITORIAL RESPONSIBILITY: Marcelo Nogueira de Carvalho Kokubum