

Checklist of the flora of the Restingas of Sergipe State, Northeast Brazil

Eduardo Vinícius da Silva Oliveira*, Jéssica Ferreira Lima, Tatiane Costa Silva and Myrna Friederichs Landim

Universidade Federal de Sergipe, Centro de Ciências Biológicas e da Saúde, Departamento de Biologia, Cidade Universitária Prof. José Aloísio de Campos, Av. Marechal Rondon, s/n, Jardim Rosa Elze. CEP 49100-000, São Cristóvão, SE, Brasil.
* Corresponding author. E-mail: eduardovinicius18@yahoo.com.br

ABSTRACT: Using herbarium records, this study was held to evaluate the floristic composition of the restingas of Sergipe State. The results show considerable plant diversity, encompassing, as a whole, 831 species, belonging to 439 genera and 124 families. The most representative families were Fabaceae (99 species), Cyperaceae (61), and Myrtaceae (57). The most diverse genera were *Myrcia* DC. (15 species), *Rhynchospora* Vahl (14), *Chamaecrista* Moench (12), *Eugenia* L. (11) and *Cyperus* L. (10). Herbs comprise the predominant habit (325 species, 39%).

DOI: 10.15560/10.3.529

INTRODUCTION

Coastal ecosystems are dynamic environments subject to natural processes, such as deposition of marine sediment and wind action (Holzer *et al.* 2004), being among the most devastated by human occupation and by the extraction of resources, which are frequent in the Brazilian ecosystems (Sacramento *et al.* 2007).

In the sandy coastal plains, the *restinga* vegetation consists of a mosaic of plant communities subject to marine and fluvial-marine influence, though physiognomically distinct (CONAMA Resolution No. 07/1996). It is a very peculiar ecosystem, diverse in structure and flora composition (Assis *et al.* 2004). The physiognomies found may vary from psammophylous-reptant herbaceous communities, in the region close to the seashore, to coastal forests, formed by shrub and tree species, in more distant areas of the ocean influence (Oliveira-Filho and Carvalho 1993).

The *restinga* vegetation plays a primary role in the consolidation of the substrate, and provides food resources for resident and migratory wildlife (Scherer *et al.* 2005). Despite its importance, its composition is not well known, requiring further studies (Pereira *et al.* 2001), particularly in Northeastern Brazil (Sacramento *et al.* 2007). In this region, the *restingas* comprise a strip of sandy substrate, that goes from Bahia state to the mouth of the Parnaíba River, between the states of Maranhão and Piauí (Almeida Jr. *et al.* 2007).

Despite the high diversity of species in the *restingas* of the Northeast (Almeida Jr. *et al.* 2007), there are still few studies done in this region, in comparison with the South and Southeast regions of the country, maybe because of its larger seashore extension. Published studies found in the Northeast Region include Freire (1990), Cabral-Freire and Monteiro (1993), Oliveira-Filho and Carvalho (1993), Matias and Nunes (2001), and, more recently, Sacramento *et al.* (2007). Besides being scanty, most of the works

comprise geographically restricted surveys (Almeida Jr. *et al.* 2009), with the exception of the review of two floristic surveys and herbarium collection, on the *restingas* of Ceará state, by Santos-Filho *et al.* (2011).

It is necessary to continue studies on these formations in order to improve our knowledge about the Brazilian *restingas* (Almeida Jr. *et al.* 2009). This is essential to support land use and occupation of the coastal region (Queiroz 2007), which is particularly important to protect the few areas along the Brazilian coast that are still occupied by remnants of native vegetation.

In Sergipe, Northeast's smallest state, published works in areas of *restinga* are still scarce, featured only by Santos *et al.* (2011). However, some studies, monographs and dissertations have already been done, as the floristic survey accomplished by Nascimento, Jr. (2011) in Santo Amaro das Brotas, on the north coast of the state.

Although there are protected areas in the region (one Biological Reserve, on the northern coast of the state, and one Environmental Protection Area, on the southern coast), the increased occupation of Sergipe's coast is raising concerns about the threats to the conservation of these environments and their diversity.

This work presents a list of species of Angiosperms collected in the *restingas* of Sergipe state, in an effort to fill the research gap of the *restingas* in this area.

MATERIALS AND METHODS

Study site

Situated in the Northeast Region, the state of Sergipe has an area of 21,918,354 km², with a population of 2068,017 inhabitants (IBGE 2010). Located between the coordinates 9°30' and 11°30' S, and 36°20' and 38°00' W, it is limited in the north by the state of Alagoas, in the east, by the Atlantic Ocean, and in the south and west, by the state of Bahia (Figure 1).




FIGURE 1. Municipalities in Sergipe located on the coastal plains, presenting restingas areas with floristic inventories.

Despite being the smallest state of Brazil, its coastline extension is 168 km, with 1,942,867 km² in coastal plains (SEMARH/SRH 2011), extending from the mouth of the São Francisco River to the mouth of the Real River (UFS/SEPLAN 1979). This area, formed by quaternary sediments, mostly from the Holocene, with predominance of marine dystrophic quartz sands and podzolic soils (Santos and Andrade 1992), in which are inserted the tracks of beaches, beach ridges, and dune formations (RADAMBRASIL 1983), is covered by *restinga* vegetation (SEMARH/SRH 2011).

In the coastal region of the state, there are two distinct climatic zones, differing in humidity and temperature levels (SEPLAG 2011). The East Coast (Megathermal Wet), encompassing seven municipalities (Aracaju, Barra dos Coqueiros, Brejo Grande, Estância, Indiaroba, Itaporanga D'ajuda, Santa Luzia do Itanhy e Santo Amaro das Brotas), has more than 1,600 mm of rainfall annually. The Agreste (Megathermal Sub-Humid to Dry), covering four municipalities (Pirambu, Pacatuba, Brejo Grande e Ilha das Flores), has an annual rainfall between 1,000 to 1,200 mm. The climate on the coast is humid, with average temperatures between 24°C and 26°C (UFS/SEPLAN 1979).

Data sampling and analysis

The data compilation for the Angiosperm flora of the *restingas* of Sergipe state was carried out from October 2011 to July 2013, by consulting the platform of the Reference Center on Environmental Information at the

Specieslink website (CRIA 2012). At first, all registers collected in the coastal plain of the state were considered, comprising the municipalities of Aracaju, Barra dos Coqueiros, Brejo Grande, Estância, Ilha das Flores, Indiaroba, Itaporanga D'ajuda, Pacatuba, Pirambu, Santa Luzia do Itanhy, and Santo Amaro das Brotas. However, for inclusion in the flora of *restinga* of Sergipe state database, all vouchers should clearly indicate where they were collected, if in areas of *restinga*, sand dunes or along the coastal plain. All vascular plant species were listed, excluding exotic species.

Subsequently, the vouchers were checked at the Herbarium of the Federal University of Sergipe (ASE), to confirm or complement its taxonomic determination. The species classification follows the APG II System (2003), and the habit was obtained from the data of the exsiccatae labels, following the definitions of Gonçalves and Lorenzi (2007).

Among all the exsiccatae found, a voucher was selected for each species, preferably the ones identified by a specialist, and deposited at the collection of the Herbarium ASE (exsiccatae registered in other Herbaria were also part of the original database). Species names have been revised and updated according to the database of the Botanical Garden of Rio de Janeiro (Lista de Espécies da Flora do Brasil 2013).

RESULTS

Altogether, 831 species in 439 genera and 124 families

were recorded in *restingas* of Sergipe (Table 1). The families with the largest number of species (Figure 2) were Fabaceae (99 species), Cyperaceae (61 species), and Myrtaceae (57 species).

The nine most important families (with 16 or more species), account for 45% of the total species and 7% of the total families. On the other hand, 38 families presented only one species each, corresponding to 5% of the total species and 31% of the families.

The genera with the highest number of species (Figure 3) were *Myrcia* DC. (15 species), *Rhynchospora* Vahl (14 species), *Chamaecrista* Moench (12 species), *Eugenia* L. (11 species), and *Cyperus* L. (10 species), representing 7% of the total species.

Some specimens could not have their taxonomic determination confirmed to the species level due to the low quality of the vouchers. This conservative approach was adopted even for specimens belonging to genera with only one species referred to Brazil, as was the case of *Psilotum* sp. (Costa 435, ASE), *Langsdorffia* sp. (Landim 733, ASE), and *Mammea* sp. (Landim 1618, ASE), wherein each one of those genera has only one species recorded from Brazil, respectively, *P. nudum* (L.) P. Beauv. (Sylvestre 2014), *L. hypogaea* Mart. (Cardoso 2014) and *M. americana* L. (Bitrich 2014). For the same reason, *Lithrea* sp. (Carregosa-Silva 73, ASE) was also maintained indetermined to the species level, although only two species of this genus are found in Brazil, with different spatial ranges, being *L. molleoides* (Vell.) Engl. registered to south, southeast, midwest and northeast (only for the state of Bahia), and *L. brasiliensis* Marchand occurring in the south and southeast of Brazil (Silva-Luz and Pirani 2014).




FIGURE 2. Angiosperm plant families with higher species richness in the restingas of Sergipe.




FIGURE 3. Vascular plant genera with higher species richness in the restingas of Sergipe.

The herbaceous species were predominant among the flora of the *restingas* of Sergipe (325 species; 39% of the total), followed by shrubs (265 species; 32%), trees (155 species; 19%), and climbers (70 species; 8%). Epiphytes and parasites, considered together, are not very representative habits, portrayed by 16 species (2%).

DISCUSSION

No endemic species were found in the *restingas* of Sergipe. In fact, there have not been established yet a set of unique species that could characterize the flora of the *restingas* (Almeida Jr. et al. 2007), possibly due to its wide latitudinal gradient and to the influence by the neighboring ecosystems, as *Mata Atlântica*, *Tabuleiro* and *Caatinga* (Freire 1990).

Fabaceae was also found as the family with more number of species in the *restingas* of the states of Ceará (Santos-Filho et al. 2011), Maranhão (Cabral-Freire and Monteiro 1993), Rio Grande do Norte (Almeida Jr. and Zickel 2009; Freire 1990) and Piauí (Santos-Filho unpublished data), being the second most important family in inventories in Pernambuco (Silva et al. 2008) and Bahia (Queiroz 2007) states and third most important family in inventories in Ceará (Matias and Nunes 2001) and Pernambuco states (Sacramento et al. 2007).

Therefore, these results reinforce the importance of this family in the dystrophic soils of *restingas*, which must be, at least partially, due to its symbiosis with nitrogen-fixing bacteria (Faria et al. 1994; Sprent 1994).

The second most abundant family in the *restingas* of Sergipe, Cyperaceae, was also the second most important family in floristic inventories in the *restingas* of the states of Ceará (Santos-Filho et al. 2011; Matias and Nunes 2001), Pernambuco (Almeida Jr. et al. 2007; Almeida Jr. et al. 2009), and Rio Grande do Norte (Almeida Jr. and Zickel 2009).

The importance of Cyperaceae in the flora of the *restingas* may be, in addition to its high efficiency in habitats with poor soils and high light incidence (Bove et al. 2003), influenced by the arrival of ruderal species of this family in areas at an early or advanced stage of degradation. Two of the three species of Cyperaceae (*Cyperus sphacelatus* Rottb. and *Cyperus* sp.), classified as ruderal species, found in a floristic survey in a 6km stretch, in Boa Viagem beach, Pernambuco state (Leite and Andrade 2004), were not found in a survey conducted previously in the same location, in 1951 (Andrade-Lima 1951 apud Leite and Andrade 2004). The presence of these opportunistic species in coastal ecosystems is not unusual, and 34 ruderal species, from a total of 47 have been found by Leite and Andrade (2004).

Although Myrtaceae is the third most important family in the *restingas* of Sergipe, it was found to be the largest family in number of species in studies in Pernambuco (Sacramento et al. 2007; Silva et al. 2008) and Bahia (Queiroz 2007), the second largest in Rio Grande do Norte (Freire 1990), and the third in Paraíba (Almeida Jr. et al. 2009). This is a very important family in Neotropical forests, being the sixth most important family in the Atlantic domain (Stehmann et al. 2009) and the first in number of species in lowland rain forests (Oliveira-Filho and Fontes 2000).

TABLE 1. List of the 831 species of plants collected in restinga areas of Sergipe.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|----------|
| Pteridophyta | | |
| BLECHNACEAE | | |
| <i>Blechnum serrulatum</i> Rich. | Fonseca S/N (UFP) | Herb |
| DENNSTAEDTIACEAE | | |
| <i>Pteridium caudatum</i> (L.) Maxon | Nascimento-Júnior 1083 (ASE) | Herb |
| LOMARIOPSIDACEAE | | |
| <i>Nephrolepis</i> sp. | Costa 436 (ASE) | Herb |
| LYGODIACEAE | | |
| <i>Lygodium venustum</i> Sw. | Farias 202 (ASE) | Shrub |
| <i>Lygodium volubile</i> Sw. | Nascimento-Júnior 1128 (ASE) | Shrub |
| POLYPODIACEAE | | |
| <i>Microgramma vacciniifolia</i> (Langsd. & Fisch.) Copel. | Viana 927 (ASE) | Epiphyte |
| <i>Serpocaulon triseriale</i> (Sw.) A.R.Sm. | Nascimento-Júnior 1016 (ASE) | Epiphyte |
| PSILOTACEAE | | |
| <i>Psilotum</i> sp. | Costa 435 (ASE) | Herb |
| PTERIDACEAE | | |
| <i>Acrostichum aureum</i> L. | Costa 257 (ASE) | Herb |
| Angiosperms | | |
| ACANTHACEAE | | |
| <i>Aphelandra nitida</i> Nees & Mart. | Sant'Ana 478 (CEPEC) | Shrub |
| <i>Ruellia geminiflora</i> Kunth | Oliveira 360 (ASE) | Herb |
| ADOXACEAE | | |
| <i>Sambucus australis</i> Cham. & Schltld. | Oliveira, D.M. 91 (ASE) | Tree |
| AIZOACEAE | | |
| <i>Sesuvium portulacastrum</i> (L.) L. | Fonseca 768 (ASE) | Herb |
| ALISMATACEAE | | |
| <i>Echinodorus tenellus</i> (Mart.) Buchenau | Ramos 35 (ASE) | Herb |
| <i>Sagittaria guayanensis</i> Kunth | Ribeiro 260 (UEC) | Herb |
| <i>Sagittaria lancifolia</i> L. | Carneiro 732 (ASE) | Herb |
| AMARANTHACEAE | | |
| <i>Alternanthera brasiliiana</i> (L.) Kuntze | Oliveira, D.M. 174 (ASE) | Herb |
| <i>Alternanthera littoralis</i> P.Beauv. var. <i>maritima</i> | Pergentino 2 (ASE) | Herb |
| <i>Blutaparon portulacoides</i> (A.St.-Hil.) Mears | Nascimento-Júnior 1082 (ASE) | Herb |
| <i>Chenopodium ambrosioides</i> L. | Oliveira, D.M. 92 (ASE) | Herb |
| <i>Froelichia</i> sp. | Mattos-Silva 3013 (ASE) | Shrub |
| <i>Gomphrena duriuscula</i> Moq. | Silva 3013 (CEPEC) | Herb |
| <i>Pfaffia glomerata</i> (Spreng.) Pedersen | Oliveira, D.M. 199 (ASE) | Herb |
| ANACARDIACEAE | | |
| <i>Anacardium occidentale</i> L. | Landim 3 (ASE) | Tree |
| <i>Lithrea</i> sp. | Carregosa-Silva 73 (ASE) | Tree |
| <i>Schinus terebinthifolius</i> Raddi | Landim 1482 (ASE) | Tree |
| <i>Spondias purpurea</i> L. | Oliveira, D.M. 149 (ASE) | Tree |
| <i>Tapirira guianensis</i> Aubl | Farney 2907 (ASE) | Tree |
| <i>Thyrsodium spruceanum</i> Benth. | Fonseca R. 245 (ASE) | Tree |
| ANNONACEAE | | |
| <i>Annona cacans</i> Warm. | Galvão 25002 (ASE) | Tree |
| <i>Annona coriacea</i> Mart. | Oliveira, D.M. 82 (ASE) | Tree |
| <i>Annona muricata</i> L. | Santos 1 (ASE) | Tree |
| <i>Annona pickelii</i> (Diels) H.Rainer | Amorim 3459 (CEPEC) | Shrub |
| <i>Annona salzmannii</i> A. DC. | Carvalho 4340 (CEPEC) | Shrub |
| <i>Duguetia gardneriana</i> Mart. | Silva 2996 (CEPEC) | Herb |
| <i>Duguetia moricandiana</i> Mart. | Fonseca 131 (RB) | Shrub |
| <i>Guatteria pogonopus</i> Mart. | Fonseca 7 (ASE) | Tree |
| <i>Xylopia brasiliensis</i> Spreng. | Oliveira 400 (ASE) | Tree |
| <i>Xylopia laevigata</i> (Mart.) R.E.Fr. | Landim 415 (ASE) | Tree |
| <i>Xylopia nitida</i> Dunal | Fonseca 428 (ASE) | Shrub |
| APOCYNACEAE | | |
| <i>Allamanda</i> sp. | Landim 424 (ASE) | Tree |
| <i>Blepharodon costae</i> Fontella & Morillo | Carneiro, E. 382 (IPA) | Climber |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|------------------------------|----------|
| <i>Blepharodon pictum</i> (Vahl) W.D. Stevens | Prata 2668 (ASE) | Climber |
| <i>Ditassa crassifolia</i> Decne. | Landim 423 (ASE) | Tree |
| <i>Forsteronia montana</i> Müll. Arg. | Sant'Ana 473 (ASE) | Shrub |
| <i>Hancornia speciosa</i> Gomes | Nascimento-Júnior 728 (ASE) | Climber |
| <i>Himatanthus bracteatus</i> (A.DC.) Woodson | Sant'Ana 377 (CEPEC) | Climber |
| <i>Himatanthus obovatus</i> (Müll. Arg.) Woodson | Farias 69 (ASE) | Tree |
| <i>Mandevilla hirsuta</i> (A.Rich.) K.Schum | Prata 2680 (ASE) | Climber |
| <i>Mandevilla moricandiana</i> (A.DC.) Woodson | Viana160 (ASE) | Climber |
| <i>Mandevilla scabra</i> (Hoffmanns. ex Roem. & Schult.) K. Schum. | Souza 39 (ASE) | Climber |
| <i>Mandevilla tenuifolia</i> (J.C.Mikan) Woodson | Freire 20 (ASE) | Climber |
| <i>Oxypetalum banksii</i> R.Br. ex Schult. | Carregosa-Silva 72 (ASE) | Climber |
| <i>Temnadenia odorifera</i> (Vell.) J.F.Morales | Sant'Ana 475 (CEPEC) | Tree |
| ARACEAE | | |
| <i>Anthurium affine</i> Schott | Landim 387 (ASE) | Herb |
| <i>Anthurium bellum</i> Schott | Sant'Ana 477 (CEPEC) | Herb |
| <i>Anthurium longipes</i> N.E. Br. | Gonçalves 126 (UB) | Herb |
| <i>Anthurium maricense</i> Nadruz & Mayo | Farney 2818 (RB) | Herb |
| <i>Anthurium raimundii</i> Mayo et al. | Prata 3117 (ASE) | Herb |
| <i>Anthurium solitarium</i> Schott | Gonçalves 127 (UB) | Herb |
| <i>Lemna aequinoctialis</i> Welw. | Nascimento-Júnior 909 (ASE) | Herb |
| <i>Philodendron acutatum</i> Schott | Landim 202 (ASE) | Herb |
| <i>Philodendron imbe</i> Schott ex Kunth. | Oliveira, E. V. S. 38 (ASE) | Epiphyte |
| <i>Syngonium vellozianum</i> Schott | Prata 3039 (ASE) | Climber |
| ARALIACEAE | | |
| <i>Hydrocotyle bonariensis</i> Lam. | Oliveira, E.V.S. 1 (ASE) | Herb |
| <i>Schefflera morototoni</i> (Aubl.) Maguire et al. | Sant'Ana 387 (CEPEC) | Herb |
| ARECACEAE | | |
| <i>Allagoptera arenaria</i> (Gomes) Kuntze | Silva 3023 (CEPEC) | Shrub |
| <i>Allagoptera brevicalyx</i> Moraes | Amorim 1529 (CEPEC) | Shrub |
| <i>Allagoptera campestris</i> (Mart.) Kuntze | Landim 1522 (ASE) | Shrub |
| <i>Astrocaryum</i> sp. | Vasconcelos 30 (ASE) | Tree |
| <i>Attalea barreirensis</i> Glassman | Amorim 1531 (CEPEC) | Shrub |
| <i>Bactris glassmanii</i> Med.-Costa & Noblick ex A.J.Hend | Nascimento-Júnior 1068 (ASE) | Shrub |
| <i>Syagrus coronata</i> (Mart.) Becc. | Prata 2961 (ASE) | Shrub |
| <i>Syagrus romanzoffiana</i> (Cham.) Glassman | Fonseca S/N (UFP) | Shrub |
| <i>Syagrus schizophylla</i> (Mart.) Glassman | Silva 3043 (CEPEC) | Shrub |
| ARISTOLOCHIACEAE | | |
| <i>Aristolochia birostis</i> Duch. | Farney 2718 (ASE) | Climbers |
| ASTERACEAE | | |
| <i>Acanthospermum hispidum</i> DC. | Oliveira, D.M. 98 (ASE) | Herb |
| <i>Achyrocline</i> sp. | Campos 138 (ASE) | Herb |
| <i>Ageratum conyzoides</i> L. | Prata 2649 (ASE) | Herb |
| <i>Albertinia brasiliensis</i> Spreng. | Carneiro 722 (ASE) | Shrub |
| <i>Aspilia</i> sp. | Prata 2756 (ASE) | Herb |
| <i>Bidens ferulifolia</i> (Jacq.) Sweet | Oliveira, D.M. 139 (ASE) | Herb |
| <i>Calea canolleana</i> (Gardner) Baker | Jardim 329 (CEPEC) | Climber |
| <i>Conocliniopsis prasiifolia</i> (DC.) R.M.King & H.Rob. | Ramos 11 (ASE) | Shrub |
| <i>Conyza canadensis</i> (L.) Cronquist | Oliveira, D.M. 58 (ASE) | Herb |
| <i>Eclipta prostrata</i> (L.) L. | Nascimento-Júnior 1133 (ASE) | Herb |
| <i>Elephantopus hirtiflorus</i> DC. | Sant'Ana 399 (CEPEC) | Herb |
| <i>Eremanthus capitatus</i> (Spreng.) MacLeish | Jardim 330 (CEPEC) | Shrub |
| <i>Eupatorium prasiiifolium</i> var. <i>glanduliferum</i> R.E.Fr. | Farney 2629 (ASE) | Herb |
| <i>Koanophyllum baccharifolium</i> (Gardner) R.M.King & H.Rob. | Oliveira 495 (ASE) | Shrub |
| <i>Lepidaploa arenaria</i> (Mart. ex DC.) H.Rob. | Silva 2987 (CEPEC) | Herb |
| <i>Lepidaploa chalybaea</i> (Mart. ex DC.) H.Rob. | Oliveira 492 (ASE) | Herb |
| <i>Lepidaploa mucronifolia</i> (DC.) H.Rob. | Landim 1513 (ASE) | Herb |
| <i>Lessingianthus glabratus</i> (Less.) H.Rob. | Campos 238 (ASE) | Shrub |
| <i>Litothamnus nitidus</i> (DC.) W.C. Holmes | Prata 2803 (ASE) | Tree |
| <i>Lourteigia ballotifolia</i> (Kunth) R.M.King & H.Rob. | Landim 181 (ASE) | Shrub |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|---------------------------------|----------|
| <i>Mikania lucida</i> S.F.Blake | Landim 397 (ASE) | Herb |
| <i>Praxelis kleinioioides</i> (Kunth) Sch. Bip. | Carvalho S/N (CEPEC) | Shrub |
| <i>Rolandra fruticosa</i> (L.) Kuntze | Viana 646 (ASE) | Herb |
| <i>Sphagneticola trilobata</i> (L.) Pruski | Nascimento-Júnior 835 (ASE) | Herb |
| <i>Stilpnopappus</i> sp. | Costa 273 (ASE) | Herb |
| <i>Tilesia baccata</i> (L.f.) Pruski | Fonseca R. 251 (ASE) | Shrub |
| <i>Trichogonia</i> sp. | Souza 40 (ASE) | Shrub |
| <i>Tridax procumbens</i> L. | Nascimento-Júnior 871 (ASE) | Climber |
| <i>Vernonia</i> sp. | Landim 1487 (ASE) | Herb |
| BALANOPHORACEAE | | |
| <i>Langsdorffia</i> sp. | Landim 733 (ASE) | Parasite |
| BIGNONIACEAE | | |
| <i>Adenocalymma</i> sp. | Santana 909 (ASE) | Climber |
| <i>Anemopaegma album</i> Mart. ex DC. | Landim 418 (ASE) | Climber |
| <i>Bignonia corymbosa</i> (Vent.) L.G.Lohmann | Carneiro 723 (ASE) | Climber |
| <i>Fridericia conjugata</i> (Vell.) L.G.Lohmann | Nascimento-Júnior 719 (ASE) | Climber |
| <i>Jacaranda macrantha</i> Cham. | Gomes 266 (HVASF) | Tree |
| <i>Jacaranda obovata</i> Cham. | Nascimento-Júnior 1034 (ASE) | Shrub |
| <i>Lundia cordata</i> (Vell.) DC. | Landim 143 (ASE) | Shrub |
| <i>Tabebuia aurea</i> (Silva Manso) Benth. & Hook.f. ex S.Moore | Jardim 326 (CEPEC) | Tree |
| BIXACEAE | | |
| <i>Bixa orellana</i> L. | Oliveira, D.M. 220 (ASE) | Tree |
| <i>Cochlospermum vitifolium</i> (Willd.) Spreng. | Oliveira, D.M. 157 (ASE) | Tree |
| BONNETIACEAE | | |
| <i>Bonnetia anceps</i> Mart. & Zucc. | Fonseca ASE N. 535 (ASE) | Tree |
| <i>Bonnetia stricta</i> (Nees) Nees & Mart. | Santos, L.A.S. 623 (ASE) | Shrub |
| BORAGINACEAE | | |
| <i>Cordia nodosa</i> Lam. | Cruz 86 (ASE) | Shrub |
| <i>Cordia pilosa</i> M. Stapf & Taroda | Carvalho 4342 (CEPEC) | Tree |
| <i>Cordia taguahyensis</i> Vell. | Carvalho 4342 (ASE) | Tree |
| <i>Euploca polyphylla</i> (Lehm.) J.I.M.Melo & Semir | Ramos 20 (ASE) | Herb |
| <i>Heliotropium indicum</i> L. | Oliveira 373 (ASE) | Herb |
| <i>Heliotropium polypyllum</i> Lehm. | Jardim 321 (CEPEC) | Herb |
| <i>Heliotropium salicoides</i> Cham. | Amorim 1543 (CEPEC) | Herb |
| <i>Varronia curassavica</i> Jacq. | Nascimento-Júnior 976 (ASE) | Shrub |
| <i>Varronia globosa</i> Jacq. | Coletor desconhecido 4801 (ASE) | Shrub |
| <i>Varronia polyccephala</i> Lam. | Carneiro 497 (ASE) | Shrub |
| BROMELIACEAE | | |
| <i>Aechmea aquilega</i> (Salisb.) Griseb. | Landim 199 (ASE) | Herb |
| <i>Aechmea lingulata</i> (L.) Baker | Martinelli 15345 (ASE) | Herb |
| <i>Aechmea lingulatoides</i> Leme & H. Luther | Martinelli 1534 (RB) | Herb |
| <i>Aechmea mertensii</i> (G.Mey.) Schult. & Schult.f. | Souza, G. 365 (CEPEC) | Epiphyte |
| <i>Aechmea multiflora</i> L.B.Sm. | Martinelli 15344 (ASE) | Shrub |
| <i>Ananas bracteatus</i> (Lindl.) Schult. & Schult.f. | Campos 211 (ASE) | Herb |
| <i>Cryptanthus alagoanus</i> Leme & J.A.Siqueira | Siqueira-Filho 2360 (HVASF) | Herb |
| <i>Cryptanthus pickelii</i> L.B.Sm. | Landim 732 (ASE) | Epiphyte |
| <i>Cryptanthus sergipensis</i> I.Ramírez | Sant'Ana 388 (CEPEC) | Epiphyte |
| <i>Hohenbergia catingae</i> Ule | Landim 248 (ASE) | Herb |
| <i>Hohenbergia ramageana</i> Mez | Landim 249 (TEPB) | Herb |
| <i>Hohenbergia ridleyi</i> (Baker) | Martinelli 15343 (ASE) | Herb |
| BURMANNIACEAE | | |
| <i>Burmannia capitata</i> (Walt. Ex J.F.Gmel.) Mart. | Amorim 3468 (CEPEC) | Shrub |
| BURSERACEAE | | |
| <i>Protium bahianum</i> D. C.Daly | Landim 1123 (ASE) | Shrub |
| <i>Protium heptaphyllum</i> subsp. <i>heptaphyllum</i> (Aubl.) Marchand | Araújo 15 (ASE) | Tree |
| <i>Tetragastris occchionii</i> (Rizzini) Daly | Farney 2920 (ASE) | Shrub |
| CACTACEAE | | |
| <i>Cereus fernambucensis</i> subsp. <i>fernambucensis</i> Lem. | Landim 1147 (ASE) | Herb |
| <i>Melocactus violaceus</i> Pfeiffer. | Nascimento-Júnior 536 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|-----------------------------|---------|
| <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelb. | Prata 2995 (ASE) | Herb |
| <i>Opuntia dillenii</i> (Ker Gawl.) Haw. | Conceição 1 (ASE) | Shrub |
| <i>Pilosocereus catingicola</i> subsp. <i>salvadorensis</i> (Werderm.) Zappi | Menezes148 (ASE) | Shrub |
| <i>Pilosocereus gounellei</i> (F.A.C. Weber) Byles & G.D. Rowley | Oliveira, E.V.S. 47 (ASE) | Shrub |
| CALOPHYLLACEAE | | |
| <i>Kielmeyera argentea</i> Choisy | Prata 3023 (ASE) | Shrub |
| <i>Kielmeyera coriacea</i> Mart. | Silva 2981 (CEPEC) | Tree |
| <i>Kielmeyera neglecta</i> Saddi | Santana 901 (ASE) | Tree |
| <i>Kielmeyera rugosa</i> Choisy | Campos 218 (ASE) | Shrub |
| CANNABACEAE | | |
| <i>Celtis spinosa</i> Spreng. | Prata 2755 (ASE) | Shrub |
| CAPPARACEAE | | |
| <i>Cynophalla hastata</i> (Jacq.) J.Presl | Landim 427 (HUEFS) | Tree |
| <i>Cynophalla flexuosa</i> (L.) J.Pres | Nascimento-Júnior 864 (ASE) | Tree |
| <i>Physostemon rotundifolium</i> Mart. & Zucc. | Santana 87 (ASE) | Herb |
| <i>Physostemon guianense</i> (Aubl.) Malme | Silva 2980 (CEPEC) | Shrub |
| CELASTRACEAE | | |
| <i>Maytenus distichophylla</i> Mart. ex Reissek | Landim 417 (ASE) | Shrub |
| <i>Maytenus obtusifolia</i> Mart. | Landim 735 (ASE) | Shrub |
| <i>Maytenus opaca</i> Reissek | Campos 130 (ASE) | Shrub |
| CHRYSOBALANACEAE | | |
| <i>Chrysobalanus icaco</i> L. | Farney 2745 (ASE) | Shrub |
| <i>Couepia impressa</i> Prance | Fonseca 540 (ASE) | Tree |
| <i>Couepia racemosa</i> Benth. ex Hook.f. | Ramos 7347 (ASE) | Tree |
| <i>Hirtella ciliata</i> Mart. & Zucc. | Amorim 1507 (CEPEC) | Tree |
| <i>Hirtella racemosa</i> Lam. | Fonseca R. 399 (ASE) | Tree |
| <i>Licania apétala</i> var. <i>apétala</i> (E.Mey.) Fritsch | Farney 2919 (RB) | Shrub |
| <i>Licania corniculata</i> Prance | Prata 3094 (ASE) | Shrub |
| <i>Licania littoralis</i> Warm. | Silva 3007 (CEPEC) | Shrub |
| <i>Parinari littoralis</i> Prance | Amorim 3457 (CEPEC) | Tree |
| <i>Parinari rodolphii</i> Huber | Prata 2818 (ASE) | Tree |
| CLUSIACEAE | | |
| <i>Clusia nemorosa</i> G.Mey. | Carneiro 462 (ASE) | Tree |
| <i>Clusia paralicola</i> G. Mariz | Prata 2993 (ASE) | Tree |
| <i>Garcinia Gardneriana</i> (Planch. & Triana) Zappi | Viana 926 (ASE) | Tree |
| <i>Mammea</i> sp. | Landim 1618 (ASE) | Shrub |
| <i>Sympomia globulifera</i> L. f. | Nascimento-Júnior 732 (ASE) | Shrub |
| COMBRETACEAE | | |
| <i>Conocarpus erectus</i> L. | Oliveira, E.V.S. 4 (ASE) | Tree |
| <i>Laguncularia racemosa</i> (L.) C.F.Gaertn | Oliveira, E.V.S. 5 (ASE) | Tree |
| COMMELINACEAE | | |
| <i>Commelina erecta</i> L. | Carregosa-Silva 71 (ASE) | Herb |
| <i>Dichorisandra</i> sp. | Landim 1470 (ASE) | Herb |
| <i>Tradescantia</i> sp. | Santana 213 (ASE) | Herb |
| CONNARACEAE | | |
| <i>Connarus</i> sp. | Amaral 739 (ASE) | Climber |
| <i>Pseudoconnarus</i> sp. | Melo 16 (ASE) | Shrub |
| <i>Rourea</i> sp. | Cruz 21 (HUEFS) | Shrub |
| CONVOLVULACEAE | | |
| <i>Evolvulus phyllanthoides</i> Moric. | Silva 2990 (UFRN) | Shrub |
| <i>Evolvulus pterocaulon</i> Moric. | Prata 1688 (ASE) | Shrub |
| <i>Evolvulus thymiflorus</i> Choisy | Santos, L.A.S. 604 (ASE) | Herb |
| <i>Ipomoea asarifolia</i> (Desr.) Roem. & Schult. | Nascimento-Júnior 980 (ASE) | Herb |
| <i>Ipomoea batatas</i> Choisy | Santos, E. 475 (ASE) | Climber |
| <i>Ipomoea imperati</i> (Vahl) Griseb | Cervi 3626 (UPCB) | Climber |
| <i>Ipomoea incarnata</i> (Vahl) Choisy | Oliveira 473 (ASE) | Climber |
| <i>Ipomoea pes-caprae</i> (L.) R.Br | Santos, S.S.C. 4 (ASE) | Herb |
| <i>Ipomoea sericeophylla</i> Meisn. | Oliveira 388 (ASE) | Climber |
| <i>Ipomoea batatas</i> (L.) Lam. | Oliveira, D.M. 141 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|---------|
| <i>Jacquemontia bracteosa</i> Meisn. | Miranda 6116 (HST) | Climber |
| <i>Jacquemontia montana</i> (Moric.) Meisn. | Nascimento-Júnior 1033 (ASE) | Climber |
| <i>Jacquemontia evolvoloides</i> (Moric.) Meisn. | Farias 143 (ASE) | Herb |
| <i>Merremia aegyptia</i> (L.) Urb. | Ramos 7344 (ASE) | Herb |
| <i>Merremia macrocalyx</i> (Ruiz et Pavon) O'Donell. | Santana 103 (ASE) | Climber |
| <i>Merremia umbellata</i> (L.) Hallier f. | Carneiro 138 (ASE) | Climber |
| COSTACEAE | | |
| <i>Costus spiralis</i> (Jacq.) Roscoe | Oliveira, D.M. 184 (ASE) | Herb |
| CUCURBITACEAE | | |
| <i>Cucurbita moschata</i> Duchesne | Carvalho, C.M. 1 (ASE) | Climber |
| <i>Luffa operculata</i> (L.) Cogn. | Oliveira, D.M. 227 (ASE) | Herb |
| CYPERACEAE | | |
| <i>Abildgaardia baeothryon</i> A.St.-Hil. | Nascimento-Júnior 1033 (ASE) | Herb |
| <i>Abildgaardia ovata</i> (Burm.f.) Kral | Carvalho 4316 (CEPEC) | Herb |
| <i>Bolboschoenus robustus</i> (Pursh) Soják | Soledade 11908 (ASE) | Herb |
| <i>Bulbostylis capillaris</i> (L.) Kunth ex C.B.Clarke | Viana 522 (ASE) | Herb |
| <i>Bulbostylis conifera</i> (Kunth) C.B.Clarke | Prata 1690 (ASE) | Herb |
| <i>Bulbostylis junciformis</i> (Kunth) C.B.Clarke | Alves 2050 (CEPEC) | Herb |
| <i>Cyperus aggregatus</i> (Willd.) Endl. | Costa, S.M. 166 (ASE) | Herb |
| <i>Cyperus articulatus</i> L. | Braguini 3 (ASE) | Herb |
| <i>Cyperus compressus</i> L. | Silva 130 (ASE) | Herb |
| <i>Cyperus haspan</i> L. | Alves 2057 (CEPEC) | Herb |
| <i>Cyperus hermaphroditus</i> Jacq. (Standl.) | Santos, L.A.S. 625 (ASE) | Herb |
| <i>Cyperus laxus</i> Lam. | Prata 2688 (ASE) | Herb |
| <i>Cyperus ligularis</i> L. | Costa, S.M. 162 (ASE) | Herb |
| <i>Cyperus maritimus</i> Poir. | Ramos 1 (ASE) | Herb |
| <i>Cyperus squarrosus</i> L. | Silva 121 (ASE) | Herb |
| <i>Cyperus surinamensis</i> Rottb. | Silva 129 (ASE) | Herb |
| <i>Eleocharis acutangula</i> (Roxb.) Schult. | Costa, S. M. 5 (EAC) | Herb |
| <i>Eleocharis equisetoides</i> (Elliott) Torr. | Costa 164 (ASE) | Herb |
| <i>Eleocharis filiculmis</i> Kunth | Costa, S.M. 3 (ASE) | Herb |
| <i>Eleocharis geniculata</i> (L.) Roem. & Schult. | Pergantino 21 (ASE) | Herb |
| <i>Eleocharis interstincta</i> (Vahl) Roem. & Schult. | Costa, S.M. 5 (ASE) | Herb |
| <i>Eleocharis maculosa</i> (Vahl) Roem. & Schult. | Alves 2058 (CEPEC) | Herb |
| <i>Eleocharis minima</i> Kunth | Nascimento-Júnior 1121 (ASE) | Herb |
| <i>Eleocharis mutata</i> (L.) Roem. & Schult. | Costa 532 (ASE) | Herb |
| <i>Eleocharis plicarhachis</i> (Griseb.) Svenson | Silva 120 (ASE) | Herb |
| <i>Eleocharis schaffneri</i> Boeckeler | Koczicki 511 (MBM) | Herb |
| <i>Fimbristylis complanata</i> (Retz.) Link | Silva 135 (ASE) | Herb |
| <i>Fimbristylis cymosa</i> var. <i>spathacea</i> (Roth) T. Koyama | Fonseca 415 (ASE) | Herb |
| <i>Fimbristylis dichotoma</i> (L.) Vahl | Alves 2056 (ASE) | Herb |
| <i>Fimbristylis ferruginea</i> (L.) Vahl | Costa, S.M. 168 (ASE) | Herb |
| <i>Fimbristylis spathacea</i> Roth | Costa 533 (ASE) | Herb |
| <i>Fuirena umbellata</i> Rottb. | Nascimento-Júnior 761 (ASE) | Herb |
| <i>Kyllinga brevifolia</i> Rottb. | Silva 126 (ASE) | Herb |
| <i>Kyllinga squamulata</i> Thonn. ex Vahl | Costa, S. M. 163 (ASE) | Herb |
| <i>Kyllinga vaginata</i> Lam. | Costa, S. M. 1 (ASE) | Herb |
| <i>Lagenocarpus guianensis</i> Lindl. ex Nees | Prata 1183 (ASE) | Herb |
| <i>Lagenocarpus rigidus</i> (Kunth) Nees | Carregosa-Silva 120 (ASE) | Herb |
| <i>Lagenocarpus verticillatus</i> (Spreng.) T.Koyama & Maguire | Alves 2061 (ASE) | Herb |
| <i>Lipocarpha micrantha</i> (Vahl) G.C.Tucker | Costa, S.M. 158 (ASE) | Herb |
| <i>Lipocarpha chinensis</i> (Osbeck) J.Kern | Prata 2821 (ASE) | Herb |
| <i>Pycreus polystachyos</i> (Rottb.) P.Beauv. | Costa, S.M. 159 (ASE) | Herb |
| <i>Remirea maritima</i> Aubl. | Farney 2737 (ASE) | Herb |
| <i>Rhynchospora armerioides</i> J. Presl. & C. Presl | Silva, A.C. 5 (JPB) | Herb |
| <i>Rhynchospora barbata</i> (Vahl) Kunth | Sant'Ana 381 (CEPEC) | Herb |
| <i>Rhynchospora cephalotes</i> (L.) Vahl | Viana 7392 (ASE) | Herb |
| <i>Rhynchospora corymbosa</i> (L.) Britton | Alves 2046 (CEPEC) | Herb |
| <i>Rhynchospora elegantula</i> Maury | Farias 142 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|------------------------------|---------|
| <i>Rhynchospora filiformis</i> Vahl | Costa, S.M. 4 (ASE) | Herb |
| <i>Rhynchospora filiformis</i> var. <i>latifolia</i> Uittien | Costa, S.M. 4 (UFP) | Herb |
| <i>Rhynchospora globosa</i> (Kunth) Roem. & Schult. | Silva, A.C. 5 (MAC) | Herb |
| <i>Rhynchospora holoschoenoides</i> (Rich.) Herter | Alves 2055 (CEPEC) | Herb |
| <i>Rhynchospora nervosa</i> (Vahl) Boeckeler | Alves 2044 (CEPEC) | Herb |
| <i>Rhynchospora ridleyi</i> C.B. Clarke | Prata 2831 (ASE) | Herb |
| <i>Rhynchospora riparia</i> (Nees) Boeckeler | Costa, S.M. 165 (ASE) | Herb |
| <i>Rhynchospora tenerima</i> Nees ex Spreng. | Silva 9 (ASE) | Herb |
| <i>Rhynchospora tenuis</i> Link | Costa, S.M. 200 (ASE) | Herb |
| <i>Scleria hirtella</i> Sw. | Santos, L.A.S. 525 (ASE) | Herb |
| <i>Scleria interrupta</i> Rich. | Menezes 28 (ASE) | Shrub |
| <i>Scleria melaleuca</i> Rchb. ex Schltl. & Cham. | Alves 2053 (CEPEC) | Herb |
| <i>Scleria microcarpa</i> Ness ex Kunth | Prata 2656 (ASE) | Herb |
| <i>Scleria secans</i> (L.) Urb. | Prata 1180 (ASE) | Herb |
| DILLENIACEAE | | |
| <i>Curatella americana</i> L. | Carvalho 4320 (ASE) | Tree |
| <i>Davilla flexuosa</i> A.St.-Hil. | Fonseca R. 477 (ASE) | Tree |
| <i>Davilla kunthii</i> A. St.-Hil. | Farney 2950 (ASE) | Shrub |
| <i>Davilla pedicellaris</i> Benth. | Fonseca R. 8 (ASE) | Climber |
| <i>Tetracera boomii</i> Aymard | Silva 3020 (CEPEC) | Climber |
| <i>Tetracera breyniana</i> Schltd. | Nascimento-Júnior 759 (ASE) | Climber |
| DIOSCOREACEAE | | |
| <i>Dioscorea leptostachya</i> Gardner | Nascimento-Júnior 1011 (ASE) | Climber |
| <i>Dioscorea orthogoneura</i> Uline ex Hochr. | Landim 577 (ASE) | Climber |
| <i>Dioscorea ovata</i> Vell. | Landim 1182 (ASE) | Climber |
| <i>Dioscorea sincorensis</i> R.Knuth | Farias 204 (ASE) | Climber |
| EBENACEAE | | |
| <i>Diospyros artanthifolia</i> Mart. | Carvalho 4328 (CEPEC) | Tree |
| <i>Diospyros gaultheriifolia</i> Mart. & Miq. | Nascimento-Júnior 851 (ASE) | Tree |
| ELAEOCARPACEAE | | |
| <i>Sloanea garckeana</i> K.Schum. | Sant'Ana 470 (CEPEC) | Tree |
| ERICACEAE | | |
| <i>Gaylussacia brasiliensis</i> (Spreng.) Meisn. | Fonseca 100 (ASE) | Shrub |
| <i>Actinocephalus polyanthus</i> (Bong.) Sano | Nascimento-Júnior 966 (ASE) | Herb |
| <i>Actinocephalus ramosus</i> (Wikstr.) Sano | Farney 2713 (ASE) | Herb |
| <i>Comanthera imbricata</i> (Körn.) L.R.Parra & Giul. | Farney 2689 HUEFS | Herb |
| <i>Leiothrix flavescens</i> (Bong.) Ruhland | Nascimento-Júnior 842 (ASE) | Herb |
| <i>Leiothrix pilulifera</i> (Koern.) Ruhland | Farney 2918 (ASE) | Herb |
| <i>Paepalanthus bifidus</i> (Schrad.) Kunth | Santos, E. 500 (ASE) | Herb |
| <i>Paepalanthus myocephalus</i> (Mart.) Körn. | Prata 2813 (ASE) | Herb |
| <i>Paepalanthus subtilis</i> Miq. | Viana 30 (ASE) | Herb |
| <i>Paepalanthus tortilis</i> (Bong.) Mart. | Silva 3019 (CEPEC) | Herb |
| <i>Syngonanthus gracilis</i> (Bong.) Ruhland | Farney 2689 (ASE) | Herb |
| <i>Tonina fluviatilis</i> Aubl. | Alves 2052 (CEPEC) | Herb |
| ERYTHROXYLACEAE | | |
| <i>Erythroxylum affine</i> A. St.-Hil | Jardim 484 (ASE) | Tree |
| <i>Erythroxylum columbinum</i> Mart. | Sant'Ana 393 (ASE) | Tree |
| <i>Erythroxylum mikanii</i> Peyr. | Sant'Ana 372 (CEPEC) | Shrub |
| <i>Erythroxylum nobile</i> O.E.Schulz | Sant'Ana 393 (CEPEC) | Tree |
| <i>Erythroxylum passerinum</i> Mart. | Fonseca R. 227 (ASE) | Tree |
| <i>Erythroxylum revolutum</i> Mart. | Prata 3024 (ASE) | Shrub |
| <i>Erythroxylum rimosum</i> O.E.Schulz | Carneiro 232 (ASE) | Shrub |
| EUPHORBIACEAE | | |
| <i>Astraea klotzschii</i> Didr. | Costa 272 (ASE) | Herb |
| <i>Astraea lobata</i> (L.) Klotzsch | Araújo 14 (ASE) | Herb |
| <i>Astraea praetervisa</i> (Müll. Arg.) P.E. Berry | Campos 227 (ASE) | Herb |
| <i>Chaetocarpus echinocarpus</i> (Baill.) Ducke | Prata 3111 (ASE) | Shrub |
| <i>Chaetocarpus myrsinites</i> Baill. | Sant'Ana 472 (ASE) | Shrub |
| <i>Cnidoscolusurens</i> (L.) Arthur | Landim 241 (ASE) | Shrub |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|---------|
| <i>Croton glandulosus</i> L. | Prata 3086 (ASE) | Shrub |
| <i>Croton heliotropifolius</i> Kunth | Landim 585 (ASE) | Shrub |
| <i>Croton polyandrus</i> Spreng. | Farney 2691 (SPF) | Shrub |
| <i>Croton sellowii</i> Baill. | Farinaccio 846 (ASE) | Shrub |
| <i>Croton urticifolius</i> Lam. | Farinaccio 839 (ASE) | Shrub |
| <i>Euphorbia bahiensis</i> (Klotzsch & Garcke) Boiss. | Farney 2738 (RB) | Shrub |
| <i>Euphorbia crossadenia</i> Pax & K. Hoffm. | Costa 219 (ASE) | Shrub |
| <i>Euphorbia hirta</i> L. | Ramos 16 (ASE) | Tree |
| <i>Euphorbia hyssopifolia</i> L. | Santos, S.S.C. 7 (ASE) | Climber |
| <i>Euphorbia sarcodes</i> Boiss. | Viana 731 (HUEFS) | Shrub |
| <i>Euphorbia tithymaloides</i> L. | Oliveira, D.M. 138 (ASE) | Shrub |
| <i>Gymnanthes</i> sp. | Prata 3037 (ASE) | Shrub |
| <i>Jatropha curcas</i> L. | Oliveira, D.M. 87 (ASE) | Shrub |
| <i>Jatropha gossypiifolia</i> L. | Nascimento-Júnior 829 (ASE) | Shrub |
| <i>Mabea glaziovii</i> Pax & K.Hoffm. | Silva 3010 (CEPEC) | Shrub |
| <i>Mabea piriri</i> Aubl. | Amorim 1506 (CEPEC) | Herb |
| <i>Manihot breviloba</i> P.Carvalho & M.Martins | Nascimento-Júnior 821 (ASE) | Climber |
| <i>Manihot esculenta</i> Crantz | Oliveira, D.M. 139 (ASE) | Herb |
| <i>Microstachys corniculata</i> (Vahl) Griseb. | Landim 1164 (IPA) | Tree |
| <i>Microstachys heterodoxa</i> (Müll. Arg.) Esser | Landim 1161 (IPA) | Shrub |
| <i>Ricinus communis</i> L. | Oliveira, D.M. 120 (ASE) | Shrub |
| <i>Sapium glandulosum</i> (L.) Morong | Landim 385 (ASE) | Shrub |
| <i>Stillingia</i> sp. | Miranda 6103 HUEFS | Shrub |
| FABACEAE | | |
| <i>Acacia auriculiformis</i> A. Cunn. ex Benth. | Nascimento-Júnior 1110 (ASE) | Tree |
| <i>Acosmium bijugum</i> (Vogel) Yakovlev | Farney 2914 (ASE) | Tree |
| <i>Aeschynomene evenia</i> Wright & Sauvalle | Nascimento-Júnior 880 (ASE) | Shrub |
| <i>Aeschynomene histrix</i> Poir. var. <i>histrix</i> | Coradin 3348 (EAC) | Herb |
| <i>Aeschynomene paniculata</i> Willd. ex Vogel | Coradin 3345 (EAC) | Herb |
| <i>Aeschynomene viscidula</i> Michx. | Nascimento-Júnior 877 (ASE) | Herb |
| <i>Andira fraxinifolia</i> Benth | Amorim A. 1550 (ASE) | Shrub |
| <i>Andira humilis</i> Mart. ex Benth. | Farinaccio 845 (ASE) | Shrub |
| <i>Andira legalis</i> (Vell.) Toledo | Fonseca 598 (ASE) | Shrub |
| <i>Andira nitida</i> Mart. ex Benth. | Landim 203 (ASE) | Shrub |
| <i>Bauhinia bidentata</i> var. <i>cornifolia</i> (Baker) Benn. | Alves, J.P. 421 (ASE) | Shrub |
| <i>Bocoa</i> sp. | Landim 1617 (ASE) | Tree |
| <i>Bowdichia virgilioides</i> Kunth | Carvalho 4341 (CEPEC) | Herb |
| <i>Brodriguesia santosii</i> R.S.Cowan | Farney 2900 (ASE) | Shrub |
| <i>Canavalia rosea</i> (Sw.) DC. | Oliveira, E.V.S. 93 (ASE) | Shrub |
| <i>Cassia grandis</i> L. f. | Carneiro 125 (ASE) | Herb |
| <i>Centrosema brasiliannum</i> (L.) Benth. | Pergantino 6 (ASE) | Herb |
| <i>Centrosema pascuorum</i> Mart. ex Benth. | Nascimento-Júnior 1089 (ASE) | Herb |
| <i>Centrosema rotundifolium</i> Mart. ex Benth. | Fonseca 27838 (IPA) | Herb |
| <i>Chamaecrista amiciella</i> (H.S. Irwin & Barneby) H.S. Irwin & Barneby | Santos, S.S.C. 8 (ASE) | Tree |
| <i>Chamaecrista brachystachya</i> (Benth.) Conc. et al. | Fonseca 17 (ASE) | Shrub |
| <i>Chamaecrista cytisoides</i> (DC. ex Collad.) H.S.Irwin &Barneby | Amorim 1515 (CEPEC) | Herb |
| <i>Chamaecrista desvauxii</i> (Collad.) Killip | Pergantino 5 (ASE) | Shrub |
| <i>Chamaecrista diphylla</i> (L.) Greene | Conceição, A.S. 704 (HUEFS) | Shrub |
| <i>Chamaecrista ensiformis</i> var. <i>ensiformis</i> (Vell.) H.S.Irwin & Barneby | Carneiro, E. 266 (IPA) | Tree |
| <i>Chamaecrista flexuosa</i> (L.) Greene | Nascimento-Júnior 745 (ASE) | Shrub |
| <i>Chamaecrista hispidula</i> (Vahl) H.S. Irwin & Barneby | Nascimento-Júnior 734 (ASE) | Shrub |
| <i>Chamaecrista ramosa</i> var. <i>ramosa</i> (Vogel) H.S. Irwin & Barneby | Nascimento-Júnior 794 (ASE) | Herb |
| <i>Chamaecrista rotundifoliavar. grandiflora</i> (Benth.) H.S. Irwin & Barneby | Nascimento-Júnior 959 (ASE) | Herb |
| <i>Chamaecrista serpens</i> (L.) Greene | Nascimento-Júnior 885 (ASE) | Herb |
| <i>Chamaecrista unijuga</i> (Benth.) Conc. et al. | Ribeiro 1 (HUEFS) | Tree |
| <i>Clitoria laurifolia</i> Poir. | Barros 2413 (SP) | Tree |
| <i>Crotalaria holosericea</i> Nees & Mart. | Barros 2409 (SP) | Tree |
| <i>Crotalaria incana</i> L. | Oliveira 457 (ASE) | Herb |
| <i>Crotalaria lanceolata</i> E. Mey | Nascimento-Júnior 882 (ASE) | Tree |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|-----------------------------|---------|
| <i>Crotalaria pallida</i> Aiton | Nascimento-Júnior 915 (ASE) | Tree |
| <i>Crotalaria retusa</i> L. | Almeida 16 (ASE) | Shrub |
| <i>Dalbergia ecastaphyllum</i> (L.) Taub. | Oliveira, E.V.S. 8 (ASE) | Shrub |
| <i>Desmodium barbatum</i> (L.) Benth. | Cervi S/N (UPCB) | Shrub |
| <i>Desmodium procumbens</i> (Mill.) Hitchc. | Viana 730 (ASE) | Herb |
| <i>Dialium</i> sp. | Landim 1240 (ASE) | Tree |
| <i>Dioclea glabra</i> Benth. | Silva 2982 (CEPEC) | Tree |
| <i>Dioclea grandiflora</i> Mart. ex Benth. | Carneiro 461 (ASE) | Climber |
| <i>Dioclea lasiophylla</i> Mart. ex Benth. | Sant'Ana 383 (CEPEC) | Climber |
| <i>Dioclea violacea</i> Mart. ex Benth. | Amorim 1505 (CEPEC) | Climber |
| <i>Dioclea virgata</i> (Rich.) Amshoff | Farney 2968 (ASE) | Shrub |
| <i>Diptychandra aurantiaca</i> subsp. <i>Epunctata</i> (Tul.) H.C.Lima et al. | Amaral 30 (JPB) | Climber |
| <i>Discolobium</i> sp. | Oliveira 443 (ASE) | Herb |
| <i>Eriosema</i> sp. | Landim 581 (ASE) | Climber |
| <i>Erythrina variegata</i> L. | Oliveira, D.M. 142 (ASE) | Tree |
| <i>Galactia</i> sp. | Viana 645 (ASE) | Climber |
| <i>Goniorrhachis marginata</i> Taub. | Farney 3000 (CEPEC) | Tree |
| <i>Hymenaea courbaril</i> L. | Proença 587 HUEFS | Herb |
| <i>Hymenaea rubiflora</i> Ducke | Santana 905 (ASE) | Shrub |
| <i>Indigofera hirsuta</i> L. | Santana 84 (ASE) | Herb |
| <i>Indigofera microcarpa</i> Desv. | Prata 1535 (ASE) | Shrub |
| <i>Indigofera sabulicola</i> Benth. | Menezes 221 (ASE) | Herb |
| <i>Inga bollandii</i> Sprague & Sandwith | Amorim 3454 (HUEFS) | Herb |
| <i>Inga capitata</i> Desv. | Silva 3009 (CEPEC) | Shrub |
| <i>Inga ciliata</i> C.Presl | Nascimento-Júnior 869 (ASE) | Shrub |
| <i>Inga laurina</i> (Sw.) Willd. | Amorim 3454 (CEPEC) | Tree |
| <i>Inga maritima</i> Benth. | Lima 2516 (IPA) | Herb |
| <i>Inga stipularis</i> DC. | Silva 3039 (CEPEC) | Shrub |
| <i>Inga subnuda</i> Salzm. ex Benth. | Cruz 84 (ASE) | Tree |
| <i>Inga tenuis</i> (Vell.) Mart. | Carvalho 4337 (CEPEC) | Tree |
| <i>Leptolobium bijugum</i> (Spreng.) Vogel | Amorim 1535 (CEPEC) | Shrub |
| <i>Lonchocarpus sericeus</i> (Poir.) Kunth ex DC. | Santana 154 (ASE) | Tree |
| <i>Macroptilium lathyroides</i> (L.) Urb. | Oliveira, E.V.S. 2 (ASE) | Herb |
| <i>Macroptilium panduratum</i> (Benth.) Maréchal & Baudet | Nascimento-Júnior 878 (ASE) | Shrub |
| <i>Mimosa caesalpiniifolia</i> Benth. | Oliveira, D.M. 71 (ASE) | Tree |
| <i>Mimosa candollei</i> R.Grether | Silva, T.C. 23 (ASE) | Herb |
| <i>Mimosa pigra</i> L. | Nascimento-Júnior 755 (ASE) | Shrub |
| <i>Mimosa pudica</i> L. | Oliveira 471 (ASE) | Shrub |
| <i>Mimosa sensitiva</i> L. | Landim 862 (ASE) | Climber |
| <i>Mimosa somnians</i> Humb. & Bonpl. ex Willd. | Amorim 1542 (CEPEC) | Tree |
| <i>Mucuna</i> sp. | Silva 2982 (ASE) | Climber |
| <i>Periandra mediterranea</i> (Vell.) Taub. | Cruz 74 (HUEFS) | Tree |
| <i>Rhynchosia phaseoloides</i> (Sw.) DC. | Landim 1499 (ASE) | Shrub |
| <i>Senegalia tenuifolia</i> (L.) Britton & Rose | Miranda 6098 (HST) | Shrub |
| <i>Senna angulata</i> (Vogel) H.S.Irwin & Barneby | Carneiro 493 (ASE) | Shrub |
| <i>Senna australis</i> (Vell.) Irwin & Barneby | Farney 2817 (RB) | Shrub |
| <i>Senna macranthera</i> (DC. ex Collad.) H.S. Irwin & Barneby | Ramos 94 (ASE) | Shrub |
| <i>Senna obtusifolia</i> (L.) H.S. Irwin & Barneby | Oliveira, D.M. 110 (ASE) | Herb |
| <i>Senna occidentalis</i> (L.) Link. | Nascimento-Júnior 765 (ASE) | Herb |
| <i>Senna phlebadenia</i> H.S.Irwin & Barneby | Sousa 369 (CEPEC) | Herb |
| <i>Senna splendida</i> var. <i>splendida</i> (Vogel) H.S.Irwin & Barneby | Nascimento-Júnior 916 (ASE) | Shrub |
| <i>Sophora</i> sp. | Oliveira, E.V.S. 67 (ASE) | Herb |
| <i>Stryphnodendron pulcherrimum</i> (Willd.) Hochr. | Oliveira, D.M. 226 (ASE) | Tree |
| <i>Stylosanthes angustifolia</i> Vogel | Viana 729 (ASE) | Herb |
| <i>Stylosanthes gracilis</i> Kunth | Sant'Ana 376 (CEPEC) | Tree |
| <i>Stylosanthes guianensis</i> (Aubl.) Sw. | Silva 3011 (CEPEC) | Tree |
| <i>Stylosanthes viscosa</i> (L.) Sw. | Pergantino 7 (ASE) | Shrub |
| <i>Swartzia apetala</i> Radde | Amorim 1521 (CEPEC) | Shrub |
| <i>Swartzia benthamiana</i> Miq. | Fonseca 435 (ASE) | Tree |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|---------|
| <i>Tachigali densiflora</i> (Benth.) L.G. Silva & H.C.Lima | Carvalho 4331 (CEPEC) | Shrub |
| <i>Tamarindus indica</i> L. | Oliveira, D.M. 147 (ASE) | Shrub |
| <i>Tephrosia noctiflora</i> Bojer | Koczicki 529 (MBM) | Shrub |
| <i>Vigna unguiculata</i> (L.) Walp. | Oliveira, D.M. 146 (ASE) | Shrub |
| <i>Zornia latifolia</i> Sm. | Nascimento-Júnior 879 (ASE) | Shrub |
| GENTIANACEAE | | |
| <i>Coutoubea spicata</i> Aubl. | Sant'Ana 385 (CEPEC) | Herb |
| <i>Curtia</i> sp. | Oliveira, E.V.S. 106 (ASE) | Herb |
| <i>Schultesia doniana</i> Progel | Campos 184 (ASE) | Herb |
| <i>Schultesia guianensis</i> (Aubl.) Malme | Fonseca R. 390 (ASE) | Herb |
| <i>Voyria aphylla</i> (Jacq.) Pers. | Prata 2667 (ASE) | Herb |
| <i>Voyria caerulea</i> Aubl. | Carvalho 4325 (CEPEC) | Herb |
| HALORAGACEAE | | |
| <i>Laurembergia tetrandra</i> (Schott) Kanitz | Nascimento-Júnior 911 (ASE) | Herb |
| HELICONIACEAE | | |
| <i>Heliconia psittacorum</i> L. f. | Carvalho 4322 (CEPEC) | Herb |
| HERNANDIACEAE | | |
| <i>Sparattanthelium botocudorum</i> Mart. | Farias 47 (ASE) | Shrub |
| HUMIRIACEAE | | |
| <i>Humiria balsamifera</i> var. <i>parvifolia</i> (A. Juss.) Cuatrec. | Farney 2826 (ASE) | Shrub |
| <i>Sacoglottis guianensis</i> var. <i>guianensis</i> | Carvalho 4346 (CEPEC) | Tree |
| <i>Sacoglottis matogrossensis</i> Malme | Carvalho 4346 (HUEFS) | Herb |
| HYDROLEACEAE | | |
| <i>Hydrolea spinosa</i> L. | Nascimento-Júnior 459 (ASE) | Herb |
| HYPERICACEAE | | |
| <i>Vismia guianensis</i> (Aubl) Pers. | Landim 1224 (TEPB) | Tree |
| ICACINACEAE | | |
| <i>Emmotum affine</i> Miers | Costa 238 (ASE) | Shrub |
| <i>Emmotum fagifolium</i> Desv. ex Ham. | Fonseca 539 (ASE) | Shrub |
| <i>Emmotum nitens</i> (Benth.) Miers | Rocha 4 (ASE) | Tree |
| IRIDACEAE | | |
| <i>Trimezia fosteriana</i> Steyermark | Prata 3108 (ASE) | Herb |
| KRAMERIACEAE | | |
| <i>Krameria grandiflora</i> A.St.-Hil. | Fonseca 624 (ASE) | Herb |
| <i>Krameria tomentosa</i> A.St.-Hil. | Farney 2770 (ASE) | Shrub |
| LAMIACEAE | | |
| <i>Aegiphila graveolens</i> Mart. & Schauer | Carneiro 714 (ASE) | Tree |
| <i>Aegiphila integrifolia</i> (Jacq.) Moldenke | Oliveira 405 (ASE) | Tree |
| <i>Eriope blanchetii</i> (Benth.) Harley | Barreto 75 (ASE) | Shrub |
| <i>Hypenia salzmannii</i> (Benth.) Harley | Santos, E. 473 (ASE) | Herb |
| <i>Hyptis fruticosa</i> Salzm. ex Benth. | Hatschbach 63193 (UPCB) | Herb |
| <i>Hyptis pectinata</i> Poit. | Nascimento-Júnior 910 (ASE) | Shrub |
| <i>Marsypianthes chamaedrys</i> (Vahl) Kuntze | Santana 89 (ASE) | Herb |
| <i>Rhaphiodon echinus</i> Schauer | Silva, T.C. 17 (ASE) | Herb |
| <i>Vitex</i> sp. | Carneiro 758 (ASE) | Herb |
| LAURACEAE | | |
| <i>Cassytha filiformis</i> L. | Nascimento-Júnior 749 (ASE) | Climber |
| <i>Nectandra lanceolata</i> Nees | Prata 2802 (ASE) | Tree |
| <i>Ocotea gardneri</i> (Meisn.) Mez | Santos 177 (ASE) | Tree |
| <i>Ocotea notata</i> (Nees & Mart.) Mez | Farney 2709 (ASE) | Tree |
| LECYTHIDACEAE | | |
| <i>Eschweilera ovata</i> (Cambess.) Mart. ex Miers | Ferreira 142 (CEPEC) | Shrub |
| LENTIBULARIACEAE | | |
| <i>Genlisea filiformis</i> A. St.-Hil. | Carregosa-Silva 213 (ASE) | Herb |
| <i>Utricularia amethystina</i> Salmz. ex A. St.-Hil. & Girard | Prata 2692 (ASE) | Herb |
| <i>Utricularia erectiflora</i> A. St.-Hil. & Girard | Nascimento-Júnior 1125 (ASE) | Herb |
| <i>Utricularia foliosa</i> L. | Oliveira, E.V.S. 99 (ASE) | Herb |
| <i>Utricularia gibba</i> L. | Carregosa-Silva 224 (ASE) | Herb |
| <i>Utricularia hydrocarpa</i> Vahl | Nascimento-Júnior 908 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|-----------------------------|----------|
| <i>Utricularia lloydii</i> Merl ex F.E. Lloyd | Carregosa-Silva 123 (ASE) | Herb |
| <i>Utricularia pusilla</i> Vahl | Carregosa-Silva 215 (ASE) | Herb |
| <i>Utricularia subulata</i> L. | Carregosa-Silva 216 (ASE) | Herb |
| LINDERNIACEAE | | |
| <i>Micranthemum umbrosum</i> (J.F. Gmel.) S.F. Blake | Nascimento-Júnior 924 (ASE) | Herb |
| LOGANIACEAE | | |
| <i>Spigelia anthelmia</i> L. | Nascimento-Júnior 766 (ASE) | Herb |
| <i>Strychnos</i> sp. | Carneiro, E. 141 (IPA) | Shrub |
| LORANTHACEAE | | |
| <i>Cladocolea</i> sp. | Prata 3041 (ASE) | Parasite |
| <i>Psittacanthus dichrous</i> (Mart.) Mart. | Landim 1189 (IPA) | Parasite |
| <i>Struthanthus polyyrrhizus</i> (Mart.) Mart. | Pergantino 8 (ASE) | Parasite |
| <i>Struthanthus syringifolius</i> (Mart.) Mart. | Fonseca 469 (ASE) | Parasite |
| LYTHRACEAE | | |
| <i>Cuphea carthagenensis</i> (Jacq.) J.F.Macbr. | Viana 302 (ASE) | Herb |
| <i>Cuphea ericoides</i> Cham. & Schltl. | Amorim 1536 (CEPEC) | Shrub |
| <i>Cuphea flava</i> Spreng. | Pergantino 9 (ASE) | Shrub |
| <i>Lafoensiavandelliana</i> Cham. & Schltl. | Sant'Ana 471 (CEPEC) | Tree |
| MALPIGHIAEAE | | |
| <i>Byrsonima chrysophylla</i> Kunth | Barros 2404 (SP) | Tree |
| <i>Byrsonima coccobifolia</i> Kunth | Santos, S.S.C. 12 (ASE) | Tree |
| <i>Byrsonima gardnerana</i> A. Juss. | Ramos 91 (ASE) | Shrub |
| <i>Byrsonima intermedia</i> A. Juss. | Nascimento-Júnior 737 (ASE) | Tree |
| <i>Byrsonima microphylla</i> A. Juss. | Amorim 1527 (CEPEC) | Tree |
| <i>Byrsonima sericea</i> DC. | Pergantino 10 (ASE) | Shrub |
| <i>Byrsonima vacciniifolia</i> A.Juss. | Amorim 1554 (ASE) | Shrub |
| <i>Byrsonima verbascifolia</i> (L.) DC. | Prata 6040 (ASE) | Shrub |
| <i>Galphimia brasiliensis</i> (L.) A.Juss | Fonseca 375 (ASE) | Shrub |
| <i>Heteropterys sericea</i> (Cav.) A. Juss. | Carvalho 4335 (CEPEC) | Climber |
| <i>Malpighia emarginata</i> DC. | Oliveira, D.M. 114 (ASE) | Tree |
| <i>Peixotoa hispidula</i> A.Juss. | Amorim 1555 (CEPEC) | Climber |
| <i>Stigmaphyllon blanchetii</i> C.E.Anderson | Carvalho 4319 (CEPEC) | Climber |
| <i>Stigmaphyllon bonariense</i> (Hook. & Arn.) C.E.Anderson | Campos 145 (ASE) | Shrub |
| <i>Stigmaphyllon paralias</i> A.Juss. | Amorim 1533 (CEPEC) | Shrub |
| <i>Tetrapterys</i> sp. | Carneiro 463 (ASE) | Climber |
| MALVACEAE | | |
| <i>Bakeridesia</i> sp. | Gomes 275 (ASE) | Herb |
| <i>Gossypium barbadense</i> L. | Oliveira, D.M. 122 (ASE) | Tree |
| <i>Guazuma ulmifolia</i> Lam. | Oliveira, D.M. 104 (ASE) | Tree |
| <i>Melochia spicata</i> (L.) Fryxell | Landim 178 (ASE) | Herb |
| <i>Pavonia cancellata</i> (L.) Cav. | Prata 3080 (ASE) | Herb |
| <i>Pavonia humifusa</i> A.St.-Hil. | Nascimento-Júnior 717 (ASE) | Herb |
| <i>Sida glaziovii</i> K. Schum. | Oliveira, D.M. 96 (ASE) | Herb |
| <i>Sida linifolia</i> Cav. | Oliveira 470 (ASE) | Herb |
| <i>Triumfetta althaeoides</i> Lam. | Prata 2746 (ASE) | Shrub |
| <i>Triumfetta rhomboidea</i> Jacq. | Prata 2745 (ASE) | Shrub |
| <i>Urena lobata</i> L. | Prata 2747 (ASE) | Shrub |
| <i>Waltheria americana</i> L. | Oliveira, E.V.S. 66 (ASE) | Shrub |
| <i>Waltheria cinerescens</i> A.St.-Hil. | Nascimento-Júnior 978 (ASE) | Shrub |
| <i>Waltheria lantanifolia</i> A.St.-Hil. & Naudin | Silva 2999 (CEPEC) | Herb |
| MARANTACEAE | | |
| <i>Maranta</i> sp. | Prata 2686 (ASE) | Herb |
| <i>Stromanthe porteana</i> Gris. | Carvalho 4332 (CEPEC) | Herb |
| MAYACACEAE | | |
| <i>Mayaca fluviatilis</i> Aubl. | Nascimento-Júnior 912 (ASE) | Herb |
| MELASTOMATACEAE | | |
| <i>Aciotis</i> sp. | Sant'Ana 392 (ASE) | Shrub |
| <i>Clidemia hirta</i> (L.)D.Don | Amorim 3465 (ASE) | Shrub |
| <i>Comolia ovalifolia</i> (DC.) Triana | Amorim 1552 (ASE) | Shrub |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|-----------------------------|-------|
| <i>Comolia villosa</i> (Aubl.) Triana | Fonseca R. 734 (ASE) | Herb |
| <i>Marcetia ericoides</i> (Spreng.) O.Berg ex Cogn. | Fonseca S/N (IPA) | Herb |
| <i>Miconia amoena</i> Triana | Viana 236 (ASE) | Shrub |
| <i>Miconia ciliata</i> (Rich.) DC. | Prata 2681 (ASE) | Shrub |
| <i>Miconia ferruginata</i> DC. | Orlandi 171 (RP) | Tree |
| <i>Miconia holossericea</i> (L.) DC. | Sant'Ana 373 (CEPEC) | Herb |
| <i>Mouriri guianensis</i> Aubl. | Nascimento-Júnior 436 (ASE) | Tree |
| <i>Mouriri pusa</i> Gardner | Amorim 1512 (CEPEC) | Shrub |
| <i>Nepsera aquatica</i> (Aubl.) Naud. | Nascimento-Júnior 726 (ASE) | Tree |
| <i>Pterolepis cataphracta</i> (Cham.) Triana | Nascimento-Júnior 929 (ASE) | Shrub |
| <i>Pterolepis trichotoma</i> (Rottb.) Cogn. | Carvalho 4318 (CEPEC) | Shrub |
| <i>Rhynchanthera</i> sp. | Prata 2820 (ASE) | Shrub |
| <i>Tibouchina aspera</i> Aubl. | Campos 214 (ASE) | Shrub |
| MELIACEAE | | |
| <i>Guarea</i> sp. | Viana 504 (ASE) | Tree |
| MENISPERMACEAE | | |
| Indet. | Farney 2916 (RB) | Herb |
| MENYANTHACEAE | | |
| <i>Nymphoides indica</i> (L.) Kuntze | Nascimento-Júnior 441 (ASE) | Herb |
| MOLLUGINACEAE | | |
| <i>Mollugo verticillata</i> L. | Fonseca R. 672 (ASE) | Herb |
| MORACEAE | | |
| <i>Brosimum gaudichaudii</i> Trécul | Amorim 1519 (CEPEC) | Tree |
| <i>Brosimum rubescens</i> Taubert. | Amorim A. 1519 (ASE) | Tree |
| <i>Ficus cyclophylla</i> (Miq.) Miq. | Farney 2721 (ASE) | Shrub |
| <i>Ficus guianensis</i> Desv. ex Ham. | Menezes 220 (ASE) | Tree |
| <i>Maquira</i> sp. | Farinaccio 843 (ASE) | Tree |
| MUSACEAE | | |
| <i>Musa paradisiaca</i> L. | Oliveira, D.M. 170 (ASE) | Herb |
| MYRTACEAE | | |
| <i>Blepharocalyx eggersii</i> (Kiaerrsk.) Landrum | Amorim 1522 (CEPEC) | Shrub |
| <i>Calycolpus legrandii</i> Mattos | Farney 2940 (ASE) | Shrub |
| <i>Calyptranthes brasiliensis</i> Spreng. | Nascimento-Júnior 807 (ASE) | Tree |
| <i>Calyptranthes clusiifolia</i> O.Berg | Santos 174 (ASE) | Shrub |
| <i>Calyptranthes dardanoi</i> Mattos | Proença E. B. 4066 (HUEFS) | Shrub |
| <i>Calyptranthes restingae</i> Sobral | Farney 2913 (UB) | Shrub |
| <i>Campomanesia dichotoma</i> (O.Berg) Mattos | Farney 2932 (ASE) | Tree |
| <i>Campomanesia eugenoides</i> (Cambess.) D.Legrand ex Landrum | Farney 2932 (RB) | Tree |
| <i>Campomanesia guaviroba</i> (DC.) Kiaersk. | Oliveira, D.M. 53 (ASE) | Tree |
| <i>Campomanesia ilhoensis</i> Mattos | Viana 294 (ASE) | Tree |
| <i>Campomanesia xanthocarpa</i> (Mart.) O.Berg | Oliveira 482 (ASE) | Shrub |
| <i>Eugenia astrigens</i> Cambess. | Silva, T.C. 36 (ASE) | Shrub |
| <i>Eugenia brejoensis</i> Mazine | Prata 3013 (ASE) | Tree |
| <i>Eugenia candelleana</i> DC. | Landim 1149 (ASE) | Tree |
| <i>Eugenia cerasiflora</i> Miq. | Gomes 270 (ASE) | Shrub |
| <i>Eugenia costatifructa</i> Mazine | Santana 916 (ASE) | Shrub |
| <i>Eugenia excelsa</i> O. Berg | Oliveira, D.M. 214 (ASE) | Tree |
| <i>Eugenia hirta</i> O. Berg | Amorim 3455 (CEPEC) | Tree |
| <i>Eugenia involucrata</i> DC. | Farney 2940 (RB) | Shrub |
| <i>Eugenia pohliana</i> DC. | Santana 913 (ASE) | Shrub |
| <i>Eugenia punicifolia</i> (Kunth) DC. | Landim 167 (ASE) | Shrub |
| <i>Eugenia pyriformis</i> Cambess. | Prata 3036 (ASE) | Shrub |
| <i>Eugenia rostrata</i> O. Berg | Farney 2905 (UB) | Shrub |
| <i>Eugenia schottiana</i> O. Berg | Oliveira 346 (ASE) | Herb |
| <i>Eugenia stictopetala</i> DC. | Santana 99 (ASE) | Shrub |
| <i>Eugenia umbelliflora</i> O.Berg | Silva 3030 (CEPEC) | Tree |
| <i>Eugenia uniflora</i> L. | Santos 26 (ASE) | Tree |
| <i>Marlierea excoriata</i> Mart. | Sant'Ana 481 (CEPEC) | Shrub |
| <i>Marlierea glabra</i> Cambess. | Souza, M.L. 1140 (UB) | Tree |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|----------|
| <i>Marlierea neuwiediana</i> (O.Berg) Nied. | Rocha 9 (ASE) | Tree |
| <i>Marlierea parvifolia</i> O.Berg | Landim 1468 (HUEFS) | Tree |
| <i>Myrcia bergiana</i> O. Berg | Landim 1153 (ASE) | Shrub |
| <i>Myrcia decorticans</i> DC. | Landim 734 (ASE) | Shrub |
| <i>Myrcia densa</i> (DC.) Sobral | Prata 3082 (ASE) | Tree |
| <i>Myrcia guianensis</i> (Aubl.) DC. | Souza 33 (ASE) | Tree |
| <i>Myrcia hirtiflora</i> DC. | Farney 2910 (CEPEC) | Tree |
| <i>Myrcia lundiana</i> Kiaersk. | Landim 569 (CEPEC) | Tree |
| <i>Myrcia multiflora</i> (Lam.) DC. | Farney 2902 (HUEFS) | Shrub |
| <i>Myrcia neoblanchetiana</i> E.Lucas & Sobral | Landim 1173 (JPB) | Shrub |
| <i>Myrcia obovata</i> (O.Berg) Nied. | Carvalho 4345 (CEPEC) | Shrub |
| <i>Myrcia polyantha</i> DC. | Oliveira, D.M. 63 (ASE) | Tree |
| <i>Myrcia pubiflora</i> DC. | Proença E.B. 4067 (UB) | Tree |
| <i>Myrcia rosangelae</i> NicLugh. | Landim 1173 (ASE) | Tree |
| <i>Myrcia rotundifolia</i> (O.Berg) Kiaersk. | Farney 2931 (SP) | Shrub |
| <i>Myrcia splendens</i> (Sw.) DC. | Amorim 1518 (CEPEC) | Tree |
| <i>Myrcia tomentosa</i> (Aubl.) DC. | Prata 3076 (ASE) | Shrub |
| <i>Myrciaria floribunda</i> (West. ex Willd.) O. Berg | Landim 166 (ASE) | Shrub |
| <i>Myrciaria tenella</i> (Mart ex DC.) O. Berg | Viana 304 (ASE) | Shrub |
| <i>Neomitrannes obtusa</i> Sobral & Zambom | Landim 419 (ASE) | Shrub |
| <i>Psidium amplexicaule</i> Pers. | Landim 607 (ASE) | Shrub |
| <i>Psidium decussatum</i> DC. | Oliveira, D.M. 100 (ASE) | Shrub |
| <i>Psidium guajava</i> L. | Nascimento-Júnior 808 (ASE) | Shrub |
| <i>Psidium guyanense</i> Pers. | Souza 37 (ASE) | Tree |
| <i>Psidium oligospermum</i> Mart. ex DC. | Prata 3059 (ASE) | Shrub |
| <i>Psidium sartorianum</i> (O. Berg) Nied. | Sant'Ana 502 (NYBG_BR) | Shrub |
| <i>Syzygium cumini</i> (L.) Skeels | Oliveira, D.M. 218 (ASE) | Tree |
| NYCTAGINACEAE | | |
| <i>Boerhavia diffusa</i> L. | Oliveira, D.M. 135 (ASE) | Climber |
| <i>Guapira pernambucensis</i> (Casar.) Lundell | Farney 2688 (ASE) | Shrub |
| <i>Guapira tomentosa</i> (Casar.) Lundell | Landim 170 (ASE) | Tree |
| <i>Neea theifera</i> Oerst. | Ramos 50 (ASE) | Shrub |
| NYMPHAEACEAE | | |
| <i>Nymphaea rudgeana</i> G. Mey. | Viana 299 (ASE) | Herb |
| OCHNACEAE | | |
| <i>Ourateacrassa</i> Tiegh. | Amorim 1528 (CEPEC) | Shrub |
| <i>Ourateacuspidata</i> (A.St.-Hil.) Engl. | Farinaccio 847 (ASE) | Shrub |
| <i>Ourateafieldingiana</i> (Gardner) Engl. | Farney 2675 (ASE) | Shrub |
| <i>Sauvagesia erecta</i> L. | Oliveira, E.V.S. 143 (ASE) | Herb |
| <i>Sauvagesia sprengelii</i> A. St.-Hil. | Fonseca 622 (ASE) | Herb |
| OLACACEAE | | |
| <i>Ximenia americana</i> L. | Oliveira 444 (ASE) | Shrub |
| ONAGRACEAE | | |
| <i>Ludwigia leptocarpa</i> (Nutt.) H. Hara | Nascimento-Júnior 753 (ASE) | Herb |
| <i>Ludwigia octovalvis</i> (Jacq.) H.P. Raven | Prata 2750 (ASE) | Shrub |
| ORCHIDACEAE | | |
| <i>Alatiglossum barbatum</i> (Lindl.) Baptista | Carvalho 4334 (ASE) | Epiphyte |
| <i>Catasetum discolor</i> (Lindl.) Lindl. | Hatschbach 63209 (MBM) | Epiphyte |
| <i>Cyrtopodium</i> sp. | Santos, L.A.S. 577 (ASE) | Herb |
| <i>Encyclia oncidiooides</i> (Lindl.) Schltr. | Viana 300 (ASE) | Herb |
| <i>Epidendrum cinnabarinum</i> Salzm. | Nascimento-Júnior 788 (ASE) | Herb |
| <i>Epidendrum orchidiflorum</i> (Salzm.) Lindl. | Nascimento-Júnior 942 (ASE) | Herb |
| <i>Epistephium lucidum</i> Cogn. | Nascimento-Júnior 933 (ASE) | Herb |
| <i>Galeandra montana</i> Barb. Rodr. | Santos, L.A.S. 578 (ASE) | Herb |
| <i>Habenaria petalodes</i> Lindl. | Prata 2817 (ASE) | Herb |
| <i>Habenaria pratensis</i> (Salzm. ex Lindl.) Rchb.f. | Prata 2660 (ASE) | Herb |
| <i>Habenaria rotundiloba</i> Pabst | Nascimento-Júnior 1091 (ASE) | Herb |
| <i>Liparis nervosa</i> (Thunb.) Lindl. | Farias 235 (ASE) | Herb |
| <i>Oeceoclades maculata</i> (Lindl.) Lindl. | Prata 2741 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|------------------------------|----------|
| <i>Vanilla bahiana</i> Hoehne | Prata 2662 (ASE) | Herb |
| <i>Vanilla palmarum</i> (Salzm. ex Lindl.) Lindl. | Landim 194 (ASE) | Epiphyte |
| <i>Vanilla planifolia</i> Jacks. ex Andrews | Landim 1168 (ASE) | Herb |
| OROBANCHACEAE | | |
| <i>Agalinis hispidula</i> (Mart.) D'Arcy | Sant'Ana 396 (CEPEC) | Herb |
| <i>Buchnera</i> sp. | Viana 1336 (ASE) | Herb |
| PASSIFLORACEAE | | |
| <i>Passiflora edulis</i> Sims | Oliveira, D.M. 95 (ASE) | Climber |
| <i>Passiflora foetida</i> var. <i>moritziana</i> L. | Cervi 3621 (FUEL) | Climber |
| <i>Passiflora misera</i> Kunt. | Prata 2644 (ASE) | Climber |
| <i>Passiflora mucronata</i> Lam. | Landim 1151 (HUEFS) | Climber |
| <i>Passiflora porophylla</i> Vell. | Jardim 320 (CEPEC) | Climber |
| <i>Passiflora silvestris</i> Vell. | Ramos 72 (ASE) | Climber |
| PENTAPHYLACACEAE | | |
| <i>Ternstroemia brasiliensis</i> Cambess. | Farney 834 (ASE) | Tree |
| PERACEAE | | |
| <i>Pera glabrata</i> (Schott) Poepp. ex Baill. | Landim 1191 (IPA) | Tree |
| <i>Pogonophora schomburgkiana</i> Miers ex Benth. | Sant'Ana 486 (ASE) | Tree |
| PHYLLANTHACEAE | | |
| <i>Phyllanthus klotzschianus</i> Müll.Arg. | Amorim 1526 CEPEC | Shrub |
| <i>Phyllanthus niruri</i> L. | Oliveira, D.M. 126 (ASE) | Herb |
| <i>Richeria grandis</i> Vahl | Fonseca 10 (ASE) | Tree |
| PHYTOLACCACEAE | | |
| <i>Microtea paniculata</i> Moq. | Nascimento-Júnior 876 (ASE) | Herb |
| <i>Petiveria alliacea</i> L. | Oliveira, D.M. 219 (ASE) | Shrub |
| PICRAMNIACEAE | | |
| <i>Picramnia</i> sp. | Farney 2889 (SPF) | Tree |
| PLANTAGINACEAE | | |
| <i>Achetaria scutellaroides</i> (Benth.) Wettst. | Sant'Ana 384 (CEPEC) | Herb |
| <i>Angelonia biflora</i> Benth. | Santana 923 (ASE) | Herb |
| <i>Angelonia cornigera</i> Hook.f. | Souza 15 (ASE) | Herb |
| <i>Angelonia salicariifolia</i> Bonpl. | Sant'Ana 476 (CEPEC) | Herb |
| <i>Scoparia dulcis</i> L. | Jardim 316 (CEPEC) | Herb |
| <i>Stemodia foliosa</i> Benth. | Nascimento-Júnior 1088 (ASE) | Herb |
| <i>Stemodia maritima</i> L. | Prata 2958 (ASE) | Herb |
| PLUMBAGINACEAE | | |
| <i>Plumbago scandens</i> L. | Landim 1495 (ASE) | Shrub |
| POACEAE | | |
| <i>Andropogon selloanus</i> (Hack.) Hack. | Pergantino 12 (ASE) | Herb |
| <i>Axonopus aureus</i> P. Beauv. | Santos, L.A.S. 568 (ASE) | Herb |
| <i>Cenchrus echinatus</i> L. | Silva 3040 (CEPEC) | Herb |
| <i>Chloris barbata</i> Sw. | Menezes 231 (ASE) | Herb |
| <i>Cymbopogon</i> sp. | Vasconcelos 40 (ASE) | Herb |
| <i>Cyphanthus discrepans</i> (Döll) Zuloaga & Morrone | Amorim 1548 (CEPEC) | Herb |
| <i>Digitaria ciliaris</i> (Retz.) Koeler | Pergantino 13 (ASE) | Herb |
| <i>Eragrostis articulata</i> (Schrantz) Nees | Carvalho 4347 (CEPEC) | Herb |
| <i>Eragrostis bahiensis</i> Schrad. ex Schult. | Farney 2980 (ASE) | Herb |
| <i>Eragrostis ciliaris</i> (L.) R.Br. | Menezes 229 (ASE) | Herb |
| <i>Eragrostis rufescens</i> Schrad. ex Schult. | Nascimento-Júnior 724 (ASE) | Herb |
| <i>Eragrostis prolifera</i> (Sw.) Steud. | Carregosa-Silva 74 (ASE) | Shrub |
| <i>Gouinia barbata</i> (Hack.) Swallen | Silva 3014 (CEPEC) | Shrub |
| <i>Gouinia brasiliensis</i> (S.Moore) Swallen | Mattos-Silva 3014 (ASE) | Herb |
| <i>Ichnanthus calvescens</i> Nees | Carneiro 55 (ASE) | Herb |
| <i>Ichnanthus nemoralis</i> (Schrad. ex Schult.) Hitchc. & Chase | Carvalho 4323 (CEPEC) | Shrub |
| <i>Isachne</i> sp. | Sá ASE N. 11448 (ASE) | Herb |
| <i>Panicum cyanescens</i> Nees ex Trin. | Souza 29 (ASE) | Herb |
| <i>Panicum racemosum</i> (P. Beauv.) Spreng. | Farney 2743 (ASE) | Shrub |
| <i>Paspalum divergens</i> Döll | Costa, S.M. 370 (ASE) | Herb |
| <i>Paspalum maritimum</i> Trin. | Farney 2964 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|---|------------------------------|---------|
| <i>Paspalum vaginatum</i> Sw. | Santos, S.S.C. 6 (ASE) | Herb |
| <i>Sacciolepis vilvooides</i> (Trin.) Chase | Costa, S.M. 363 (ASE) | Herb |
| <i>Setaria parviflora</i> (Poir.) | Oliveira, E.V.S. 61 (ASE) | Herb |
| <i>Sporobolus virginicus</i> (L.) Kunth | Farney 2744 (ASE) | Herb |
| <i>Steinchisma laxa</i> (Sw.) Zuloaga | Nascimento-Júnior 514 (ASE) | Herb |
| POLYGALACEAE | | |
| <i>Asemeia ovata</i> (Poir.) J.F.B.Pastore & J.R.Abbott | Costa 267 (ASE) | Herb |
| <i>Bredemeyera hebeclada</i> (DC.) J.F.B.Pastore | Amaral 38 (IPA) | Climber |
| <i>Polygala cyparissias</i> A. St.-Hil. & Moq. | Nascimento-Júnior 1019 (ASE) | Herb |
| <i>Polygala galiooides</i> Poir. | Sant'Ana 374 (IPA) | Herb |
| <i>Polygala glochidiata</i> Kunth | Nascimento-Júnior 905 (ASE) | Herb |
| <i>Polygala leptocaulis</i> Torr. & A.Gray | Fonseca R. 200 (ASE) | Shrub |
| <i>Polygala longicaulis</i> Kunth | Nascimento-Júnior 722 (ASE) | Shrub |
| <i>Polygala martiana</i> A.W.Benn. | Landim 502 (ASE) | Herb |
| <i>Polygala trichosperma</i> Jacq. | Silva, T.C. 38 (ASE) | Herb |
| <i>Polygala violacea</i> Aubl. | Oliveira 430 (ASE) | Herb |
| <i>Securidaca diversifolia</i> (L.) S.F.Blake | Carneiro 179 (ASE) | Climber |
| POLYGONACEAE | | |
| <i>Coccoloba rosea</i> Meisn. | Sant'Ana 378 (ASE) | Tree |
| <i>Coccoloba alnifolia</i> Casar. | Sant'Ana 378 (CEPEC) | Tree |
| <i>Coccoloba declinata</i> (Vell.) Mart. | Carvalho 4336 (CEPEC) | Shrub |
| <i>Coccoloba laevis</i> Casar. | Landim 165 (ASE) | Shrub |
| <i>Coccoloba parimensis</i> Benth. | Amorim 1488 (CEPEC) | Shrub |
| <i>Polygonum</i> sp. | Cruz 8167 (ASE) | Herb |
| PONTEDERIACEAE | | |
| <i>Eichhornia paniculata</i> (Spreng.) Solms | Nascimento-Júnior 925 (ASE) | Herb |
| <i>Eichornia gracipes</i> (Mart.) Solms | Ramos 32 (ASE) | Herb |
| PORTULACACEAE | | |
| <i>Portulaca elatior</i> Mart. | Nascimento-Júnior 883 (ASE) | Herb |
| <i>Portulaca halimoides</i> L. | Campos 133 (ASE) | Herb |
| <i>Portulaca umbraticola</i> Kunth. | Conceição, A.S. 705 (CEPEC) | Herb |
| PRIMULACEAE | | |
| <i>Myrsine monticola</i> Mart. | Fonseca S/N (IPA) | Shrub |
| <i>Myrsine parvifolia</i> A.DC. | Farney 2727 (ASE) | Shrub |
| RHAMNACEAE | | |
| <i>Ziziphus joazeiro</i> Mart. | Santos, S.S.C. 14 (ASE) | Tree |
| <i>Ziziphus undulata</i> Reissek | Nascimento-Júnior 906 (ASE) | Tree |
| RHIZOPHORACEAE | | |
| <i>Rhizophora mangle</i> L. | Prata 2653 (ASE) | Tree |
| RUBIACEAE | | |
| <i>Alseis floribunda</i> Schott | Carvalho 4343 (HUEFS) | Shrub |
| <i>Borreria capitata</i> (Ruiz & Pav.) DC. | Oliveira, E.V.S. 149 (ASE) | Herb |
| <i>Borreria verticillata</i> (L.) G.F.W. | Oliveira, E.V.S. 125 (ASE) | Herb |
| <i>Chiococca alba</i> (L.) Hitchc. | Ramos ASE N. 7376 (ASE) | Shrub |
| <i>Chiococca plowmanii</i> Delprete | Nascimento-Júnior 814 (ASE) | Shrub |
| <i>Chomelia anisomeris</i> Müll.Arg. | Oliveira 435 (ASE) | Shrub |
| <i>Chomelia obtusa</i> Cham. & Schltld. | Oliveira, E.V.S. 30 (ASE) | Shrub |
| <i>Cordiera concolor</i> (Cham.) Kuntze | Farney 2701 (ASE) | Shrub |
| <i>Cordiera obtusa</i> (K.Schum.) Kuntze | Farney 2823 (RB) | Shrub |
| <i>Dencantia cymosa</i> (Spreng.) E.L.Cabral & Bacigalupo | Farias 239 (ASE) | Climber |
| <i>Diodella radula</i> (Willd. ex Roem. & Schult.) Delprete | Ramos 42 (ASE) | Shrub |
| <i>Diodella</i> sp. | Nascimento-Júnior 773 (ASE) | Shrub |
| <i>Genipa americana</i> L. | Oliveira, D.M. 171 (ASE) | Tree |
| <i>Guettarda platyphylla</i> Müll.Arg. | Nascimento-Júnior 533 (ASE) | Shrub |
| <i>Guettarda platypoda</i> DC. | Landim 1187 (ASE) | Shrub |
| <i>Ixora muelleri</i> Bremek. | Sant'Ana 371 (ASE) | Tree |
| <i>Margaritopsis astrellantha</i> (Wernham) L. Andersson | Carvalho 4330 (MBM) | Shrub |
| <i>Margaritopsis chaenotricha</i> (DC.) C.M.Taylor | Carvalho 4330 (CEPEC) | Shrub |
| <i>Mitracarpus eichleri</i> K.Schum. | Cervi 3620 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|-----------------------------|----------|
| <i>Mitracarpus frigidus</i> (Willd. ex Roem. & Schult.) K.Schum. | Pergantino 17 (ASE) | Herb |
| <i>Mitracarpus hirtus</i> (L.) DC. | Oliveira, E.V.S. 85 (ASE) | Herb |
| <i>Mitracarpus megapotamicus</i> (Spreng.) Kuntze | Carneiro 56 (ASE) | Herb |
| <i>Oldenlandia</i> sp. | Menezes 240 (ASE) | Shrub |
| <i>Pagamea guianensis</i> Aubl. | Farias 252 (ASE) | Shrub |
| <i>Palicourea crocea</i> (Sw.) Roem. & Schult. | Sant'Ana 394 (CEPEC) | Shrub |
| <i>Perama hirsuta</i> Aubl. | Nascimento-Júnior 948 (ASE) | Herb |
| <i>Posoqueria</i> sp. | Landim 1167 (ASE) | Shrub |
| <i>Psychotria bracteocardia</i> (DC.) Müll.Arg. | Carneiro 499 (ASE) | Shrub |
| <i>Psychotria hoffmannseggiana</i> (Willd. ex Schult.) Müll.Arg. | Landim 583 ASE | Shrub |
| <i>Psychotria platypoda</i> DC. | Carvalho 4324 (CEPEC) | Shrub |
| <i>Psyllocarpus laricoides</i> Mart. ex Mart. & Zucc. | Campos 120 (ASE) | Shrub |
| <i>Randia</i> sp. | Carneiro 143 (ASE) | Tree |
| <i>Richardia grandiflora</i> (Cham. & Schltld.) Steud. | Landim 1485 (ASE) | Shrub |
| <i>Sabicea grisea</i> Cham. & Schltld. | Carneiro 503 (ASE) | Climber |
| <i>Salzmannia nitida</i> DC. | Amorim 3466 (CEPEC) | Shrub |
| <i>Staelia thymoides</i> Cham. & Schltld. | Silva 2988 (CEPEC) | Shrub |
| <i>Staelia virgata</i> (Link ex Roem. & Schult.) K.Schum. | Jardim 309 (CEPEC) | Shrub |
| <i>Tocoyena brasiliensis</i> Mart. | Landim 1502 (ASE) | Shrub |
| <i>Tocoyena bullata</i> (Vell.) Mart. | Melo 17 (ASE) | Shrub |
| <i>Tocoyena formosa</i> (Cham. & Schltld.) K.Schum. | Landim 409 (ASE) | Shrub |
| <i>Tocoyena sellowiana</i> (Cham. & Schltld.) K.Schum. sellowiana | Nascimento-Júnior 739 (ASE) | Shrub |
| RUTACEAE | | |
| <i>Esenbeckia grandiflora</i> var. <i>intermedia</i> (Mart. ex Engl.) Kaastra | Fonseca 125 (MOSS) | Shrub |
| <i>Esenbeckia grandiflora</i> subsp. <i>Brevipetiolata</i> Kaastra | Souza, G. 359 (CEPEC) | Shrub |
| SALICACEAE | | |
| <i>Casearia lasiophylla</i> Eichler | Oliveira 350 (ASE) | Shrub |
| <i>Casearia sylvestris</i> Sw. | Carneiro, E. 716 (MBM) | Shrub |
| SANTALACEAE | | |
| <i>Phoradendron quadrangulare</i> (Kunth) Griseb. | Ramos 68 (ASE) | Parasite |
| <i>Phoradendron strongyloclados</i> Eichler | Souza, G. 377 (CEPEC) | Parasite |
| <i>Phoradendron trinervium</i> (Lam.) Griseb. | Santana 95 (UB) | Herb |
| SAPINDACEAE | | |
| <i>Cupania emarginata</i> Cambess | Ramos 89 (ASE) | Shrub |
| <i>Cupania impressinervia</i> Acev.-Rodr. | Sant'Ana 390 (CEPEC) | Shrub |
| <i>Matayba discolor</i> (Spreng.) Radlk. | Nascimento-Júnior 888 (ASE) | Shrub |
| <i>Matayba elaeagnoides</i> Radlk. | Prata 3029 (ASE) | Tree |
| <i>Matayba guianensis</i> Radlk. | Cruz 20 (JPB) | Tree |
| <i>Paullinia elegans</i> Cambess. | Prata 2765 (ASE) | Herb |
| <i>Paullinia trigonia</i> Vell. | Oliveira 366 (ASE) | Climber |
| <i>Paullinia weinmanniifolia</i> Mart. | Jardim 324 (ASE) | Climber |
| <i>Sapindus saponaria</i> L. | Matos 138 (ASE) | Tree |
| <i>Serjania glabrata</i> Kunt | Prata 3153 (ASE) | Tree |
| <i>Serjania paradoxa</i> Radlk. | Fonseca ASE N. 46 (ASE) | Climber |
| <i>Serjania salzmanniana</i> Schltld. | Landim 592 (ASE) | Climber |
| SAPOTACEAE | | |
| <i>Chrysophyllum</i> sp. | Landim 1467 (ASE) | Climber |
| <i>Manilkara rufula</i> (Miq.) H.J.Lam | Farney 2679 (ASE) | Tree |
| <i>Manilkara salzmannii</i> (A.DC.) H.J.Lam | Proença 588 (ASE) | Tree |
| <i>Micropholis emarginata</i> T.D.Penn. | Fonseca ASE N. 499 (ASE) | Shrub |
| <i>Micropholis gardneriana</i> (A.DC.) Pierre | Carvalho 4317 (CEPEC) | Tree |
| <i>Pouteria grandiflora</i> (A.DC.) Baehni | Amorim A. 1516 (ASE) | Tree |
| <i>Pouteria macahensis</i> T.D.Penn. | Amaral 36 (IPA) | Shrub |
| <i>Pouteria venosa</i> (Mart.) Baehni | Farinaccio 836 (ASE) | Tree |
| <i>Pradosia</i> sp. | Amaral 41 (ASE) | Tree |
| <i>Sideroxylon obtusifolium</i> subsp. <i>Obtusifolium</i> (Roem. & Schult.) T.D.Penn. | Oliveira, D.M. 78 (ASE) | Shrub |
| SCHOEPFIAEAE | | |
| <i>Schoepfia brasiliensis</i> A. DC. | Landim 169 (ASE) | Shrub |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|------------------------------|---------|
| SCROPHULARIACEAE | | |
| <i>Scrophularia</i> sp. | Costa 362 (ASE) | Herb |
| SIMAROUBACEAE | | |
| <i>Simaba cedron</i> Planch. | Prata 3126 (ASE) | Tree |
| <i>Simaba ferruginea</i> A.St.-Hil. | Landim 713 (ASE) | Tree |
| SMILACACEAE | | |
| <i>Smilax brasiliensis</i> (Spreng.) | Matos 73 (ASE) | Climber |
| <i>Smilax rufescens</i> Griseb. | Farney 2927 (ASE) | Climber |
| SOLANACEAE | | |
| <i>Capsicum frutescens</i> L. | Oliveira, D.M. 116 (ASE) | Shrub |
| <i>Cestrum axillare</i> Vell. | Viana 296 (ASE) | Shrub |
| <i>Schwenckia americana</i> var. <i>americana</i> Rosy ex L. | Viana 1338 (ASE) | Herb |
| <i>Solanum americanum</i> Mill. | Oliveira, D.M. 142 (ASE) | Herb |
| <i>Solanum granulosoleprosum</i> Dunal | Prata 2830 (ASE) | Herb |
| <i>Solanum lycocarpum</i> A. St.-Hil. | Oliveira, D.M. 148 (ASE) | Herb |
| <i>Solanum paludosum</i> Moric. | Landim 160 (ASE) | Shrub |
| <i>Solanum paniculatum</i> L. | Nascimento-Júnior 889 (ASE) | Shrub |
| <i>Solanum polytrichum</i> Moric. | Amorim 3464 (CEPEC) | Shrub |
| <i>Solanum rupincola</i> Sendtn. | Viana 1266 (ASE) | Herb |
| <i>Solanum stipulaceum</i> Willd. ex Roem. & Schult. | Ramos 77 (ASE) | Shrub |
| TRIGONIACEAE | | |
| <i>Trigonia nivea</i> var. <i>nivea</i> Cambess. | Mattos-Silva 3018 (ASE) | Tree |
| TURNERACEAE | | |
| <i>Piriqueta duarteana</i> var. <i>duarteana</i> (Cambess.) Urb. | Jardim 326 (CEPEC) | Herb |
| <i>Piriqueta guianensis</i> N.E. Br. | Campos 121 (ASE) | Herb |
| <i>Piriqueta viscosa</i> Griseb. | Ramos 17 (ASE) | Herb |
| <i>Turnera coerulea</i> DC. | Hatschbach 63198 (CEPEC) | Herb |
| <i>Turnera coerulea</i> Sessé & Moc. ex DC. | Nascimento-Júnior 1102 (ASE) | Herb |
| <i>Turnera hermannioides</i> Cambess. | Silva 2979 (CEPEC) | Herb |
| <i>Turnera melochioides</i> A. St.-Hil. & Cambess. | Fonseca 487 (ASE) | Herb |
| <i>Turnera pumilea</i> L. | Ramos 7354 (ASE) | Herb |
| <i>Turnera subulata</i> Sm. | Nascimento-Júnior 784 (ASE) | Herb |
| <i>Turnera ulmifolia</i> L. | Landim 572 (ASE) | Shrub |
| URTICACEAE | | |
| <i>Cecropia pachystachya</i> Trécul | Oliveira, E.V.S. 32 (ASE) | Tree |
| <i>Urtica dioica</i> Vell. | Oliveira 436 (ASE) | Shrub |
| VELLOZIACEAE | | |
| <i>Vellozia dasypus</i> Seub. | Nascimento-Júnior 767 (ASE) | Herb |
| <i>Vellozia</i> sp. | Farinaccio 849 (ASE) | Herb |
| VERBENACEAE | | |
| <i>Lippia alba</i> (Mill.) N.E.Br. | Oliveira, D.M. 93 (ASE) | Herb |
| <i>Ghinia spicata</i> (Aubl.) Moldenke | Sant'Ana 386 (CEPEC) | Herb |
| <i>Lantana caatingensis</i> Moldenke | Souza 23 (ASE) | Herb |
| <i>Lantana camara</i> L. | Nascimento-Júnior 872 (ASE) | Shrub |
| <i>Lantana canescens</i> Kunth | Nascimento-Júnior 1077 (ASE) | Shrub |
| <i>Lantana fucata</i> Lindl. | Souza 24 (ASE) | Shrub |
| <i>Lantana lucida</i> Schauer | Landim 390 (ASE) | Shrub |
| <i>Lantana radula</i> Sw. | Prata 3130 (ASE) | Shrub |
| <i>Lantana salzmannii</i> Schauer | Sena-Filho 1 (HUEFS) | Herb |
| <i>Lippia alnifolia</i> Mart. & Schauer | sdSena-Filho 4 (HUEFS) | Herb |
| <i>Lippia triplinervis</i> Gardner | Farney 2682 (ASE) | Shrub |
| <i>Priva bahiensis</i> A.DC. | Nascimento-Júnior 1107 (ASE) | Herb |
| <i>Stachytarpheta angustifolia</i> (Mill.) Vahl | Carneiro 398 (ASE) | Herb |
| <i>Stachytarpheta cayennensis</i> (Rich.) Vahl | Almeida 11 (ASE) | Shrub |
| <i>Stachytarpheta maximiliani</i> Schauer | Amorim 3461 (HUESF) | Shrub |
| <i>Stachytarpheta microphylla</i> Walp. | Nascimento-Júnior 718 (ASE) | Herb |
| <i>Tamonea juncea</i> Schauer | Amorim 1534 (CEPEC) | Herb |
| VIOLACEAE | | |
| <i>Hybanthus arenarius</i> Ule | Landim 1514 (ASE) | Herb |

TABLE 1. CONTINUED.

| FAMILIES/SPECIES | VOUCHER | HABIT |
|--|---------------------------|---------|
| <i>Hybanthus calceolaria</i> (L.) Oken | Ramos 97 (ASE) | Herb |
| VITACEAE | | |
| <i>Cissus erosa</i> Rich. | Landim 396 (ASE) | Climber |
| <i>Cissus paulliniifolia</i> Vell. | Fonseca S/N (RB) | Climber |
| <i>Cissus pinnatifolia</i> Lombardi | Sousa 370 (CEPEC) | Climber |
| VOCHysiaceae | | |
| <i>Vochysia lucida</i> C.Presl | Sant'Ana 397 (CEPEC) | Tree |
| XYRIDACEAE | | |
| <i>Xyris capensis</i> Thunb. | Farias 150 (ASE) | Herb |
| <i>Xyris ciliata</i> Thunb. | Carregosa-Silva 119 (ASE) | Herb |
| <i>Xyris jupicai</i> Rich. | Alves 2051 (CEPEC) | Herb |
| <i>Xyris savanensis</i> Miq. | Souza 28 (ASE) | Herb |

TABLE 2. Comparison between results from studies on the flora of restingas in the Brazilian Northeast Region. * = Works which comprise surveys of more than just one study area.

| STATE | NO. OF SPECIES | NO. OF FAMILIES | REFERENCE |
|-------|----------------|-----------------|----------------------------------|
| MA | 260 | 76 | Cabral - Freire & Monteiro, 1993 |
| PI | 213 | 53 | Santos Filho, 2009* |
| CE | 392 | 41 | Santos-Filho et al., 2011* |
| CE | 87 | 39 | Matias & Nunes, 2001 |
| RN | 64 | 29 | Almeida Jr. & Zickel, 2009 |
| RN | 264 | 78 | Freire, 1990 |
| PE | 124 | 55 | Sacramento et al., 2007 |
| PE | 187 | 71 | Almeida Jr. et al., 2009 |
| PE | 104 | 54 | Silva et al., 2008 |
| PE | 112 | 43 | Almeida Jr. et al., 2007 |
| PE | 47 | 20 | Leite & Andrade, 2003 |
| SE | 831 | 124 | This study* |
| BA | 109 | 48 | Queiroz, 2007 |

The genus *Myrcia* also appears among the most representative genera in areas of *restinga* in works performed by Almeida Jr. et al. (2007; 2009), both conducted in Pernambuco state. However, *Myrcia* does not appear among the most abundant genera in the *restingas* of Ceará state (Santos-Filho et al. 2011). The lack of similar works in other Brazilian states precludes an adequate interpretation of these results.

The floristic list found in this study showed a great species richness in the *restingas* of Sergipe. In fact, the number of species and families listed for the *restingas* of Sergipe was higher than that found in other studies conducted in *restingas* in the Northeast (Table 2), which can be explained, at least in part, by the greater territorial area comprised by this study. However, only 392 species (about 47% of those found in the present study) were found in a recent review of the *restingas* of Ceará (Santos-Filho et al. 2011), a state that has a coastline of 578 km (Morais et al. 2006), more than three times the Sergipe's coastline. This discrepancy may be related to factors such as geomorphology (extension of the coastal plain towards the inland and the diversity of the features present), diversity of vegetation types and conservation status of these areas.

The large number of herbaceous and shrub species found in *restingas* of Sergipe may reflect the predominance of herbaceous and shrubby phytobiognomies, but

this should be the subject of further studies aiming to characterise and to map the vegetation types present in these areas.

In a survey conducted in areas of *restinga* in the Ceará state, most of the species found also belonged to the herbaceous stratum (Santos-Filho et al. 2011). The significance of herbaceous species in areas of *restinga* reflects the pioneer characteristic of the vegetation of this ecosystem (Santos-Filho et al. 2011), adapted to local adverse environmental conditions.

Shrubs (nanophanerophytes) had greater prominence in Pipa Beach, Rio Grande do Norte (Almeida Jr. and Zickel 2009), when compared with all life forms found. This fact may be explained by the local existence of broader sandy plains, reaching regions more distant from the highest tide line, allowing the greater development of woody vegetation (Almeida Jr. and Zickel 2009).

Surprisingly, the arboreal habit in the *restingas* of Sergipe, was slightly less frequent than the herbaceous and shrub habits. This may indicate the existence of areas of *restinga* forests and/or fixed dunes with shrub and tree cover. These areas, for their rarity and fragility, due to increasing occupation of coastal areas, should be the object of further study and conservation.

LITERATURE CITED

- Almeida Jr. E.B., R.M. Pimentel and C.S. Zickel. 2007. Flora e Formas de Vida em uma Área de Restinga no Litoral Norte de Pernambuco, Brasil. *Revista de Geografia* 24 (1): 19–34.
- Almeida Jr. E.B. and C.S. ZICKEL. 2009. Fisionomia Psamófila-reptante: Riqueza e composição de Espécies na Praia da Pipa, Rio Grande do Norte, Brasil. *Pesquisas, Botânica*, 60: 289–299.
- Almeida Jr. E.B., M.A. Olivo, E.L. Araújo and C.S. Zickel. 2009. Caracterização da vegetação de restinga da RPPN de Maracaipe, PE, Brasil, com base na fisionomia, flora, nutrientes do solo e lençol freático. *Acta Botanica Brasiliensis* 23(1): 36–48 (doi: 10.1590/S0102-33062009000100005).
- Assis A.M., L.D. Thomaz and O.J. Pereira. 2004. Florística de um trecho de floresta de Restinga no município de Guarapari, Espírito Santo, Brasil. *Acta Botanica Brasiliensis* 18(1): 191–201 (doi: 10.1590/S0102-33062004000100016).
- Assumpção J. and M.T. Nascimento. 2000. Estrutura e Composição Florística de Quatro Formações Vegetais de Restinga no Complexo Lagunar Grussáí/Iquipari, São João da Barra, RJ, Brasil. *Acta Botanica Brasiliensis* 14(3): 301–315 (doi: 10.1590/S0102-3306200000300007).
- Bittrich, V. 2014. Clusiaceae, in: *Lista de Espécies da Flora do Brasil. Jardim Botânico do Rio de Janeiro*. Accessible at <http://floradobrasil.jbrj.gov.br/jabot/floradobrasil/FB81850>. Captured on 21 March 2014.
- Bove, C.P., A.S.B. Gil, C.B. Moreira and R.F.B. Anjos. 2003. Hidrófitas fanerogâmicas de ecossistemas aquáticos temporários da planície costeira do estado do Rio de Janeiro, Brasil. *Acta Botanica Brasiliensis* 17(1): 119–135 (doi: 10.1590/S0102-33062003000100009).

- Cabral-Freire M.C. and R. Monteiro. 1993. Florística das Praias da Ilha de São Luiz, Estado do Maranhão (Brasil): Diversidade de espécies e sua Ocorrência no Litoral Brasileiro. *Acta Amazonica* 23(2-3): 125-140 (<https://acta.inpa.gov.br/fasciculos/23-3/PDF/v23n3a03.pdf>).
- Cardoso, L.T. 2014. Balanophoraceae, in: *Lista de Espécies da Flora do Brasil*. Jardim Botânico do Rio de Janeiro. Accessible at <http://floradobrasil.jbrj.gov.br/jabot/floradobrasil/FB5547>. Captured on 21 March 2014.
- Centro de Referência em Informação Ambiental (CRIA) 2012. *Species-link*. Accessible at <http://www.splink.org.br>. Captured on 29 March 2012.
- Faria S.M., H.C. Lima, A.M. Carvalho, V.F. Gonçalves, J.L. Sprent. 1994. Occurrence of nodulation in legume species from BA, MG e ES states of Brazil; pp. 17-23, In: J.I. Sprent and D. McKey (ed.). *Advances in Legume Systematics 5: The nitrogen factor*. London: Royal Botanic Gardens, Kew.
- Freire M.S.B. 1990. Levantamento florístico do Parque Estadual das Dunas de Natal. *Acta Botanica Brasilica* 4(2): 41-59 (doi: 10.1590/S0102-33061990000300006).
- Gonçalves E.G. and H. Lorenzi. 2007. *Morfologia vegetal: organografia e dicionário ilustrado de morfologia das plantas vasculares*. Nova Odessa: Instituto Plantarum. 544 pp.
- Holzer W., J. Crichyño and A.C. Pires. 2004. Sustentabilidade da urbanização em áreas de restinga: uma proposta de avaliação pós-ocupação. *Paisagem ambiente* 19: 49-65 (<http://www.revistas.usp.br/paam/article/download/40219/43085>).
- IBGE – Instituto Brasileiro de Geografia e Estatística. 2010. Accessible at <http://www.ibge.gov.br/cidadesat/topwindow.htm?1>. Captured on 29 July 2012.
- Morais, J.O., G.S.S. Freire, L. Pinheiro, M.J.N. Souza, A.M. Carvalho, P.R. Pessoa and S.H.M. Oliveira. 2006. Erosão e progradação do litoral do Ceará; pp. 131-154, in: D.C.E.H. Muehe (Org.). Erosão e progradação do litoral do Brasil. Brasília: Ministério do Meio Ambiente – MMA.
- Leite A.V.L. and L.H.C. Andrade. 2004. Riqueza de espécies e composição florística em um ambiente de duna após 50 anos de pressão antrópica: um estudo na Praia de Boa Viagem, Recife, PE – Brasil. *Biotemas* 17(1): 29-46 (<https://periodicos.ufsc.br/index.php/biotemas/article/download/23266/21000>).
- Lista de Espécies da Flora do Brasil. 2013. Accessible at <http://floradobrasil.jbrj.gov.br/2012>. Captured on 9 August 2013.
- Magnago L.F.S., S.V. Martins and O.J. Pereira. 2011. Heterogeneidade florística das fitocenoses de restingas nos estados do Rio de Janeiro e Espírito Santo, Brasil. *Revista Árvore* 35(2): 245-254 (doi: 10.1590/S0100-6762201100020009).
- Matias L.Q. and E.P. Nunes. 2001. Levantamento florístico da Área de Proteção Ambiental de Jericoacoara, Ceará. *Acta Botanica Brasilica* 15(1) 35-43 (doi: 10.1590/S0102-33062001000100005).
- Nascimento Jr. J.E. 2011. *Flora de um trecho do litoral norte, Sergipe*. M.Sc. dissertation. Campinas: Instituto de Biologia, Universidade Estadual de Campinas. 545 pp.
- Oliveira-Filho A.T. and D.A. Carvalho. 1993. Florística e fisionomia da vegetação no extremo norte do litoral da Paraíba. *Revista Brasileira de Botânica* 16(1): 115-130 (<http://www.icb.ufmg.br/treeatlan/Downloads/a17.pdf>).
- Oliveira-Filho A.T. and M.A. Fontes. 2000. Patterns of floristic differentiation among Atlantic Forest in South-Eastern Brazil and the influence of climate. *Biotropica* 32(4b): 793-810 (doi: 10.1111/j.1744-7429.2000.tb00619.x).
- Pereira, M.C.A., D.S. Araújo and O.J. Pereira. 2001. Estrutura de uma comunidade arbustiva da restinga de Barra de Maricá, RJ. *Revista Brasileira de Botânica* 24(3): 273-281 (<http://www.scielo.br/pdf/rbb/v24n3/6734.pdf>).
- Queiroz E.P. 2007. Levantamento florístico e georreferenciamento das espécies com potencial econômico e ecológico em restinga de Mata de São João, Bahia, Brasil. *Biotemas* 20(4): 41-47 (<https://periodicos.ufsc.br/index.php/biotemas/article/download/20604/18792>).
- RADAMBRASIL. 1983. *Projeto RADAMBRASIL: geologia, geomorfologia, pedologia, vegetação e uso potencial da terra, folhas SC. 24/25. Aracaju/Recife*. Rio de Janeiro: Ministério das Minas e Energia. Secretaria-Geral. V. 30. 856 pp.
- Sacramento A.C.S., E.B. Almeida Jr. and C.S. Zickel. 2007. Aspectos florísticos da vegetação de restinga no litoral de Pernambuco. *Revista Árvore* 31(6): 1121-1130 (doi: 10.1590/S0100-67622007000600017).
- Santos A.F. and J.A. Andrade. 1992. Delimitação e regionalização do Brasil semi-árido. *Aracaju* 1(1): 1-232.
- Santos-Filho F.S. 2009. *Composição Florística e Estrutural da Vegetação de Restinga do Estado do Piauí*. Ph.D. Dissertation. Recife: Programa de Pós-Graduação em Botânica, Universidade Federal Rural de Pernambuco. 120 pp.
- Santos-Filho F.S., E.B. Almeida Jr., L.F. Bezerra, L.F. Lima and C.S. Zickel. 2011. Magnoliophyta, restinga vegetation, state of Ceará, Brazil. *Check List* 7(4): 478-485 (<http://www.checklist.org.br/getpdf?SL001-11>).
- Santos S.S.C., V.S. Reis, S.A. Furlan and R.M. Souza 2011. Biodiversidade epotencial fitoindicador da vegetação de dunas costeiras da Barra dos Coqueiros, Sergipe, Brasil. *Revista Ibero-Americana de Ciências Ambientais* 2(1): 5-20 (doi: 10.6008/ESS2179-6858.2011.001.0001).
- Scherer A., F. Maraschin-Silva and L.R.M. Baptista. 2005. Florística e Estrutura do Componente Arbóreo de Matas de Restinga Arenosa no Parque Estadual de Itapuã, RS, Brasil. *Acta Botanica Brasilica* 19(4): 717-726 (doi: 10.1590/S0102-33062005000400006).
- SEPLAG/SUPES. 2011. Sergipe em dados. *Aracaju* 1(12): 1-101.
- SEMARH/SRH. 2011. *SERGIPE — Atlas Digital Sobre os Recursos Hídricos de Sergipe*. Aracaju. (CDROM).
- Silva, S.S.L., C.S. Zickel and L.A. Cestaro. 2008. Flora vascular e perfil fisionômico de uma restinga no litoral sul de Pernambuco. *Acta Botanica Brasilica* 22: 1123-1135 (doi: 10.1590/S0102-33062008000400023).
- Silva-Luz, C.L. and J.R. Pirani. 2014. Anacardiaceae, in: *Lista de Espécies da Flora do Brasil. Jardim Botânico do Rio de Janeiro*. Accessible at <http://floradobrasil.jbrj.gov.br/jabot/floradobrasil/FB15467>. Captured on 21 March 2014.
- Sprent, J.I. 1994. Nitrogen acquisition system in the Leguminosae; pp. 1-16, in: J.I. Sprent and D. McKey (ed.). *Advances in Legume Systematics 5: The nitrogen factor*. London: Royal Botanic Gardens, Kew.
- Stehmann, J.R., Forzza, R.C., M. Sobral and L.H.Y. Kamino. 2009. Gimnospermas e Angiospermas; pp. 27-37, in: J.R. Stehman, R.C. Forzza, A. Salino, M. Sobral, D.P. Costa and L.H.Y. Kamino (ed.). *Plantas da Floresta Atlântica*. Rio de Janeiro: Jardim Botânico do Rio de Janeiro.
- Sylvestre, L. 2014. Psilotaceae, in: *Lista de Espécies da Flora do Brasil. Jardim Botânico do Rio de Janeiro*. Accessible at <http://floradobrasil.jbrj.gov.br/jabot/floradobrasil/FB91792>. Captured on 21 March 2014.
- UFS/SEPLAN. 1979. Atlas de Sergipe. *Aracaju* 1(1): 1-95.

RECEIVED: October 2013

ACCEPTED: April 2014

PUBLISHED ONLINE: July 2014

EDITORIAL RESPONSIBILITY: Angelo G. Manzatto