



New records of *Macrobrachium* Spence Bate, 1868 (Decapoda, Palaemonidae) from the northern coast of Brazil

Kele S. P. Andrade,¹ Marina S. L. C. Araújo,² Jorge L. S. Nunes³

1 Programa de Pós-Graduação em Biodiversidade e Conservação, Universidade Federal do Maranhão (UFMA). Avenida dos Portugueses, 1966, Bacanga, São Luís, MA, Brazil. **2** Departamento de Ciências Exatas e Naturais, Faculdade de Ciências, Educação e Tecnologia de Garanhuns, Universidade de Pernambuco (UPE). Rua Capitão Pedro Rodrigues, 105, São José, Garanhuns, PE, Brazil. **3** Departamento de Oceanografia e Limnologia, Universidade Federal do Maranhão, Avenida dos Portugueses, 1966, São Luís, MA, Brazil.

Corresponding author: Kele S. P. Andrade, kelesousapires@gmail.com

Abstract

Among the species belonging to the genus *Macrobrachium* Spence Bate, 1868, *M. carcinus* (Linnaeus, 1758) and *M. olfersii* (Wiegmann, 1836) are geographically widespread in the western Atlantic from the Gulf Coast to southern Brazil. We describe the current geographic distribution of *M. carcinus* and *M. olfersii* and include records of these species in the state of Maranhão, Brazil.

Key words

Macrobrachium olfersii; *Macrobrachium carcinus*; shrimp; geographic distribution; new occurrences.

Academic editor: Gianna Innocenti | Received 6 December 2016 | Accepted 1 June 2017 | Published 25 August 2017

Citation: Andrade KSP, Araújo MSLC, Nunes JLS (2017). New records of *Macrobrachium* Spence Bate, 1868 (Decapoda, Palaemonidae) from the northern coast of Brazil. Check List 13 (4): 379–390. <https://doi.org/10.15560/13.4.379>

Introduction

The genus *Macrobrachium* Spence Bate, 1868 belongs to the subfamily Palaemoninae, and with about 230 species, it is the most numerous genus of the subfamily Palaemonidae. There are 22 species known in Brazil (Melo 2003, Valencia and Campos 2007, Mantelatto et al. 2008, Loebmann et al. 2010, Maciel et al. 2011, Anger 2013, Dos Santos et al. 2013). To date, there are 4 known species of this genus in Maranhão, *M. acanthurus* (Wiegmann, 1836), *M. amazonicum* (Heller, 1862), *M. brasiliense* (Heller, 1862), and *M. jelskii* (Miers, 1877) (Melo 2003). Ramos-Porto et al. (1978) and Coelho and Ramos-Porto (1980) were the first authors to report freshwater shrimp, *M. acanthurus* and *M. amazonicum*, from the state. Herein, we provide the current geographic distribution of *M. carcinus* and *M. olfersii*, and include new records from northeastern Brazil.

Methods

Samples of *Macrobrachium* species were collected from 20 to 21 November 2014 in São José and Água Rica streams, in the municipalities of Paulino Neves and Tutóia, Maranhão state. These streams are part of the drainage basin of the Rio Preguiças and lie within the savanna biome (IBGE 2010, NUGEO/UEMA 2011).

Dip nets and sieves were used around the margins of the streams and in marginal vegetation for a 20-min period over a 150 m stretch. Collected specimens were fixed in a 10% formaldehyde solution and preserved in 70% alcohol. In the laboratory, specimens were identified by using taxonomic keys (Holthuis 1952, García-Dávila and Magalhães 2003, Melo 2003, Sampaio et al. 2009), measured, and sexed.

The specimens total length was measured (CT, mea-



Figure 1. Lateral view of female *Macrobrachium olfersii* from Riacho Água Rica, Paulino Neves, Maranhão (scale bar: 14 mm).



Figure 2. Lateral view of male *Macrobrachium carinus* from Riacho São José, Paulino Neves, Maranhão (scale bar: 36.5 mm).

surement from the tip of the rostrum to the tip of the telson). A representative lot of the collected specimens was deposited at the Zoology Didactic Collection of Garanhuns Campus, University of Pernambuco, under numbering CDZ 615 and CDZ 623.

Results

Family Palaemonidae Rafinesque, 1815

Genus *Macrobrachium* Bate, 1868

Macrobrachium olfersii (Wiegmann, 1836)

Figures 1, 3

Palaemon olfersii Wiegmann 1836: 150.

Collected and examined material. Brazil, Maranhão, Tutóia: Riacho Água Rica (02°46'04.3" S, 042°28'04.0" W), 19.X.2014, 13 females (15.12 to 41.93 mm CT), 18 males (17.96–55.48 mm); Brazil, Maranhão, Paulino Neves: Riacho São José (02°49'26.2" S, 042°32'38.3" W), 20.X.2014, 21 males (27.98–52.06 mm), 3 females (19.29–34.07 mm CT).

Geographic distribution. (Fig. 3; Table 1) United States, Central America, Colombia, Venezuela, Suriname, and

Brazil (Pará, Piauí, Ceará, Rio Grande do Norte, Pernambuco, Alagoas, Sergipe, Bahia, Minas Gerais, Espírito Santo, Rio de Janeiro, São Paulo, Paraná, Santa Catarina, and Rio Grande do Sul) (Melo 2003); new occurrence: Maranhão.

Observations. The size of male specimens was between 17.96 and 60.18 mm; females 15.12 and 41.93 mm (CT), weighing between 0.046 and 2.386 g for males and 0.0292 and 0.655 g for females.

Bowles et al. (2000) recorded the largest male 90 mm long and ovigerous females between 30 and 65 mm, whereas Ammar et al. (2001) found males from 20.10 to 93.0 mm, females ranging from 23 to 58.20 mm, and ovigerous females 21.20 to 60.0 mm. Mossolin and Bueno (2002) recorded smaller sizes than previous literature, at 57.0 mm for the largest female and 81.93 mm for the largest male. In this study, sizes were smaller than found by Bowles et al. (2000), Ammar et al. (2001), and Mossolin and Bueno (2002).

Macrobrachium olfersii are found in submerged vegetation along the river banks, and with either a rocky and sandy substrate (Ammar et al. 2001, Mossolin and Bueno 2002, Melo 2003). Samples of *M. olfersii* from this study




Figure 3. Geographic distribution of *M. carcinus* (Linnaeus, 1758) and *M. olfersii* (Wiegmann, 1836) in the Neotropical regional (Table 1). In image c, there is a new occurrence of *Macrobrachium carcinus* (star) and in image d, the new occurrence of *Macrobrachium olfersii* (yellow triangle).

were recorded in streams with marginal vegetation, sandy substrate, organic material and banks having leaves and roots.

Macrobrachium carcinus (Linnaeus, 1758)

Figures 2, 3

Cancer carcinus Linnaeus, 1758: 631.

Collected and examined material. Brazil, Maranhão, Paulino Neves: Riacho São José (02°49'26.2" S, 042°32'38.3" W), 20.X.2014, 1 male, 169.15 mm (CT).

Geographic distribution. (Fig. 3; Table 1) USA (Florida, Mississippi, and Texas) Mexico, Guatemala, Nicaragua, Costa Rica, Cuba, Porto Rico, Jamaica, Barbados, Lesser Antilles, Colombia, Venezuela, Guiana, Suriname,

Ecuador, Peru, and Brazil (Pará, Pernambuco, Alagoas, Espírito Santo, Rio de Janeiro, São Paulo, Santa Catarina, Rio Grande do Sul, and Paraná) (Holthuis 1952, Bowles et al. 2000, Melo 2003, Sampaio et al. 2009); new occurrence: Maranhão.

Observations. This species occurs in the coastal basins and usually preferred pools with reduced water flow, occurring mainly in the middle to lower sections (Mejía-Ortiz 2001, Melo and Coelho 2008), although Mejía-Ortiz (2010) recorded species at altitudes varying from 1100 to 200 m. In this study, the species was records in streams with marginal vegetation, silt substrate, and organic material and roots.

Discussion

Freshwater shrimp are important biotic components of the ecosystem (Lima et al. 2014), acting as herbivores, scavengers, predators, or prey of other animals (Ligeiro et al. 2014). They have the capacity to mitigate effects of catfish on periphyton and sediments (Scott et al. 2012), possess the symbiotic cleaning function (Garrone-Neto et al. 2014), and they are bioindicators of aquatic contamination (Nazari et al. 2003).

Macrobrachium olfersii is a small crepuscular species with continuous reproduction (Ammar et al. 2001, Mossolin and Bueno 2002, Melo 2003). Mossolin and Bueno (2002) observed that the species prefers warm waters than the other species recorded in this study and are greater in numbers during months with higher temperatures. *Macrobrachium olfersii* shows high sexual dimorphism in the second pair of pereopods between the left and right, in terms of unequal size and robustness in males, while in females the pereopods are less robust and equal (Mossolin and Bueno 2003). Cheliped growth occurs gradually, a distinguishing factor in the juvenile to the adult phases, in addition to be the main characteristic for taxonomic identification (Melo 2003, Mossolin and Bueno 2003).

Popularly known as *pitu*, it is considered one of the largest of the freshwater shrimp on the east coast of the Americas (Lara and Wehrtmann 2009). *Macrobrachium carcinus* is included in the Red List of endangered invertebrate species in Brazil (Melo and Coelho 2008). The threats are mainly overfishing, habitat destruction, pollution, and construction of hydroelectric dams (Bowles 2000, Bauer 2011). Dams act as barriers that prevent the larvae of *M. olfersii* from migrating upstream in rivers. Planktonic marine larvae of this species are usually widespread because of currents (Bauer 2011), and the connectivity between marine and freshwater environments provide favorable conditions for reproduction. Therefore, disturbances in these habitats can affect species survival.

Fifty-five *M. olfersii*, but only 1 *M. carcinus*, were collected. This single collected specimen of *M. carcinus* is probably due to the difficulty in collecting this species in gill and dip nets, because cove traps are generally used for this shrimp (Rocha 2010). The number of freshwater shrimp species in the state of Maranhão is now increased from 4 to 6 species.

The freshwater crustaceans of the state of Maranhão are underestimated. A catalog of species is urgently needed to comprehend species diversity. In future research, information on collection methodology, including the type of traps, are needed in order to obtain a more effective qualitative and quantitative survey of the local crustacean fauna. Mantelatto et al. (2016) highlighted the need for new checklists and better knowledge of palaemonidean shrimp life histories.

Acknowledgements

The authors are grateful to CAPES, Coordination for Higher Education Staff Development and the Maranhão Foundation for the Protection of Research and Scientific and Technological Development, FAPEMA (APP Universal No. Process 00754/13), for financial support. The samples were made under authorization Instituto Chico Mendes de Conservação da Biodiversidade (ICMBio) (SISBIO 42415-1). Special thanks to Diego Sousa Campos for the construct the distribution geographic map.

Authors' Contributions

JN collected the data, KA and MA identified the species, KA, MA and JN wrote the manuscript.

References

- Ammar D, Müller YMR, Nazari EM (2001) Biologia reprodutiva de *Macrobrachium olfersii* (Wiegmann) (Crustacea, Decapoda, Palaemonidae) coletados na Ilha de Santa Catarina, Brasil. *Revista Brasileira de Zoologia* 18 (2): 529–537. <https://doi.org/10.1590/S0101-81752001000200024>
- Anger K (2013) Neotropical *Macrobrachium* (Caridea: Palaemonidae): on the biology, origin, and radiation of freshwater-invading shrimp. *Journal of Crustacean Biology* 33 (2): 151–183. <https://doi.org/10.1163/1937240X-00002124>
- Bauer RT (2011) Amphidromy and migrations of freshwater shrimps. II. Delivery of hatching larvae to the sea, return juvenile upstream migration, and human impact. *New Frontiers in Crustacean Biology* 15: 157–168. <https://doi.org/10.1163/ej.9789004174252.i-354.115>
- Bowles DE, Aziz K, Knight CL (2000) *Macrobrachium* (Decapoda: Caridea: Palaemonidae) in the contiguous United States: a review of the species and an assessment of threats to their survival. *Journal of Crustacean Biology* 20: 158–171. <https://doi.org/10.1163/20021975-99990025>
- Coelho PA, Ramos-Porto M (1985) Camarões de água doce do Brasil: distribuição geográfica. *Revista Brasileira de Zoologia* 2 (6): 405–410. <https://doi.org/10.1590/S0101-81751984000200014>
- Coelho PA, Ramos-Porto M (1980) Crustáceos decápodos da costa do Maranhão, Brasil. *Boletim do Instituto Oceanográfico* 29 (2): 135–138. <https://doi.org/10.1590/S0373-55241980000200028>
- Dos Santos A, Hayd L, Anger K (2013) A new species of *Macrobrachium* Spence Bate, 1868 (Decapoda, Palaemonidae), *M. pantanalense*, from the Pantanal, Brazil. *Zootaxa* 3700 (4): 534–546. <https://doi.org/10.11646/zootaxa.3700.4.2>
- Ferreira RS, Vieira RRR, D'Incão F (2010) The marine and estuarine shrimps of the Palaemoninae (Crustacea: Decapoda: Caridea) from Brazil. *Zootaxa* 2606: 1–24. <https://doi.org/10.5281/zenodo.197695>
- García-Dávila CR, Magalhães C (2003) Revisão taxonômica dos camarões de água doce (Crustacea: Decapoda: Palaemonidae, Sergestidae) da Amazônia Peruana. *Acta Amazonica* 33 (4): 663–686. <https://doi.org/10.1590/S0044-59672003000400013>
- Holthuis LB (1952) A general revision of the Palaemonidae (Crustacea Decapoda Natantia) of the Americas. II. The subfamily Palaemoninae. *Occasional Papers of the Allan Hancock Foundation*, Los Angeles 12: 1–395.
- Lara LR, Wehrtmann I (2009) Reproductive biology of the freshwater shrimp *Macrobrachium carcinus* (L.) (Decapoda: Palaemonidae) from Costa Rica, Central America. *Journal of Crustacean Biology* 29 (3): 343–349. <https://doi.org/10.1651/08-3109.1>
- Maciel CR, Quadros ML, Abrunhosa F, Bastos S, Shneider H, Sampaio I (2011) Occurrence of the Indo-Pacific freshwater prawn *Macrobrachium equidens* Dana 1852 (Decapoda, Palaemonidae) on the

- coast of Brazilian Amazonia, with notes on its reproductive biology. *Anais da Academia Brasileira de Ciências* 83 (2): 533–544. <https://doi.org/10.1590/S0001-37652011000200013>
- Mantelatto FL, Pileggi LG, Suárez H, Magalhães C (2008) First record and extension of the known distribution of the inland prawn, *Macrobrachium aracamuni* Rodríguez, 1982 (Decapoda, Palaemonidae) in Brazil. *Crustaceana* 81 (2): 241–246. <https://doi.org/10.1163/156854008783476206>
- Mantelatto FL, Pileggi LG, Magalhães C, Carvalho FL, Rocha SS, Mossolin EC, Rossi N, Bueno SLS (2016) Avaliação dos Camarões Palaemonídeos (Decapoda: Palaemonidae). In: Pinheiro MAA, Boos H (Eds) Livro Vermelho dos Crustáceos do Brasil: Avaliação 2010–2014. Sociedade Brasileira de Carcinologia, Porto Alegre, 252–267.
- Mejía-Ortiz LM, Alvarez F, Román R, Viccon-Pale JA (2001) Fecundity and distribution of freshwater prawns of the genus *Macrobrachium* in the Huiztilapan River, Veracruz, Mexico. *Crustaceana* 74: 69–77. <https://doi.org/10.1163/156854001505442>
- Melo GAS (2003) Manual de Identificação dos Crustacea Decapoda de Água Doce do Brasil. Edições Loyola, São Paulo, 429 pp.
- Nazari EM, Simões-Costa MS, Müller YMR, Ammar D, Dias M (2003) Comparisons of fecundity, egg size, and egg mass volume of the freshwater prawns *Macrobrachium potiuna* and *Macrobrachium olfersii* (Decapoda, Palaemonidae). *Journal of Crustacean Biology* 23: 862–868. <https://doi.org/10.1651/C-2387>
- Ramos-Porto M, Correia MMF, Sousa NR (1978) Levantamento da fauna aquática da Ilha de São Luis (Estado do Maranhão, Brasil). *Boletim do Laboratório de Hidrobiologia* 2 (1): 77–89.
- Rocha SS (2010) Differences between two methods used for sampling decapod crustaceans in a stream at Juréia-Itatins Ecological Station, state of São Paulo, Brazil. *Iheringia, Série Zoologia* 100 (2): 116–122. <https://doi.org/10.1590/S0073-47212010000200005>
- Sampaio SR, Nagata JK, Lopes OL, Masunari S (2009) Camarões de águas continentais (Crustacea, caridea) da Bacia do Atlântico Oriental paranaense, com chave de identificação tabular. *Acta Biológica Paranaense* 38 (1–2): 11–34. <https://doi.org/10.5380/abpr.v38i0.15974>
- Short JW (2004) A revision of Australian river prawns, *Macrobrachium* (Crustacea: Decapoda: Palaemonidae). *Hydrobiologia* 525: 1–100. <https://doi.org/10.1023/b:hydr.0000038871.50730.95>
- Sousa AR, Almeida ZS, Santos NB, Nunes JLS (2013) Crustáceos. In: Nunes JLS, Mendonça MA (Eds) Biodiversidade Marinha da Ilha do Maranhão. EDUFMA, São Luís, 95–124.
- Sousa DB, Santos NB, Oliveira VM, Carvalho-Neta RNF, Almeida ZS (2015) Carcinofauna bética estuarina de dois manguezais da Costa Amazônica Maranhense, Brasil. *Iheringia, Série Zoologia* 105 (3): 339–347. <https://doi.org/10.1590/1678-476620151053339347>
- Valencia DM, Campos MR (2007) Freshwater prawns of the genus *Macrobrachium* Bate, 1868 (Crustacea: Decapoda: Palaemonidae) of Colombia. *Zootaxa* 1456: 1–44.

Table 1. Geographic distribution of *Macrobrachium carcinus* (Linnaeus, 1758) and *M. olfersii* (Wiegmann, 1836) in the Neotropical region.

Species	Locality	State	Country	Latitude	Longitude
<i>M. olfersii</i>	Ilha Mosqueiro (Furo das Marinhas)	Pará	Brazil	01°10'19"S	048°19'02"W
<i>M. olfersii</i>		Espírito Santo	Brazil	20°03'40"S	040°37'00"W
<i>M. olfersii</i>		Bahia	Brazil	16°22'49"S	039°03'14"W
<i>M. olfersii</i>	St. Augustine area waters	Florida	USA	29°53'52"S	081°18'35"W
<i>M. olfersii</i>	Río Zimatán, carretera Salina Cruz-Huatulco	Oaxaca	Mexico	15°49'48"S	096°00'00"W
<i>M. olfersii</i>			French Guiana	3°12'04"S	052°19'04"W
<i>M. olfersii</i>	Gulf of Mexico, vicinity of Brownsville	Texas	USA	25°59'07"S	097°07'24"W
<i>M. olfersii</i>	Río Máquinas	Veracruz	Mexico	18°38'24"S	094°52'48"W
<i>M. olfersii</i>	Macayo 1a Sección, río Mezcalapa	Chiapas	Mexico	17°57'0"S	093°12'00"W
<i>M. olfersii</i>	Arroyo Agua de Perro	Guerrero	Mexico	17°05'24"S	099°33'36"W
<i>M. olfersii</i>	Laguna de Sontecomapan, río Coscoapan	Veracruz	Mexico	18°34'12"S	094°55'48"W
<i>M. olfersii</i>	Río Carrizal, Buenavista Río Nuevo, 3a sección	Tabasco	Mexico	17°56'24"S	093°01'48"W
<i>M. olfersii</i>	Río La Palma, Los Tuxtlas	Veracruz	Mexico	18°34'12"S	094°55'12"W
<i>M. olfersii</i>	Río Murga, a la altura del poblado de Murga, 17 km al Noreste de Petatlan	Guerrero	Mexico	17°41'24"S	100°40'12"W
<i>M. olfersii</i>	at the end of James Island Yacht Club pier		USA	32°45'20"S	079°55'06"W
<i>M. olfersii</i>	Río González	Tabasco	Mexico	18°32'24"S	091°19'48"W
<i>M. olfersii</i>	Macayo 1a Sección, río Mezcalapa	Chiapas	Mexico	17°57'0"S	093°12'00"W
<i>M. olfersii</i>	Río Ayutla, Morro Ayutla, carR Salina Cruz-Huatulco	Oaxaca	Mexico	15°54'36"S	095°51'00"W
<i>M. olfersii</i>	La Palma, Los Tuxtlas Ver	Veracruz	Mexico	18°33'36"S	094°55'12"W
<i>M. olfersii</i>	Río Coyula, cuenca baja, abajo del puente de la carretera Huatulco-Salina Cruz	Oaxaca	Mexico	15°48'36"S	096°18'36"W
<i>M. olfersii</i>	La Carbonera, San Fernando	Tamaulipas	Mexico	24°37'01"S	097°43'19"W
<i>M. olfersii</i>		Florida	USA	27°40'36"S	080°23'20"W
<i>M. olfersii</i>	Río Carrizal Platano y cacao, 2a Sección	Tabasco	Mexico	17°58'12"S	093°07'48"W
<i>M. olfersii</i>	Río Zimatán, carretera Salina Cruz-Huatulco	Oaxaca	Mexico	15°49'48"S	096°00'00"W
<i>M. olfersii</i>	Río Máquinas	Veracruz	Mexico	18°38'24"S	094°52'48"W
<i>M. olfersii</i>	Antes de la descarga, Corregidora de Ortiz, 3a Sección, río Mezcalapa	Tabasco	Mexico	17°58'48"S	092°55'48"W
<i>M. olfersii</i>	Rio del Salmoral	Veracruz	Mexico	19°20'24"S	096°20'24"W
<i>M. olfersii</i>	Bajo el puente de Río Purificación, Jal. Carr. Melaque-Pto. Vallarta	Jalisco	Mexico	19°44'24"S	103°22'12"W
<i>M. olfersii</i>	Charleston Harbor, at James Island Yacht Club pier	South Carolina	USA	32°45'20"S	079°55'06"W
<i>M. olfersii</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36"S	094°52'48"W
<i>M. olfersii</i>	Puente Petatengo, cuenca alta del río Zimatán, tributario del río Zimatán	Oaxaca	Mexico	15°56'24"S	096°01'48"W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. olfersii</i>	Río Zimatán, carretera Salina Cruz-Huatulco	Oaxaca	Mexico	15°49'48" S	096°00'00" W
<i>M. olfersii</i>	Laguna de Sontecomapan, Los Tuxtlas	Veracruz	Mexico	18°31'12" S	094°55'48" W
<i>M. olfersii</i>	El Naranjo entre Tonalá y Pijijiapan	Chiapas	Mexico	15°43'12" S	092°37'48" W
<i>M. olfersii</i>	Río Tonalá	Tabasco	Mexico	17°52'12" S	092°34'12" W
<i>M. olfersii</i>	Presa José Ma Morelos "La Villita", límite entre Michoacán y Guerrero	Michoacán de Ocampo	Mexico	18°02'24" S	102°10'48" W
<i>M. olfersii</i>	Río Copalita, cuenca baja, abajo del puente de la carretera Huatulco-Salina Cruz	Oaxaca	Mexico	15°49'12" S	096°03'36" W
<i>M. olfersii</i>	Desembocadura del Río Jamapa	Veracruz	Mexico	19°05'28" S	096°06'11" W
<i>M. olfersii</i>	Río Zimatán, carretera Salina Cruz-Huatulco	Oaxaca	Mexico	15°49'48" S	096°0'0" W
<i>M. olfersii</i>	Río Papagayo, Gro.	Guerrero	Mexico	16°45'36" S	098°19'48" W
<i>M. olfersii</i>	Actopan	Veracruz	Mexico	19°30'00" S	096°36'00" W
<i>M. olfersii</i>	Río Colotepec	Oaxaca	Mexico	15°48'36" S	097°00'36" W
<i>M. olfersii</i>	Poblado de Castillo	Río San Juan	Nicaragua	11°00'36" N	084°24'00" W
<i>M. olfersii</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36" S	094°52'48" W
<i>M. olfersii</i>	Río Copalita, cuenca baja, abajo del puente de la carretera Huatulco-Salina Cruz	Oaxaca	Mexico	15°49'12" S	096°18'36" W
<i>M. olfersii</i>	Río González	Tabasco	Mexico	18°32'24" S	091°19'48" W
<i>M. olfersii</i>	Río Cuitzmala, Jalisco a 5 km del Puente de la carretera Melaque-Pto. Vallarta	Jalisco	Mexico	19°25'12" S	103°0'0" W
<i>M. olfersii</i>	Río Lagartero, cerca de Arriaga	Chiapas	Mexico	16°15'36" S	092°04'12" W
<i>M. olfersii</i>	Río Tonalá	Tabasco	Mexico	17°52'12" S	092°34'12" W
<i>M. olfersii</i>	Río Máquinas, Los Tuxtlas	Veracruz	Mexico	18°38'24" S	094°52'48" W
<i>M. olfersii</i>	Río Chichiriviche	Distrito Federal	Venezuela	10°32'27" S	067°14'22" W
<i>M. olfersii</i>	Río Ayutla, Morro Ayutla, carr Salina Cruz-Huatulco	Oaxaca	Mexico	15°54'36" S	095°51'00" W
<i>M. olfersii</i>	Ashley River	South Carolina	USA	32°50'52" S	080°02'32" W
<i>M. olfersii</i>	Río entre La Palma y Río Basura, Los Tuxtlas	Veracruz	Mexico	18°33'36" S	094°55'12" W
<i>M. olfersii</i>	Ashley River, just below railroad bridge near Charleston	South Carolina	USA	32°50'52" S	080°02'32" W
<i>M. olfersii</i>	Arroyo Colorado	Sinaloa	Mexico	23°19'12" S	105°56'24" W
<i>M. olfersii</i>	Río saliendo de Pto. Escondido	Oaxaca	Mexico	15°51'00" S	097°03'00" W
<i>M. olfersii</i>	Arroyo el Zapote entre Tuxtepec y Palomares	Oaxaca	Mexico	17°10'12" S	094°52'12" W
<i>M. olfersii</i>	Mermentau River (RM 16.7) and Little Pecan Bayou confluence	Louisiana	USA	29°47'45" S	092°52'14" W
<i>M. olfersii</i>	Río Zimatán, carretera Salina Cruz-Huatulco	Oaxaca	Mexico	15°49'48" S	096°00'00" W
<i>M. olfersii</i>	El estanque, La Tovar	Nayarit	Mexico	21°31'48" S	105°15'00" W
<i>M. olfersii</i>	Río Coscoapan, Laguna de Sontecomapan	Veracruz	Mexico	18°34'12" S	094°55'48" W
<i>M. olfersii</i>	Río Máquinas	Veracruz	Mexico	18°38'24" S	094°52'48" W
<i>M. olfersii</i>	Río Zimatán, Huatulco	Oaxaca	Mexico	15°49'48" S	096°00'00" W
<i>M. olfersii</i>	Río Máquinas	Veracruz	Mexico	18°38'24" S	094°52'48" W
<i>M. olfersii</i>	20 km S.E de Martínez de la Torre	Veracruz	Mexico	20°06'36" S	095°04'12" W
<i>M. olfersii</i>	19 km S.E de Martínez de la Torre	Veracruz	Mexico	20°06'36" S	095°04'12" W
<i>M. olfersii</i>	Antes de la descarga, corregidora de Ortiz, 3a Sección, Río Mezcalapa	Tabasco	Mexico	17°58'48" S	092°55'48" W
<i>M. olfersii</i>		Bahia	Brazil	15°13'07" S	039°03'57" W
<i>M. olfersii</i>		Bahia	Bahia	14°47'32" S	039°11'32" W
<i>M. olfersii</i>		Bahia	Bahia	14°38'46" S	039°14'53" W
<i>M. olfersii</i>	Playa Paraíso, Puerto Morelos	Quintana Roo	Mexico	20°53'24" S	085°04'12" W
<i>M. olfersii</i>				16°23'23" S	039°15'48" W
<i>M. olfersii</i>	Río San Nicolás, 5 km río arriba del puente de la carretera Melaque-Pto. Vallarta, Mpio. Huerta, Jalisco	Jalisco	Mexico	19°39'36" S	104°46'48" W
<i>M. olfersii</i>	Río Máquinas rumbo a Montepio	Veracruz	Mexico	18°38'24" S	094°52'48" W
<i>M. olfersii</i>	Río Carrizal Platano y cacao, 2a Sección	Tabasco	Mexico	17°58'12" S	093°07'48" W
<i>M. olfersii</i>		Paraná	Brazil	25°48'51" S	048°48'57" W
<i>M. olfersii</i>		Paraná	Brazil	25°49'40" S	048°47'24" W
<i>M. olfersii</i>		Santa Catarina	Brazil	27°44'32" S	048°31'49" W
<i>M. olfersii</i>	Río Chachalacas	Veracruz	Mexico	19°27'36" S	095°39'00" W
<i>M. olfersii</i>		Santa Catarina	Brazil	27°38'47" S	048°37'10" W
<i>M. olfersii</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37" S	097°44'20" W
<i>M. olfersii</i>		Pernambuco	Brazil	07°58'32" S	035°51'20" W
<i>M. olfersii</i>		São Paulo	Brazil	23°46'35" S	045°21'05" W
<i>M. olfersii</i>	Río Carrizal, Corregidora de Ortiz, 5a Sección	Tabasco	Mexico	17°57'00" S	093°07'12" W
<i>M. olfersii</i>				24°39'41" S	047°34'13" W
<i>M. olfersii</i>		Santa Catarina	Brazil	27°45' S	048°32" W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. olfersii</i>		Santa Catarina	Brazil	27°28'S	048°30'W
<i>M. olfersii</i>	Oeste da Praia do Jabaquara	São Paulo	Brazil	23°44'12.6" S	045°17'38.9" W
<i>M. olfersii</i>	Estrada da Praia do Jabaquara	São Paulo	Brazil	23°44'12.3" S	045°18'19.4" W
<i>M. olfersii</i>	Ponta das Canas	São Paulo	Brazil	23°43'42.8" S	045°20'28.0" W
<i>M. olfersii</i>	Praia da Armação	São Paulo	Brazil	23°44'13.7" S	045°20'36.2" W
<i>M. olfersii</i>	Alto da Praia do Sino	São Paulo	Brazil	23°45'01.3" S	045°20'41.4" W
<i>M. olfersii</i>	Alto da Praia da Siriúba	São Paulo	Brazil	23°45'25.2" S	045°20'34.5" W
<i>M. olfersii</i>	Praia do Viana	São Paulo	Brazil	23°45'38.4" S	045°20'54.8" W
<i>M. olfersii</i>	Praia do Itaquaduba	São Paulo	Brazil	23°47'45.5" S	045°21'50.8" W
<i>M. olfersii</i>	Alto do Cocaia	São Paulo	Brazil	23°48'35.4" S	045°21'10.8" W
<i>M. olfersii</i>	Cocaia	São Paulo	Brazil	23°49'01.7" S	045°21'10.8" W
<i>M. olfersii</i>	Baixo da Cachoeira da Toca	São Paulo	Brazil	23°49'31.8" S	045°20'56.6" W
<i>M. olfersii</i>	Meio do Rio da Água Branca	São Paulo	Brazil	23°49'23.2" S	045°21'47.9" W
<i>M. olfersii</i>	Cachoeira da Toca	São Paulo	Brazil	23°49'34.8" S	045°20'30.3" W
<i>M. olfersii</i>	Cachoeira da Zabumba	São Paulo	Brazil	23°50'08.1" S	045°22'09.1" W
<i>M. olfersii</i>	Tesouro da Colina	São Paulo	Brazil	23°50'19.9" S	045°22'25.0" W
<i>M. olfersii</i>	Ilhote	São Paulo	Brazil	23°50'20.4" S	045°23'55.1" W
<i>M. olfersii</i>	Praia do Portinho	São Paulo	Brazil	23°50'42.8" S	045°24'15.6" W
<i>M. olfersii</i>	Campo do Portinho	São Paulo	Brazil	23°50'53.6" S	045°24'16.3" W
<i>M. olfersii</i>	Cachoeira Pancada D'Água	São Paulo	Brazil	23°51'12.0" S	045°24'25.8" W
<i>M. olfersii</i>	Cachoeira dos Três Tombos	São Paulo	Brazil	23°51'17.6" S	045°24'19.1" W
<i>M. olfersii</i>	Norte da Praia Grande	São Paulo	Brazil	23°51'23.0" S	045°24'47.0" W
<i>M. olfersii</i>	Sul da Praia Grande	São Paulo	Brazil	23°51'34.5" S	045°25'03.5" W
<i>M. olfersii</i>	Norte da Praia do Curral	São Paulo	Brazil	23°51'49.0" S	045°25'40.7" W
<i>M. olfersii</i>	Alto da Praia do Curral	São Paulo	Brazil	23°52'05.3" S	045°25'30.9" W
<i>M. olfersii</i>	Praia do Veloso	São Paulo	Brazil	23°52'15.1" S	045°26'07.3" W
<i>M. olfersii</i>	Camping do Veloso	São Paulo	Brazil	23°52'32.2" S	045°26'09.7" W
<i>M. olfersii</i>	Cambará	São Paulo	Brazil	23°52'31.9" S	045°26'35.0" W
<i>M. olfersii</i>	Rodamonte/Taubaté	São Paulo	Brazil	23°53'55.4" S	045°27'31.8" W
<i>M. olfersii</i>	Mexilhão	São Paulo	Brazil	23°54'20.8" S	045°27'26.3" W
<i>M. olfersii</i>	Borrifos	São Paulo	Brazil	23°55'16.0" S	045°27'03.5" W
<i>M. olfersii</i>	Porto dos Frades	São Paulo	Brazil	23°55'44.6" S	045°26'33.5" W
<i>M. olfersii</i>	Cachoeira da Vista	São Paulo	Brazil	23°55'54.9" S	045°26'26.0" W
<i>M. olfersii</i>	Marambaia	São Paulo	Brazil	23°56'04.0" S	045°25'51.9" W
<i>M. olfersii</i>	Praia do Gato / Poço do Gordo	São Paulo	Brazil	23°50'40.6" S	045°17'04.0" W
<i>M. olfersii</i>	Castelhanos/Cachoeira do Engenho	São Paulo	Brazil	23°51'03.2" S	045°17'22.6" W
<i>M. olfersii</i>	Praia Mansa	São Paulo	Brazil	23°52'07.8" S	045°17'28.1" W
<i>M. olfersii</i>	Praia Vermelha	São Paulo	Brazil	23°52'24.8" S	045°17'29.4" W
<i>M. olfersii</i>	Cachoeira da Laje	São Paulo	Brazil	23°55'55.2" S	045°24'32.7" W
<i>M. olfersii</i>	Engenho D'Água I	São Paulo	Brazil	23°47'40.8" S	045°21'29.3" W
<i>M. olfersii</i>	Taubaté	São Paulo	Brazil	23°54'02.5" S	045°27'28.0" W
<i>M. olfersii</i>	Sul da Praia do Curral	São Paulo	Brazil	23°52'07.6" S	045°25'56.5" W
<i>M. olfersii</i>	Canal da Lagoa do Peri	Santa Catarina	Brazil	27°43'30" S	048°32'18" W
<i>M. olfersii</i>	Parque Municipal da Lagoa do Peri	Santa Catarina	Brazil	27°43' S	048°32' W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°43'45.8" S	025°49'55.6" W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°43'57.0" S	025°49'78.6" W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°43'66.0" S	025°50'03.2" W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°44'65.3" S	025°48'99.7" W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°44'33.4" S	025°47'91.0" W
<i>M. olfersii</i>	Guaratuba	Paraná	Brazil	48°44'33.9" S	025°48'52.6" W
<i>M. olfersii</i>	Área de ecoturismo	Espírito Santo	Brazil	20°05'21.6" S	040°33'28.0" W
<i>M. olfersii</i>		Espírito Santo	Brazil	20°05'27.4" S	040°33'05.6" W
<i>M. olfersii</i>		Espírito Santo	Brazil	20°05'24.7" S	040°32'59.8" W
<i>M. olfersii</i>	Comunidade ribeirinha	Espírito Santo	Brazil	20°05'27.4" S	040°33'05.6" W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Pariquerá-Açu, rio Pariquerá-Açu	São Paulo	Brazil	24°37'37" S	047°44'43" W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Pariquerá-Açu, rio Pariquerá-Mirim	São Paulo	Brazil	24°23'09" S	047°01'07" W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Pariquerá-Açu, Cachoeira do Paraíso	São Paulo	Brazil	24°23'49" S	047°07'17" W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Pariquera-Açu, Trilha do Fundão	São Paulo	Brazil	24°23'14"S	47°01'02"W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Cananéia, rio Branco	São Paulo	Brazil	24°54'36"S	47°59'52"W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Ilha Comprida, córrego sem nome	São Paulo	Brazil	25°00'50"S	47°52'32"W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, município de Pariquera-Açu, rio Capivarú	São Paulo	Brazil	25°00'05"	47°51'53"W
<i>M. olfersii</i>	Bacia do Ribeira de Iguape, Parque Estadual da Ilha do Cardoso, cachoeira do rio Pedro Luiz	São Paulo	Brazil	25°00'50"S	47°52'31"W
<i>M. olfersii</i>	Estação Ecológica Juréia-Itatins	São Paulo	Brazil	24°22'05"S	47°03'17"W
<i>M. olfersii</i>	Estação ecológica Juréia -Itatins	São Paulo	Brazil	24°23'09"S	47°01'07"W
<i>M. olfersii</i>	Rio Pascagoula		Brazil	30°31'N	88° 36"W
<i>M. olfersii</i>	Rio Burunhém, cerca de 8km ao sul de Vera Cruz, na Estrada Eunápolis	Bahia	Brazil	16°25'28"S	39°21'W
<i>M. olfersii</i>	Rio Juaçuí (afluente do Rio Doce), sob ponte da Estrada BR-116 em Frei Inocêncio	Minas Gerais	Brazil	18°34'21"S	41°54'42"W
<i>M. olfersii</i>	Rio Jucuruçu (costeiro), numa fazenda acima do município de Itamaraju	Bahia	Brazil	17°01'10"S	39°39'57"W
<i>M. olfersii</i>	Rio Cachoeira Ilhéus	Bahia	Brazil	14°48'05.18"S	39°09'54.49"W
<i>M. olfersii</i>	Cachoeira River, Ilhéus	Bahia	Brazil	14°48'10.33"S	39°10'03.65"W
<i>M. olfersii</i>	Cachoeira River, Ilhéus	Bahia	Brazil	14°47'31.6"S	39°11'07.8"W
<i>M. olfersii</i>	River Santana, Ilhéus	Bahia	Brazil	14°51'16.8"S	39°05'58.6"W
<i>M. olfersii</i>	Rio Acuípe	Bahia	Brazil	15°04'40"S	39°01'40"W
<i>M. olfersii</i>	Lagoa Encantada, Ilhéus	Bahia	Brazil	14°37'20.8"S	39°08'32.5"W
<i>M. olfersii</i>	Lagoa Encantada, Ilhéus	Bahia	Brazil	14°37'20.8"S	39°08'32.5"W
<i>M. olfersii</i>	Santana River, Povoado Rio do Engenho, Ilhéus	Bahia	Brazil	14°51'07.4"S	39°04'12.8"W
<i>M. olfersii</i>	Acuípe River, Ilhéus	Bahia	Brazil	15°04'40"S	39°01'40"W
<i>M. olfersii</i>	Lagoa Encantada, Ilhéus	Bahia	Brazil	14°37'20.8"S	39°08'32.5"W
<i>M. olfersii</i>	Santana River, Fazenda Theobroma, Ilhéus	Bahia	Brazil	14°50'58.2"S	39°04'52.7"W
<i>M. olfersii</i>	Small stream, Estação Experimental da CEPLAC	Bahia	Brazil	15°17'02.3"S	39°05'21.5"W
<i>M. olfersii</i>	River Una	Bahia	Brazil	15°17'28.1"S	39°06'09.5"W
<i>M. olfersii</i>	Tijuipinho River, Uruçuca	Bahia	Brazil	14°26'39.7"S	39°03'13.2"W
<i>M. olfersii</i>	Almada River, Ilhéus	Bahia	Brazil	14°39'09.6"S;	39°04'58.7"W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43"N	97°05'28"W
<i>M. carcinus</i>	Aldama	Tamaulipas	Mexico	22°55'23"N	98°04'55"W
<i>M. carcinus</i>			Cuba	20°00'25"N	75°00'38"W
<i>M. carcinus</i>	Presas Marte R. Gómez, Camargo	Tamaulipas	Mexico	26°14'10"N	98°55'41"W
<i>M. carcinus</i>			Colombia	9°24'0"N	75°49'00"W
<i>M. carcinus</i>			USA	29°14'46"N	81°38'37"W
<i>M. carcinus</i>	Río Bravo en Matamoros	Campeche	Mexico	25°53'06"N	97°31'01"W
<i>M. carcinus</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37"N	97°44'20"W
<i>M. carcinus</i>	Quebrada Rebolledo, a la salida de Chuspa	Miranda	Venezuela	10°36'43"N	66°18'46"W
<i>M. carcinus</i>	Río Agualeguas	Nuevo Leon	Mexico	26°31'58"N	100°34'58"W
<i>M. carcinus</i>		Florida	USA	27°09'43"N	81°54'06"W
<i>M. carcinus</i>		Florida	USA	29°59'39"N	81°40'33"W
<i>M. carcinus</i>	Upper San Marcos River, San Marcos, near headwaters of San Marcos River, campus of Texas State University	Texas	USA	29°53'21"N	97°56'20"W
<i>M. carcinus</i>	Los Tuxtlas	Veracruz	Mexico	18°36'36"N	94°54'0"W
<i>M. carcinus</i>	Upper San Marcos River, San Marcos, near headwaters of San Marcos River, campus of Texas State University	Texas	USA	29°53'21"N	97°56'20"W
<i>M. carcinus</i>	Rio Sonodoro, Rio Sonodoro		Puerto Rico	18°19'32"N	65°49'13"W
<i>M. carcinus</i>	Upper San Marcos River, San Marcos, near headwaters of San Marcos River, campus of Texas State University	Texas	USA	29°53'21"N	97°56'20"W
<i>M. carcinus</i>	Cd. Mier.	Tamaulipas	Mexico	26°25'48"N	99°08'42"W
<i>M. carcinus</i>	Upper San Marcos River, San Marcos, near headwaters of San Marcos River, campus of Texas State University	Texas	USA	29°53'21"N	097°56'20"W
<i>M. carcinus</i>			Virgin Islands, U.S.	18°22'01"N	064°57'49"W
<i>M. carcinus</i>			Venezuela	10°36'05"N	066°53'52"W
<i>M. carcinus</i>	Río Samaria, Cumuapan, 1a sección	Tabasco	Mexico	18°00'36"N	093°04'12"W
<i>M. carcinus</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37"N	097°44'20"W
<i>M. carcinus</i>	Río Tamesí en Tampico	Tamaulipas	Mexico	22°13'48"N	097°08'56"W
<i>M. carcinus</i>	Río Jacal Blanco, Cd. Mier	Tamaulipas	Mexico	26°25'48"N	099°08'42"W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. carcinus</i>			Puerto Rico	17°58'04" N	066°03'42" W
<i>M. carcinus</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36" N	094°52'48" W
<i>M. carcinus</i>			Costa Rica	09°58'43" N	083°02'05" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	097°05'28" W
<i>M. carcinus</i>		Vera Cruz	Mexico	18°26'56" N	095°12'57" W
<i>M. carcinus</i>	Ciénaga	Bolívar	Colombia	10°23'05" N	075°23'52" W
<i>M. carcinus</i>			Venezuela	10°49'00" N	064°10'59" W
<i>M. carcinus</i>	Arroyo Blanco	Querétaro	Mexico	21°10'48" N	099°19'12" W
		Arteaga			
<i>M. carcinus</i>		Castries	Saint Lucia	14°00'00" N	061°0'0" W
<i>M. carcinus</i>	Río Pánuco	Tamaulipas	Mexico	22°12'56" N	097°55'19" W
<i>M. carcinus</i>			Puerto Rico	18°03'16" N	066°30'25" W
<i>M. carcinus</i>			Brazil	22°55'00" S	042°49'00" W
<i>M. carcinus</i>	San Antonio	Texas	USA	29°28'22" N	098°28'23" W
<i>M. carcinus</i>			Brazil	24°09'00" S	046°48'0" W
<i>M. carcinus</i>			Mexico	18°17'39" N	092°39'15" W
<i>M. carcinus</i>	Presa cerro de oro	Oaxaca	Mexico	18°01'12" N	096°14'24" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	097°05'28" W
<i>M. carcinus</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37" N	097°44'20" W
<i>M. carcinus</i>			Puerto Rico	18°14'10" N	066°02'56" W
<i>M. carcinus</i>			French Guiana	5°45'00" N	053°58'00" W
<i>M. carcinus</i>			Mexico	17°32'21" N	092°48'29" W
<i>M. carcinus</i>	Laguna de Chila, Pánuco	Veracruz	Mexico	22°10'48" N	098°07'30" W
<i>M. carcinus</i>			Colombia	10°05'09" N	074°50'48" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	097°05'28" W
<i>M. carcinus</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36" N	094°52'48" W
<i>M. carcinus</i>	Veracruz	Veracruz	Mexico	19°12'36" N	095°49'48" W
<i>M. carcinus</i>	Río Máquinas, carretera Los Tuxtlas-Monte Pío	Veracruz	Mexico	18°36'36" N	095°09'36" W
<i>M. carcinus</i>	Río Máquinas, Los Tuxtlas	Veracruz	Mexico	18°38'24" N	094°52'48" W
<i>M. carcinus</i>	Río Máquinas	Veracruz	Mexico	18°38'24" N	094°52'48" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	097°05'28" W
<i>M. carcinus</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36" N	094°52'48" W
<i>M. carcinus</i>	Río Espiritu Santo, 1st pool area from Stream House trail		Puerto Rico	18°20'31" N	065°49'32" W
<i>M. carcinus</i>			Cuba	20°16'59" N	076°28'00" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	065°45'44" W
<i>M. carcinus</i>			Colombia	11°15'00" N	073°46'00" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	065°45'44" W
<i>M. carcinus</i>	Mameyes River, furthest upstream [of Patrick Cooney's 2009 sites] on the Mameyes		Puerto Rico	18°19'41" N	065°45'11" W
<i>M. carcinus</i>	Rio Tocantins, em Cametá	Pará	Brazil	2°14'44" S	049°29'34" W
<i>M. carcinus</i>	Mameyes River, further upstream [from PRS12] on Mameyes		Puerto Rico	18°21'22" N	065°46'06" W
<i>M. carcinus</i>			Brazil	23°03'21" S	043°33'51" W
<i>M. carcinus</i>	Mameyes River, further upstream [from PRS12] on Mameyes		Puerto Rico	18°21'22" N	065°46'06" W
<i>M. carcinus</i>			Brazil	17°07'00" S	039°13'00" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	065°45'44" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	65°45'44" W
<i>M. carcinus</i>			Mexico	18°46'52" N	95°45'26" W
<i>M. carcinus</i>	Mameyes River, further upstream [from PRS12] on Mameyes		Puerto Rico	18°21'22" N	65°46'06" W
<i>M. carcinus</i>			Brazil	21°37'00" S	41°03'0" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	65°45'44" W
<i>M. carcinus</i>			Guadeloupe	16°17'33" N	61°31'56" W
<i>M. carcinus</i>	Río arriba de Coatzacoalcos	Veracruz	Mexico	17°58'48" N	94°33'0" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	65°45'44" W
<i>M. carcinus</i>			USA	30°14'56" N	97°43'01" W
<i>M. carcinus</i>	Mameyes River, 2nd furthest upstream [of Patrick Cooney's 2009 sites on Mameyes]		Puerto Rico	18°20'41" N	65°45'24" W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. carcinus</i>	Río Espíritu Santo, 1st pool area from Stream House trail		Puerto Rico	18°20'31" N	65°49'32" W
<i>M. carcinus</i>	Río Cazones, Ejido Flores Magón, Cazones	Veracruz	Mexico	20°42'32" N	97°18'43" W
<i>M. carcinus</i>	Mameyes River, Mameyes (last riffle before estuary) across from Westin Rio Mar golf course		Puerto Rico	18°22'28" N	65°45'44" W
<i>M. carcinus</i>	Mameyes River, 2nd furthest upstream [of Patrick Cooney's 2009 sites on Mameyes]		Puerto Rico	18°20'41" N	65°45'24" W
<i>M. carcinus</i>	Mameyes River, 2nd furthest upstream [of Patrick Cooney's 2009 sites on Mameyes]		Puerto Rico	18°20'41" N	65°45'24" W
<i>M. carcinus</i>	Río Tocantins, em Cametá	Pará	Brazil	02°14'44" S	49°29'34" W
<i>M. carcinus</i>	Mameyes River, 2nd furthest upstream [of Patrick Cooney's 2009 sites on Mameyes]		Puerto Rico	18°20'41" N	65°45'24" W
<i>M. carcinus</i>	Los Tuxtlas	Veracruz	Mexico	18°36'36" N	94°52'48" W
<i>M. carcinus</i>		Ceará	Brazil	03°12'00" S	39°22'00" W
<i>M. carcinus</i>		Florida	USA	27°49'12" N	80°30'28" W
<i>M. carcinus</i>			Puerto Rico	18°22'21" N	66°11'17" W
<i>M. carcinus</i>			Venezuela	10°36'00" N	66°55'59" W
<i>M. carcinus</i>	Río de la Estación Biológica Los Tuxtlas	Veracruz	Mexico	18°36'36" N	94°52'48" W
<i>M. carcinus</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37" N	97°44'20" W
<i>M. carcinus</i>			Venezuela	10°07'18" N	66°46'18" W
<i>M. carcinus</i>	Río Jaguaribe	Ceará	Brazil	04°27'53" S	37°47'31" W
<i>M. carcinus</i>			Colombia	13°21'00" N	81°22'00" W
<i>M. carcinus</i>	La Pesca, Soto La Marina	Tamaulipas	Mexico	23°46'37" N	97°44'20" W
<i>M. carcinus</i>			Panama	9°13'45" N	79°32'10" W
<i>M. carcinus</i>			Virgin Is., U.S.	17°42'53" N	64°42'31" W
<i>M. carcinus</i>	Río entre La Palma y Río Basura, Los Tuxtlas	Veracruz	Mexico	18°33'36" N	94°55'12" W
<i>M. carcinus</i>		Brokopondo	Suriname	4°45'00" N	55°0'0" W
<i>M. carcinus</i>		Bathsheba	Barbados	13°12'56" N	59°31'41" W
<i>M. carcinus</i>			Mexico	17°51'00" N	93°22'59" W
<i>M. carcinus</i>	Doctor's River, near Speyville, in small dammed pond	Trinidad	Trinidad and Tobago	11°18'00" N	60°31'48" W
<i>M. carcinus</i>			Mexico	18°22'00" N	95°48'0" W
<i>M. carcinus</i>	Río Samaría, en la descarga	Tabasco	Mexico	17°49'12" N	93°21'36" W
<i>M. carcinus</i>	Río Sonadora, Río Sonodoro		Puerto Rico	18°19'32" N	65°49'13" W
<i>M. carcinus</i>	Trinidad, Doctor's River, near Speyside, dammed up pond (n. coll.) pond		Trinidad and Tobago	11°18'00" N	60°31'48" W
<i>M. carcinus</i>	Camino a la Laguna Escondida, Estación de Biología Tropical Los Tuxtlas	Veracruz	Mexico	18°34'48" N	95°03'36" W
<i>M. carcinus</i>	Río González	Tabasco	Mexico	18°32'24" N	91°19'48" W
<i>M. carcinus</i>	Río Carrizal Platano y cacao, 2a Sección	Tabasco	Mexico	17°58'12" N	93°01'12" W
<i>M. carcinus</i>	Coxcoapan Restaurant Sontecomapan	Veracruz	Mexico	18°27'36" N	94°51'0" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	97°05'28" W
<i>M. carcinus</i>	Miami	Florida	USA	25°46'12" N	80°11'13" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	97°05'28" W
<i>M. carcinus</i>	El Mezquite, Matamoros	Tamaulipas	Mexico	25°14'35" N	97°25'23" W
<i>M. carcinus</i>		Hidalgo	Mexico	21°07'40" N	98°52'28" W
<i>M. carcinus</i>	Dique Jiménez, Jiménez	Tamaulipas	Mexico	24°12'18" N	98°29'06" W
<i>M. carcinus</i>	Coxcoapan	Veracruz	Mexico	18°27'36" N	94°51'0" W
<i>M. carcinus</i>	Punta de Tlacotalpan	Veracruz	Mexico	18°37'12" N	94°19'12" W
<i>M. carcinus</i>	San Marcos River	Texas	USA	29°52'36" N	97°56'24" W
<i>M. carcinus</i>	Río Pánuco en Tampico	Tamaulipas	Mexico	22°12'43" N	97°05'28" W
<i>M. carcinus</i>	Punta de Piedra, San Fernando	Tamaulipas	Mexico	24°29'28" N	97°44'31" W
<i>M. carcinus</i>	Coxcoapan Restaurant Sontecomapan	Veracruz	Mexico	18°27'36" N	94°51'0" W
<i>M. carcinus</i>	La Palma, Los Tuxtlas	Veracruz	Mexico	18°33'36" N	94°55'12" W
<i>M. carcinus</i>			Colombia	11°30'57" N	72°58'10" W
<i>M. carcinus</i>	Río Suriname		Suriname	05°49'19" N	55°08'58" W
<i>M. carcinus</i>			Guiana	06°22'59" N	58°40'59" W
<i>M. carcinus</i>	Desembocadura del Río Coatzacoalcos, Coatzacoalcos	Veracruz	Mexico	18°07'12" N	94°25'19" W
<i>M. carcinus</i>	Río Blanco, Moctezuma, Landa de Matamorros	Querétaro Arteaga	Mexico	21°10'48" N	99°19'12" W
<i>M. carcinus</i>			Curaçao	12°10'08" N	68°59'27" W
<i>M. carcinus</i>			Colombia	11°01'00" N	73°46'59" W

Continued

Table 1. Continued.

Species	Locality	State	Country	Latitude	Longitude
<i>M. carcinus</i>	Landa de Matamoros	Querétaro	Mexico	21°14'24" N	98°52'48" W
		Arteaga			
<i>M. carcinus</i>	Axtla	San Luis Potosí	Mexico	21°17'24" N	97°10'48" W
<i>M. carcinus</i>	Río Pánuco en Pánuco	Veracruz	Mexico	22°03'29" N	98°10'37" W
<i>M. carcinus</i>	Veracruz	Veracruz	Mexico	19°12'36" N	95°49'48" W
<i>M. carcinus</i>	Escurrimiento al lado del río Pedregal	Tabasco	Mexico	17°52'12" N	92°34'12" W
<i>M. carcinus</i>	Playa Lauro Villar, Matamoros	Tamaulipas	Mexico	25°49'19" N	97°09'07" W
<i>M. carcinus</i>		Bahia	Brazil	15°13'05" S	39°03'57" W
<i>M. carcinus</i>	Río Pánuco en Pánuco	Veracruz	Mexico	22°03'29" N	98°10'37" W
<i>M. carcinus</i>		Bahia	Brazil	14°47'23" S	39°11'36" W
<i>M. carcinus</i>		Bahia	Brazil	14°38'48" S	39°14'58" W
<i>M. carcinus</i>		Paraná	Brazil	25°13'41" S	48°45'22" W
<i>M. carcinus</i>	Laguna La Playuela		Nicaragua	10°55'00" N	83°42'0" W
<i>M. carcinus</i>			Cuba	22°19'00" N	83°45'0" W
<i>M. carcinus</i>	Escollera de Tuxpan, Tuxpan	Veracruz	Mexico	20°57'04" N	97°25'16" W
<i>M. carcinus</i>			Aruba	12°29'45" N	69°55'44" W
<i>M. carcinus</i>		Pernambuco	Brazil	07°56'22" S	35°44'21" W
<i>M. carcinus</i>	Parque Estadual Ilha Bela	São Paulo	Brazil	23°51'22" S	45°24'30" W
<i>M. carcinus</i>		Vera Cruz	Mexico	19°24'41" N	96°21'14" W
<i>M. carcinus</i>	Parque Estadual Ilha Bela	São Paulo	Brazil	23°50'31" S	45°23'04" W
<i>M. carcinus</i>	Rio Ribeira do Iguape	São Paulo	Brazil	24°41'14" S	47°37'44" W
<i>M. carcinus</i>			Colombia	08°43'40" N	76°36'17" W
<i>M. carcinus</i>	Vaes Bay	Texas	USA	28°44'14" N	96°25'59" W
<i>M. carcinus</i>	Havana		Cuba	23°05'58" N	82°20'38" W
<i>M. carcinus</i>	Canal São Gonçalo	Rio Grande do Sul	Brazil	32°00'57" S	52°25'09" W
<i>M. carcinus</i>		Florida	USA	29°52'08" N	81°18'23" W
<i>M. carcinus</i>			Panama	09°09'47" N	79°50'17" W
<i>M. carcinus</i>	Sabancuy, Cd. del Carmen	Campeche	Mexico	18°37'55" N	91°50'06" W
<i>M. carcinus</i>		Texas	USA	29°51'33" N	97°54'49" W
<i>M. carcinus</i>	Matagorda Bay	Texas	USA	28°45'47" N	96°08'57" W
<i>M. carcinus</i>	Rio Sonodoro, Rio Sonodoro		Puerto Rico	18°19'32" N	65°49'13" W
<i>M. carcinus</i>	Escollera de Tuxpan, Tuxpan	Veracruz	Mexico	20°57'04" N	97°25'16" W
<i>M. carcinus</i>	Oeste da Praia do Jabaquara	São Paulo	Brazil	23°44'12.6" S	45°17'38.9" W
<i>M. carcinus</i>	Estrada da Praia do Jabaquara	São Paulo	Brazil	23°44'12.3" S	45°18'19.4" W
<i>M. carcinus</i>	Alto da Praia da Siriúba	São Paulo	Brazil	23°45'25.2" S	45°20'34.5" W
<i>M. carcinus</i>	Praia do Viana	São Paulo	Brazil	23°45'38.4" S	45°20'54.8" W
<i>M. carcinus</i>	Praia do Itaquanduba	São Paulo	Brazil	23°47'45.5" S	45°21'50.8" W
<i>M. carcinus</i>	Rio da Toca	São Paulo	Brazil	23°49'08.3" S	45°21'22.0" W
<i>M. carcinus</i>	Tesouro da Colina	São Paulo	Brazil	23°50'19.9" S	45°22'25.0" W
<i>M. carcinus</i>	Campo do Portinho	São Paulo	Brazil	23°50'53.6" S	45°24'16.3" W
<i>M. carcinus</i>	Porto dos Frades	São Paulo	Brazil	23°55'44.6" S	45°26'33.5" W
<i>M. carcinus</i>	Marambaia	São Paulo	Brazil	23°56'04.0" S	45°25'51.9" W
<i>M. carcinus</i>	Praia Mansa	São Paulo	Brazil	23°52'07.8" S	45°17'28.1" W
<i>M. carcinus</i>	Cachoeira da Laje	São Paulo	Brazil	23°55'55.2" S	45°24'32.7" W
<i>M. carcinus</i>	Bacia do Ribeira de Iguape, município de Cananéia, rio Branco	São Paulo	Brazil	24°54'36" S	47°59'52" W
<i>M. carcinus</i>	Bacia da Baixada Santista, município de Peruíbe, Estação Ecológica Juréia-Itatins, rio Perequê	São Paulo	Brazil	24°22'27" S	47°04'03" W
<i>M. carcinus</i>	Estação Ecológica Juréia-Itatins - rio sem nome	São Paulo	Brazil	24°23'09" S	047°01'07" W
<i>M. carcinus</i>	Estação Ecológica Juréia-Itatins: Trilha do Fundão	São Paulo	Brazil	24°23'14" S	047°01'02" W
<i>M. carcinus</i>		São Paulo	Brazil	00°03'40.9" S	051°08'46.6" W
<i>M. carcinus</i>			Brazil	00°15'39.9" S	051°20'42.3" W
<i>M. carcinus</i>	Estação Ecológica Juréia-Itatins	São Paulo	Brazil	24°23'05" S	047°01'08" W
<i>M. carcinus</i>	Ilha de Arapiranga	Pará	Brazil	01°19' S	048°33' W
<i>M. carcinus</i>	Rio Pascagoula, near Bay St. Louis (Rotten Bayou), Hancock County	Mississippi	USA	30°31' N	088°36' W
<i>M. carcinus</i>	Rio Capibaribe-Mirim	Pernambuco	Brazil	07°42' S	035°33' W
<i>M. carcinus</i>	Rio Pinheira, um pequeno rio no continente, cerca de 3 milhas ao sul da ponta sul da Ilha de Santa Catarina	Santa Catarina	Brazil	27°00'00" S	50°00'00" W
<i>M. carcinus</i>	Rio San Juan		Nicaragua	11°11' N	84°46' W
<i>M. carcinus</i>		São Paulo	Brazil	23°32'12" S	045°03'55" W

Continued

Table 1. *Continued.*

Species	Locality	State	Country	Latitude	Longitude
<i>M. carcinus</i>	Rio da Praia do Sambaqui	Santa Catarina	Brazil	27°28'36" S	048°32'00" W
<i>M. carcinus</i>		Santa Catarina	Brazil	27°40'51.1" S	048°33'42.6" W
<i>M. carcinus</i>	Ribeirão da Ilha, Florianópolis	Santa Catarina	Brazil	27°42'11" S	048°33'00" W
<i>M. carcinus</i>		Santa Catarina	Brazil	27°25'08.3" S	048°35'47.4" W
<i>M. carcinus</i>	Rio Cachoeira, Ilhéus	Bahia	Brazil	14°48'05.18" S	039°09'54.49" W
<i>M. carcinus</i>	Rio Contas, distrito de Taboquinhas, Itacaré	Bahia	Brazil	14°20' S	039°10' W
<i>M. carcinus</i>	Pequeno riacho, Serra Grande, Uruçuca	Bahia	Brazil	14°27' S	039°01' W
<i>M. carcinus</i>	Rio Santana, Povoado Rio do Engenho, Ilhéus	Bahia	Brazil	14°51'07.4" S	039°04'12.8" W
<i>M. carcinus</i>	Rio Santana	Bahia	Brazil	14°51'16.8" S	039°05'58.6" W